



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

### Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

### About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

B 49987 5

ANNUAL REPORT  
OF THE  
REGISTRY DEPARTMENT  
OF THE  
CITY OF BOSTON




FOR THE YEAR 1905



BRIGHTON BRANCH - HOLTON LIBRARY

No. *Ref*



*Transf. to Cent.*







614.179

M4

B7



ANNUAL REPORT  
OF THE  
REGISTRY DEPARTMENT

OF THE  
CITY OF BOSTON

BOSTON PUBLIC LIBRARY,  
BRIGHTON BRANCH.

YEAR 1905

[The first report of this Department was for the year 1849. No report was issued for the years 1860 and 1861. The title-page of the report for 1882 is wrongly printed as Document 80 of 1882, instead of 1883.]

BOSTON PUBLIC LIBRARY  
OF THE  
CITY OF BOSTON



BOSTON  
MUNICIPAL PRINTING OFFICE  
1906



Ref. To ansf. to Cont.

Wm. Br.

Boston Registry Department.  
Apr. 29. 1909

YRABLL OLUBU  
ZHT 70  
NOT208 70YT10



# CONTENTS.

	PAGE
General Statement: Births, Deaths, and Marriages recorded in 1905.....	vii
Financial Statement.....	viii
Deaths to Population in 1905: Proportion to Each Class.....	1
" Total Mortality: Residents, Non-residents, and Unknown.....	1
" Observations on the Mortality of the City in 1905.....	160
" Conjugal Condition of Decedents of 1905.....	163
" in Institutions.....	164
" Occupations of Male Decedents, 1905.....	165
" Occupations of Female Decedents, 1905.....	166
Marriages in Boston, 1905.....	168
" Mixed Marriages, 1905.....	171
" Ages of Grooms and Brides.....	171
" Nativities of Grooms and Brides.....	171
" American Brides and Foreign Grooms.....	173
" Between Natives of the Same Foreign Country.....	173
" Number of Marriage.....	173
" of Divorced Persons.....	175
" Occupations of Grooms, 1905.....	175
" Occupations of Brides, 1905.....	177
" Out-of-Town Marriages recorded in Boston.....	182
" Out-of-Town Marriages, Occupations of Grooms.....	190
" Out-of-Town Marriages, Occupations of Brides.....	191
Births in Boston in 1905.....	193
" Colored Births in Boston in 1905.....	194
" Nativity of Fathers and Mothers.....	195
" Proportion of the Sexes to the Nativity of Parents.....	195
" Occupations of Fathers of Children Born in Boston, 1905.....	217
" in Institutions.....	219
" Plurality.....	220
" Nativity of Parents in Cases of Plural Birth.....	221
Still-births Among Plural Births.....	222
Still-births in Boston, 1905.....	222
Still-births: Nativity of Parents of.....	223
Ward Statistics.....	231
Summary of Greatest and Least in Ward Statistics.....	282
Summary of Miscellaneous Tables C, D, E, and F.....	295
Statistics of the Growth of Population in Boston.....	315
Catalogue of Books of Record.....	341
Catalogue of Church Records.....	350
List of Boston Record Reports.....	354
GENERAL TABLES:	
Table I.—Proportion of Deaths to Population of Wards, Death Rates by Wards, and Deaths of Five Years and Under, with Percentages.....	2
Table II.—Deaths by Wards and Age-Periods.....	3-5
Table III.—Deaths of Colored Persons.....	6-8
Table IV.—Deaths: Conjugal Condition of Decedents by Wards.....	9
Table V.—Deaths: Conjugal Condition of Decedents by Age-Periods.....	10-12
Table VI.—Deaths by Months and Wards.....	13
Table VII.—Deaths by Months and Age-Periods.....	15-20
Table VIII.—Deaths: Principal Causes by Age-Periods.....	21-24
Table IX.—Deaths: Principal Causes by Wards.....	25-28
Table X.—Deaths by Accident, by Wards.....	29-32
Deaths by Suicide and Homicide, by Wards.....	32-36

**GENERAL TABLES.—Concluded.**

	<b>PAGE</b>
Table XI.—Deaths: Nativity of Decedents by Countries.....	37-40
Table XII.—Deaths: Conjugal Condition by Country of Birth.....	41-43
Table XIII.—Deaths: Parent Nativity of Decedents by Birthplaces (Relative).....	44-47
Table XIV.—Deaths: Principal Causes by Age-Periods, each Ward.....	48-103
Table XV.—Deaths: Natives of Boston, by Age-Periods, each Ward.....	104-158
Table XVI.—Marriages by Months and Quarterly Periods, Color of Groom and Bride, Religious or Civil.....	169
Table XVII.—Marriages: Ages of Grooms and Brides (Relative).....	170
Table XVIII.—Marriages: Relative Nativity of Grooms and Brides.....	172
Table XIX.—Marriages: Number of Marriage (Relative).....	174
Table XX.—Marriages: Age-Period and Nativity of Grooms.....	179
Table XXI.—Marriages: Nativity and Number of Marriage of Grooms and Brides.....	180
Table XXII.—Marriages: Age-Period and Nativity of Brides.....	181
Table XXIII.—Marriages: Age and Nativity of Illiterate Grooms.....	178
Table XXIV.—Out-of-Town Marriages: by Months, Color, Religious and Civil.....	182
Table XXV.—Out-of-Town Marriages: by Months and Residence.....	183
Table XXVI.—Out-of-Town Marriages: Ages of Grooms and Brides (Relative).....	184
Table XXVII.—Out-of-Town Marriages: Number of Marriage (Relative), Table XXVIII.—Out-of-Town Marriages: Relative Nativity of Grooms and Brides.....	185
Table XXIX.—Out-of-Town Marriages: Nativity of Grooms and Brides, and Number of Marriage.....	186
Table XXX.—Out-of-Town Marriages: Age-Period and Nativity of Grooms.....	187
Table XXXI.—Out-of-Town Marriages: Age-Period and Nativity of Brides.....	189
Table XXXII.—Percentage of Births in Each Ward to Whole Number of Births and of Ward Population.....	192
Table XXXIII.—Births Recorded in Boston, 1905: Wards, Sex, and Months,	194
Table XXXIV.—Births: Colored, by Wards, Months, and Sex.....	196-199
Table XXXV.—Births: Nativity of Fathers by Country of Birth, by Wards.....	200-201
Table XXXVI.—Births: Nativity of Mothers by Country of Birth, by Wards.....	202-206
Table XXXVII.—Births: Nativity of Fathers and Mothers (Relative)....	207-211
	212-216

**TABLES IN APPENDIX A.:**

Table A.—Ward Statistics: Mortality and Mortality Rates, Births and Birth Rates, 1905.....	284
Table B.—Ward Statistics: Area, Dwellings, Families, Density, Popula- tion, Sexes, Native and Foreign Born.....	285
Table C.—Number of Deaths from Five Principal Causes from 1811 to 1905,	286-288
Table D.—Nativity of Fathers and Mothers of Children from 1900 to 1904,	289
Table E.—Deaths from Cancer, with Location, from 1849 to 1903.....	290-293
Table F.—Population of Boston (Foreign, by Country of Birth) in Census Years 1870 to 1900.....	294
Table G.—Number of Deaths from Phthisis from 1811 to 1905.....	298-300
Table H.—Number of Deaths from Four Principal Causes from 1811 to 1905.....	301-303
Number of Births, Marriages, Marriage Intentions, and Deaths Recorded from 1849 to 1905, with all Additions and Corrections to Date.....	304-305
Table of Population: Births, Still-births, and Ratios from 1849 to 1905.....	306-307
Table of Population: Deaths, Still-births, and Ratios, 1851 to 1905.....	307-309
Table Showing Influences of Different Years on the Number of Deaths, 1811 to 1850.....	310
Table Showing Number of Out-of-Town Marriages by Years, 1854 to 1901..	311
Table Showing Number of Out-of-Town Deaths by Years, 1853 to 1901.....	311

# CONTENTS.

v

TABLES IN APPENDIX B.:		PAGE
Census of Boston, 1742 and 1765.....		316
Census of Boston, and Number of Polls for Various Years, 1687 to 1784....		317
Houses, Stores, and Population, 1789.....		318
United States Census, 1790 and 1800.....		319
Population of Boston, Census Years 1800 to 1900.....		320
Population of Charlestown, Census Years 1800 to 1905.....		321
Population of South Boston, Census Years 1840 to 1900.....		322
Population of East Boston, 1837 to 1843.....		323
Population of East Boston, 1850 to 1905.....		324
Population of Dorchester, Census Years 1800 to 1900.....		325
Population of Roxbury, Census Years 1800 to 1900.....		326
Population of Brighton, Census Years 1810 to 1900.....		327
Population of Boston Proper and Annexations, 1635 to 1905.....		328-329
TABLES IN APPENDIX C.		
Table A.—Statistics of Population, Area, Dwellings, etc., Certain Census Years.....		333
Table B.—Number of Persons of Specified Nationalities in Boston, Certain Census Years.....		333
Table C.—Relative Nativity of Parents of Children Born in Boston, 1876-90-1900.....		334-335
Table D.—Nativity of Decedents Recorded in Boston, 1850 to 1890 and 1900,		336-337
Table E.—Nativity of Brides and Grooms, 1850-1854.....		338
Table F.—Nativity of Brides and Grooms, 1855-1890 and 1900.....		339-340





April 1, 1906.

HON. JOHN F. FITZGERALD,

*Mayor of the City of Boston:*

SIR,— In compliance with the ordinance, I beg leave to report that, according to our books, there were recorded for the year 1905 —

15,702 births	{	including 602 children of parents residing out of this city.
		21 born out of the city, of Boston parents.
		Males, 8,193; females, 7,509.
6,775 marriages solemnized in this city.		
948 marriages of residents who were married elsewhere in the State.		
294 marriages of residents who were married out of the State.		
7,486 marriage licenses issued.		
11,007 deaths in city.		
480 residents of Boston who died elsewhere.		
665 still-born infants.		

## RECEIPTS AND PAYMENTS.

### RECEIPTS.

Cash on hand February 1, 1905 (City Document No. 34)	\$891 75
Received for marriage licenses from February 1, 1905, to January 31, 1906, inclusive:	
Nos. 503 to 7,486 of 1905 = 6,984 certificates.	
Nos. 1 to 609 of 1906 = 609 "	
7,593	@ 50c. =
	3,796 50
	<u>\$4,688 25</u>

## EXPENDITURES.

Paid physicians for 14,288 births, at 25 cents, reported from February 1, 1905, to January 31, 1906, inclusive, as per vouchers paid in by me to the Auditor, and receipted for by him, viz.:

1905.			
February	. 849 births at 25c.	. . .	\$212 25
March	. 858 " "	. . .	214 50
April	. 1,069 " "	. . .	267 25
May	. 1,697 " "	. . .	424 25
June	. 1,331 " "	. . .	332 75
July	. 1,085 " "	. . .	271 25
August	. 1,116 " "	. . .	279 00
September	. 1,152 " "	. . .	288 00
October	. 1,083 " "	. . .	270 75
November	. 877 " "	. . .	219 25
December	. 1,444 " "	. . .	361 00
January, 1906,	1,727 " "	. . .	431 75
<hr/>			
14,288 =			\$3,572 00
Cash balance February 1, 1906 .	. . .		1,116 25
<hr/>			
			<u>\$4,688 25</u>

## SPECIAL RECEIPTS AND EXPENDITURES.

Received for certificates for Court, Bank, Insurance and other purposes . . . .	\$477 75
Paid City Collector, as per receipt . . . .	<u>\$477 75</u>

Respectfully submitted,

E. W. MCGLENEN,  
*City Registrar.*



## NOTE.

---

After the early tabulations for this report had been completed there were 7 returns of death added to the record, making the total number 11,007. There were four males, three females. One male and two females were infants, less than one year of age, all born in Boston, and the cause of death in each case was unknown. One female was married, 34 years old, and born in Massachusetts; of the males, one was married, 44 years old, and born in Norway; one was single, 22-3 years old, born in Massachusetts; one was single, 21 years old, and born in Ireland; the adult female and the adult males all came to their deaths by accidental drowning.

The general form of the report for this year had been altered somewhat from that of its predecessors, by the addition of new tables in the death and marriage divisions and the omission of some descriptive text containing percentages, it having been found that the percentages calculated were not required by those interested in the subject of vital statistics, and it was thought better to give more figures and let each one interested in certain lines of study figure such percentages as he might require for the purpose of study. While the amount of textual matter is reduced more information has been given.



## DEATHS IN BOSTON IN 1905.

There were 11,002\* deaths recorded by this department in 1905, or 245 more than in 1904, or 2.2 per cent.

The following table, based on the Massachusetts State Census of 1905, will show the mortality in different classes of the population and the death rates of each.

The death rate based on the whole number of deaths occurring in the city was 18.48.

	Population, 1905.	Deaths, 1905.	To Popula- tion one Death in every	Deaths in each 1,000 of Population.
Total population.....	595,380	* 11,002	54.11	18.47
Males.....	290,309	5,838	49.74	20.14
Females.....	305,071	5,164	59.07	16.92
Whites.....	582,557	10,713	54.38	18.38
Colored.....	† 12,823	289	44.37	22.53
American-born.....	385,633	6,944	55.53	18.00
Foreign-born.....	209,747	3,918	53.53	18.77
American parentage.....	† 119,076	3,067	38.82	25.75
Foreign parentage.....	† 476,304	§ 6,894	69.08	14.47

\* See notes at commencement of the report.

† Includes 11,948 colored, 833 Chinese, 34 Japanese and 8 Indians.

‡ Estimated, as census figures not compiled on date of issue of this report.

§ The nativity of the parentage of 1,041 decedents was unknown or not given.

### TOTAL MORTALITY.—RESIDENTS, NON-RESIDENTS AND UNKNOWN.

The whole number of deaths of residents was 9,717; the number of deaths of non-residents was 1,020; the number of deaths of those whose residence was unknown was 265.

*Sexes.*—The total number of recorded deaths was 11,002; there were 5,838 males and 5,164 females.

Of the deaths of residents of the city, 5,071 were males and 4,646 were females.

Of the non-resident deaths, 591 were males and 429 were females.

Of the decedents whose residence was unknown or not given, 176 were males and 89 were females.

There were 666 still-born infants which are not included in the total number of deaths as given above.

Table I. shows the population of each ward, the number of deaths in each, the per cent. of deaths to total mortality of



residents, the per cent. of mortality to the population of the ward, number of deaths under one year, per cent. of whole number of deaths under one year, deaths under 5 years, the percentage of deaths to the whole number of deaths in each of these classes, and the ratio of deaths to the population of each ward.

TABLE I.

[Population of Boston, Massachusetts State Census, 1905, 595,880. Deaths of Residents, 9,717.]

WARDS.	Population of Wards.	Deaths, 1905.	Per cent. of Whole Number of Deaths of Residents.	Per cent. of Ward Population.	One in every	Deaths under One Year.	Per cent. of Whole Number of Deaths under One Year.	Deaths under Five Years.	Per cent. of Whole Number of Deaths under Five Years.
1.....	25,405	385	3.9	1.5	66	79	4.1	113	4.2
2.....	25,929	390	4.1	1.5	66	87	4.5	123	4.5
3.....	14,831	291	2.9	1.9	50	50	2.6	70	2.6
4.....	12,499	255	2.6	2.05	49	62	3.2	81	3.0
5.....	12,653	245	2.5	1.9	51	53	2.7	69	2.6
6.....	29,987	642	6.6	2.1	46	181	9.5	328	1.2
7.....	15,579	315	3.2	1.9	48	52	2.6	73	2.6
8.....	30,810	434	4.4	1.4	71	94	4.9	149	5.5
9.....	22,120	481	4.9	2.1	46	82	4.3	111	4.1
10.....	23,641	283	2.9	1.1	84	26	1.7	41	1.5
11.....	22,353	287	2.9	1.2	77	34	1.7	43	1.5
12.....	21,738	396	4.0	1.8	54	49	2.6	67	2.6
13.....	21,654	516	5.3	2.3	42	136	7.1	182	6.7
14.....	22,127	401	4.1	1.8	55	62	3.2	93	3.4
15.....	20,310	340	3.4	1.6	59	75	3.9	100	3.6
16.....	21,924	337	3.4	1.5	65	62	3.2	80	3.0
17.....	24,313	469	4.8	1.9	41	107	5.6	140	5.2
18.....	22,121	388	4.0	1.7	56	94	4.9	124	4.5
19.....	29,213	483	4.9	1.6	60	109	5.7	155	5.6
20.....	41,805	546	5.6	1.3	76	83	4.3	116	4.3
21.....	26,533	386	3.9	1.4	68	47	2.6	66	2.6
22.....	27,769	381	3.8	1.3	72	64	3.2	85	3.1
23.....	26,410	325	3.3	1.2	81	59	3.1	82	3.0
24.....	31,650	404	4.1	1.2	78	59	3.1	76	2.7
25.....	21,806	291	2.9	1.3	74	66	3.4	86	3.1
Ward unknown.....	46	0.4	.....	.....	.....	26	1.7	29	1.1

TABLE II.—DEATHS RECORDED IN BOSTON, BY WARDS AND AGE-PERIODS: RESIDENTS, NON-RESIDENTS, AND UNKNOWN.

[Males, 5,838; Females, 5,164.]

WARDS.	TOTAL BOTH SEXES.	TOTAL EACH SEX.		UNDER 1 YEAR.		1 TO 2.		2 TO 4.		TOTAL UNDER 5 YEARS.		5 TO 9.		10 TO 14.	
		Males.*	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1.....	385	203	182	44	35	7	10	8	9	59	54	7	7	1	3
2.....	390	201	189	44	43	6	10	10	10	60	63	8	13	6	....
3.....	291	156	136	32	19	2	5	9	4	43	27	5	4	2	2
4.....	255	132	123	41	21	5	7	1	6	47	34	1	2	1	3
5.....	245	137	108	27	26	6	5	2	3	35	34	3	1	5	....
6.....	642	338	249	118	63	45	38	33	33	196	132	16	4	6	5
7.....	315	164	151	26	26	4	5	6	6	36	37	1	3	2	....
8.....	434	247	187	53	41	14	13	13	15	80	69	3	5	1	4
9.....	481	254	227	42	40	3	8	11	7	56	54	3	2	3	5
10.....	283	133	150	15	11	3	2	4	6	22	19	3	3	1	....
11.....	287	131	156	21	13	2	....	6	1	29	14	5	1	4	1
12.....	396	190	206	27	22	7	3	7	1	41	26	1	4	1	....
13.....	516	279	237	73	63	14	15	6	11	93	89	9	6	3	9
14.....	401	202	199	39	23	7	7	14	3	60	33	3	6	....	2
15.....	340	175	165	38	37	7	6	8	4	53	47	2	3	5	3
16.....	337	165	172	38	24	9	2	5	2	52	28	3	4	1	1
17.....	469	254	215	74	33	10	8	6	9	90	50	8	10	6	2
18.....	388	209	179	64	30	9	9	7	5	80	44	5	4	4	4
19.....	483	270	213	64	45	11	9	16	10	91	64	7	5	5	3
20.....	546	267	279	43	40	9	10	8	6	60	56	11	8	4	3
21.....	366	168	218	24	23	6	3	7	3	37	29	2	3	3	1
22.....	381	208	173	41	23	3	6	6	6	50	35	1	3	1	2
23.....	325	148	177	33	26	5	5	5	8	43	39	3	4	1	....
24.....	404	211	193	36	23	3	5	7	2	46	30	6	6	7	....
25.....	291	157	134	38	28	4	7	7	2	49	37	....	2	....	2
Ward unknown..	46	18	28	7	19	....	2	....	1	7	22	....	....	....	....
Each sex.....	.....	5,071	4,646	1,102	796	201	198	212	173	1,515	1,167	116	113	73	55
Both sexes.....	9,717	9,717	.....	1,898	899	385	.....	2,632	229	123	.....	.....	.....	.....	.....
Non-residents.....	1,020	591	429	69	49	15	15	16	13	100	77	8	14	15	15
Unknown.....	265	176	89	89	58	15	4	....	2	104	64	....	....	....	....
Total, each sex...	.....	5,838	5,164	1,260	903	231	217	228	188	1,719	1,308	124	127	88	70
Total, both sexes,	11,002	† 11,002	.....	2,163	448	416	.....	3,027	251	158	.....	.....	.....	.....	.....

\* To the total number of males must be added, two of which the age and residence is unknown.  
† There was one decedent recorded with sex unknown, making the total 11,003.

**TABLE II., Continued. — DEATHS RECORDED IN BOSTON, BY WARDS AND AGE-PERIODS: RESIDENTS, NON-RESIDENTS, AND UNKNOWN.**

WARDS.	15 TO 19.		20 TO 24.		25 TO 29.		30 TO 34.		35 TO 39.		40 TO 44.		45 TO 49.		50 TO 54.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1 .....	4	4	7	8	9	7	10	7	10	4	5	9	11	8	14	10
2 .....	3	8	6	10	10	4	7	11	13	9	17	13	13	9	10	6
3 .....	2	7	3	4	6	8	12	9	10	10	7	6	6	10	10	7
4 .....	3	1	6	6	6	6	4	5	7	9	10	6	9	7	13	5
5 .....	3	2	6	3	4	4	12	5	11	6	8	4	12	4	4	4
6 .....	7	9	14	9	16	8	16	7	17	8	17	5	6	7	13	11
7 .....	4	2	4	3	9	4	8	13	25	14	10	16	12	6	16	6
8 .....	2	....	11	6	19	8	9	10	16	15	17	8	19	11	13	11
9 .....	2	2	12	12	14	13	17	15	21	6	17	10	19	12	21	15
10 .....	1	....	7	3	9	9	8	9	8	9	7	7	11	11	14	17
11 .....	2	2	2	6	7	4	11	5	5	4	7	8	9	14	9	9
12 .....	2	5	4	10	10	9	10	10	19	9	12	11	9	10	15	12
13 .....	6	9	19	7	16	10	16	14	20	6	19	14	23	12	10	10
14 .....	5	4	8	4	17	4	5	9	15	11	13	12	9	8	14	16
15 .....	5	4	12	7	13	9	11	5	9	11	8	10	8	5	5	10
16 .....	1	4	5	6	6	7	7	9	7	12	9	9	10	8	8	8
17 .....	6	3	10	5	8	11	16	22	7	12	13	13	9	15	14	9
18 .....	6	3	8	5	16	10	13	8	5	9	12	15	9	14	12	12
19 .....	3	4	7	7	11	6	15	10	18	6	11	4	13	18	9	17
20 .....	2	3	10	6	10	14	10	15	15	12	11	12	15	15	17	17
21 .....	4	6	8	4	1	3	5	11	14	9	6	6	9	12	11	19
22 .....	3	3	7	6	13	9	10	4	10	6	7	8	12	10	14	9
23 .....	4	3	7	5	3	5	3	5	6	13	7	7	5	8	10	11
24 .....	3	5	3	4	11	11	11	12	11	11	7	5	13	8	13	5
25 .....	1	2	4	1	8	7	7	7	4	8	6	6	10	2	9	7
Ward unknown .....	....	....	....	....	1	....	1	....	1	....	2	3	....	2	....	....
Each sex .....	82	95	190	143	252	198	247	243	304	230	260	225	283	239	305	263
Both sexes .....	177	883	450	490	584	485	522	568								
Non-residents .....	17	24	25	24	37	24	36	15	49	33	40	23	41	27	37	35
Unknown .....	1	1	....	3	3	10	2	2	1	14	2	7	2	8	2	2
Total, each sex .....	99	120	216	167	292	225	293	260	353	264	314	250	331	268	350	300
Total, both sexes .....	219	888	517	553	619	564	599	650								



**TABLE II.,** *Concluded.*—**DEATHS RECORDED IN BOSTON, BY WARDS AND AGE-PERIODS: RESIDENTS, NON-RESIDENTS, AND UNKNOWN.**

WARDS.	55 TO 59.		60 TO 64.		65 TO 69.		70 TO 74.		75 TO 79.		80 TO 84.		85 TO 89.		90 TO 94.		95 AND OVER.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1.....	11	7	17	9	9	19	9	10	8	8	6	4	6	4	...	...	...	...
2.....	13	7	9	7	7	12	9	8	6	6	3	2	1	1	...	...	...	...
3.....	10	7	14	6	11	11	4	8	7	3	2	4	1	2	...	...	1	...
4.....	8	9	4	1	5	6	2	10	4	3	1	8	1	2	...	...	...	...
5.....	10	10	5	7	4	3	5	5	2	9	3	5	8	1	1	1	1	...
6.....	18	6	17	16	12	5	12	9	6	5	2	2	...	...	1	1	1	...
7.....	12	3	11	15	5	12	3	9	4	5	1	1	1	2	...	...	...	...
8.....	14	9	14	8	13	7	6	7	7	4	2	3	1	1	...	1	...	...
9.....	21	15	19	19	11	10	8	22	4	7	5	4	1	1	...	2	...	...
10.....	8	12	11	11	11	12	5	9	4	7	3	4	...	6	...	2	...	...
11.....	3	14	10	5	14	12	6	14	5	14	7	14	3	10	2	3	...	2
12.....	14	18	12	16	16	20	9	12	8	13	5	13	1	7	1	...	1	...
13.....	13	8	9	13	9	9	8	10	4	9	1	2	1	...	...	...	...	...
14.....	6	9	14	19	11	20	13	14	5	7	2	10	2	3	...	3	...	...
15.....	10	6	6	11	11	7	7	8	7	9	2	8	1	1	...	1	...	...
16.....	13	13	9	17	7	17	15	10	6	6	3	6	2	5	1	2	...	...
17.....	13	6	16	12	19	18	9	9	4	8	6	5	...	3	...	2	...	...
18.....	10	9	5	8	8	7	9	12	3	6	2	4	1	3	1	1	...	1
19.....	18	12	19	13	12	13	10	14	5	6	6	6	6	2	1	2	3	1
20.....	17	16	20	17	15	25	18	25	16	8	6	15	9	7	1	4	...	1
21.....	11	16	10	10	15	18	10	12	13	28	3	16	5	9	...	5	1	1
22.....	17	15	21	12	11	10	11	13	9	11	7	8	3	6	1	3	...	...
23.....	5	8	13	12	10	11	11	18	8	8	6	10	3	5	...	5	...	...
24.....	8	6	13	20	20	21	14	15	11	12	10	10	4	11	...	1	...	...
25.....	13	8	11	9	11	9	7	9	7	8	6	6	1	4	2	...	1	...
Ward unknown.....	...	...	...	...	1	...	2	1	...	...	...	2	...	...	...	1	...	...
Each sex.....	296	249	309	293	278	314	222	293	163	210	100	172	57	96	12	40	7	8
Both sexes. ....	545		602		592		515		378		272		153		52		5	
Non-residents.....	50	27	34	34	35	21	24	11	19	13	14	7	9	4	...	1	1	...
Unknown .....	6	1	6	1	6	1	5	5	1	1	...	2	...	1	1	...	...	...
Total, each sex....	352	277	349	328	319	336	250	309	183	224	114	181	66	101	13	41	8	8
Total, both sexes...	629		677		655		559		407		295		167		54		16	

**TABLE III.—DEATHS OF COLORED PERSONS (ALL OTHER THAN WHITE) RECORDED IN BOSTON: RESIDENTS BY WARDS, NON-RESIDENTS AND UNKNOWN, WITH AGE-PERIODS, 1905.**

WARDS.	TOTAL BOTH SEXES.	TOTAL EACH SEX.		UNDER 1 YEAR.		1 TO 2		2 TO 4		5 TO 9		10 TO 14	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1.....	3	2	1										
2.....													
3.....													
4.....	3	1	2					1					
5.....													
6.....	1	1											
7.....	19	16	3	1									
8.....	6	4	2	2	1			1					
9.....	27	16	11	3	1	1	1	2		2		1	
10.....	31	16	15	3	1	2	1	2	1				
11.....	43	25	18	4	6			3				3	
12.....	33	14	19	3	2	1	2		1				
13.....													
14.....	1		1										
15.....	2	2											
16.....	3	2	1			1							
17.....	8	1	7		1	1							
18.....	60	31	29	8	5	1	2	4	1	1			1
19.....	2	1	1										
20.....	4	1	3										
21.....	1	1											
22.....	4	3	1										
23.....	3	2	1	1									
24.....	3	2	1					1					
25.....	6	4	2	2	1	1							
Ward unknown.....	1		1										
Each sex.....		145	119	27	18	4	6	13	6	2	3	3	2
Both sexes.....	264	264		45		10		19		5		5	
Non-residents.....	20	11	9	2	1			1		1		1	
Unknown.....	5	4	1		1	1							
Total, each sex.....		160	129	29	20	5	6	13	7	2	4	3	3
Total, both sexes.....	289	289		49		14		20		6		6	

**TABLE III., Continued.—DEATHS OF COLORED PERSONS (ALL OTHER THAN WHITE). RECORDED IN BOSTON: RESIDENTS BY WARDS, NON-RESIDENTS AND UNKNOWN, WITH AGE-PERIODS, 1905:**

WARDS.	15 TO 19		20 TO 24		25 TO 29		30 TO 34		35 TO 39		40 TO 44		45 TO 49		50 TO 54	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1.....																
2.....																
3.....																
4.....														1	1	
5.....																
6.....																
7.....					2*		1	1	3*	2	2*		{ 1* 1*		2*	
8.....																1
9.....			2		1	1			3	1	4					
10.....				1	2	3	1	3	1	1	1	3	2	1		
11.....					2		2	3	2	1			3	2	{ 2* 1	} 2
12.....		2	1	1	1	1	1	4	1	2	1					1
13.....																
14.....																
15.....							1*									
16.....					1	1										
17.....				1				1		1		1			1	
18.....	2			1	4	1	3	3	1	4	3	4	2	1		3
19.....														1		
20.....								1								
21.....													1*			
22.....					3											1
23.....							1									
24.....										1			1			
25.....							1		1							
Ward unknown.....																
Each sex.....	2	2	3	4	16	7	11	16	12	13	11	8	11	6	7	8
Both sexes.....	4		7		23		27		25		19		17		15	
Non-residents.....				2	1		1		2	1	1		2		1	
Unknown.....													1		1	
Total, each sex.....	2	2	3	6	17	7	12	16	14	14	12	8	14	6	9	8
Total, both sexes.....	4		9		24		28		28		20		20		17	

\* Chinese.

**TABLE III., *Concluded.* — DEATHS OF COLORED PERSONS (ALL OTHER THAN WHITE) RECORDED IN BOSTON: RESIDENTS BY WARDS, NON-RESIDENTS AND UNKNOWN, WITH AGE-PERIODS, 1905.**

WARDS.	55 TO 59.		60 TO 64.		65 TO 69.		70 TO 74.		75 TO 79.		80 TO 84.		85 TO 89.		90 TO 94.		95 AND OVER	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1.....	1		1				1											
2.....																		
3.....																		
4.....																		
5.....																		
6.....	1																	
7.....	{ 1* 1 }				1													
8.....									1									
9.....			2	1			1											
10.....			1		1													
11.....	1	2			2	1	1											
12.....	1		2	1	1		2	1										
13.....																		
14.....							1											
15.....	1																	
16.....																		
17.....		1																
18.....	1	1						1					1					
19.....			1															
20.....					1						1		1					
21.....					1													
22.....																		
23.....																		
24.....																		
25.....																		
Ward unknown.....																		
Each sex.....	8	4	7	2	5	3	6	2	1		1	1	1					
Both sexes.....	12		9		8		6		3		1		2					
Non-residents.....		2									1							
Unknown.....			1								1							
Total, each sex.....	8	6	8	2	5	3	6	2	1	1	2	1	1					
Total, both sexes...	14		10		8		6		3		3		2					

\* Chinese.

TABLE IV.—DEATHS : CONJUGAL CONDITION BY WARDS.

WARDS.	SINGLE.		MARRIED.		WIDOWED.		DIVORCED.		UNKNOWN.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1.....	98	87	74	50	31	45	.....	.....	.....	.....
2.....	118	99	63	53	20	37	.....	.....	.....	.....
3.....	76	46	64	48	15	42	.....	.....	.....	.....
4.....	73	57	48	36	10	30	1	.....	.....	.....
5.....	76	53	42	27	17	27	1	1	1	.....
6.....	279	161	94	55	20	32	.....	1	.....	.....
7.....	85	68	56	50	16	28	.....	1	7	4
8.....	145	90	74	57	25	39	2	1	1	.....
9.....	129	108	86	52	29	63	1	3	9	1
10 ..	60	54	53	44	18	49	2	2	.....	1
11.....	58	57	56	44	15	54	1	.....	1	1
12.....	92	76	79	59	17	67	1	4	1	.....
13.....	164	133	90	61	25	42	.....	1	.....	.....
14.....	102	70	72	74	28	56	.....	.....	.....	.....
15.....	102	69	57	56	16	40	.....	.....	.....	.....
16.....	81	62	64	54	20	56	.....	.....	.....	.....
17.....	151	90	70	73	31	51	2	.....	.....	1
18 .....	125	81	61	52	22	45	.....	.....	1	1
19.....	151	101	76	56	42	55	1	.....	.....	1
20.....	118	108	110	86	39	88	.....	2	.....	.....
21.....	76	86	72	49	20	82	.....	1	.....	.....
22.....	97	60	83	59	23	53	.....	1	.....	.....
23.....	67	67	64	58	13	52	3	.....	.....	.....
24.....	93	68	89	56	28	69	.....	.....	1	.....
25 .....	72	60	65	38	20	36	.....	.....	.....	.....
Ward unknown.....	9	22	6	.....	2	5	.....	.....	1	1
Total residents, each sex.....	2,698	2,028	1,773	1,347	562	1,242	15	18	23	11
Both sexes.....	4,726		3,120		1,804		33		34	
Non-residents.....	278	206	231	145	73	75	5	2	4	1
Unknown.....	119	72	9	4	4	5	1	.....	43	8
Total, each sex.....	3,095	2,306	2,013	1,496	639	1,322	21	20	70	20
Total, both sexes.....	5,401		3,509		1,961		41		90	

**TABLE V.—CONJUGAL CONDITION OF DECEDENTS BY AGE PERIODS. RESIDENTS.**

AGE-PERIOD.	SINGLE.		MARRIED.		WIDOWED.		DIVORCED.		UNKNOWN.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year.....	1,102	796	.....	.....	.....	.....	.....	.....	.....	.....
1 to 2 years.....	201	198	.....	.....	.....	.....	.....	.....	.....	.....
2 to 4 “.....	212	173	.....	.....	.....	.....	.....	.....	.....	.....
5 to 9 “.....	116	113	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 “.....	73	55	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 “.....	81	85	1	10	.....	.....	.....	.....	.....	.....
20 to 24 “.....	170	95	20	48	.....	.....	.....	.....	.....	.....
25 to 29 “.....	157	64	92	122	1	9	1	3	1	.....
30 to 34 “.....	124	48	119	175	2	14	.....	2	2	3
35 to 39 “.....	113	46	174	172	15	11	.....	1	2	.....
40 to 44 “.....	82	46	160	147	16	27	.....	2	1	3
45 to 49 “.....	57	44	187	143	32	50	4	1	4	1
50 to 54 “.....	52	49	201	118	47	95	2	1	3	.....
55 to 59 “.....	47	42	187	100	57	102	4	4	1	1
60 to 64 “.....	35	43	197	107	69	139	2	3	6	1
65 to 69 “.....	35	29	171	92	67	192	2	1	3	.....
70 to 74 “.....	24	38	126	60	72	193	.....	.....	.....	1
75 to 79 “.....	13	23	73	32	77	155	.....	.....	.....	.....
80 to 84 “.....	4	22	36	16	60	134	.....	.....	.....	1
85 to 89 “.....	.....	15	24	5	33	77	.....	.....	.....	.....
90 to 94 “.....	.....	3	4	.....	8	36	.....	.....	.....	.....
95 years and over.....	.....	1	1	.....	6	8	.....	.....	.....	.....
Total, each sex.....	2,698	2,028	1,773	1,347	562	1,242	15	18	23	11
Total, both sexes.....	4,726		3,120		1,804		33		34	



TABLE V., *Continued.*—CONJUGAL CONDITION OF DECE-  
DENTS BY AGE-PERIODS. NON-RESIDENTS.

AGE-PERIOD.	SINGLE.		MARRIED.		WIDOWED.		DIVORCED.		UNKNOWN.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year.....	69	49	.....	.....	.....	.....	.....	.....	.....	.....
1 to 2 years.....	15	15	.....	.....	.....	.....	.....	.....	.....	.....
2 to 4 “.....	16	13	.....	.....	.....	.....	.....	.....	.....	.....
5 to 9 “.....	8	14	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 “.....	15	15	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 “.....	17	21	.....	8	.....	.....	.....	.....	.....	.....
20 to 24 “.....	24	15	.....	9	.....	.....	.....	.....	1	.....
25 to 29 “.....	22	9	14	15	1	.....	.....	.....	.....	.....
30 to 34 “.....	19	7	15	8	1	.....	.....	.....	1	.....
35 to 39 “.....	19	9	28	24	2	.....	.....	.....	.....	.....
40 to 44 “.....	12	5	25	13	3	5	.....	.....	.....	.....
45 to 49 “.....	8	6	29	18	3	3	.....	.....	1	.....
50 to 54 “.....	10	6	21	22	4	7	1	.....	1	.....
55 to 59 “.....	6	5	33	14	8	7	3	1	.....	.....
60 to 64 “.....	8	9	21	9	4	15	1	.....	.....	1
65 to 69 “.....	2	1	15	6	18	14	.....	.....	.....	.....
70 to 74 “.....	1	4	17	2	6	5	.....	.....	.....	.....
75 to 79 “.....	5	.....	6	1	8	11	.....	1	.....	.....
80 to 84 “.....	2	1	6	1	6	5	.....	.....	.....	.....
85 to 89 “.....	.....	1	1	.....	8	3	.....	.....	.....	.....
90 to 94 “.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
95 years and over.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Totals, each sex.....	278	206	231	145	73	75	5	2	4	1
Totals, both sexes.....	484		376		148		7		5	

**TABLE V., Continued. — CONJUGAL CONDITION OF DECEDENTS  
BY AGE-PERIODS. RESIDENTS UNKNOWN.**

AGE-PERIOD.	SINGLE.		MARRIED.		WIDOWED.		DIVORCED.		UNKNOWN.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year.....	89	58								
1 to 2 years.....	15	4								
2 to 4 ".....		2								
5 to 9 ".....										
10 to 14 ".....										
15 to 19 ".....		1								
20 to 24 ".....									1	
25 to 29 ".....	2	1	1							1
30 to 34 ".....	2	1	1						7	
35 to 39 ".....	1								1	1
40 to 44 ".....	2								12	1
45 to 49 ".....	2	1	1		1				3	1
50 to 54 ".....	1		2	1		1			5	1
55 to 59 ".....	1		1						4	1
60 to 64 ".....	1	1					1		4	
65 to 69 ".....	2		1	1		1			3	
70 to 74 ".....		1	2	1	2	1			1	2
75 to 79 ".....	1			1		1				
80 to 84 ".....		2								
85 to 89 ".....				1		1				
90 to 94 ".....					1					
95 years and over.....										
Total, each sex.....	119	72	9	5	4	5	1		*41	8
Total, both sexes.....	191		14		9		1		49	

\* And 2 of whom the age was unknown.

**TABLE VI.—DEATHS BY MONTHS AND WARDS: RESIDENTS, NON-RESIDENTS, AND UNKNOWN.**

WARDS.	TOTALS.	January.		February.		March.		April.		May.		June.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1.....	385	17	13	21	21	13	16	14	16	15	20	16	14
2.....	390	23	20	16	10	17	15	17	19	20	14	17	17
3.....	291	15	13	12	9	6	14	19	13	15	12	6	9
4.....	255	7	11	12	10	13	15	9	8	14	9	5	9
5.....	245	13	11	8	6	13	6	10	7	9	11	10	8
6.....	642	26	23	24	18	32	16	32	18	29	25	33	19
7.....	315	10	11	15	9	16	13	16	12	17	14	14	15
8.....	434	15	25	26	12	18	14	27	22	19	20	18	11
9.....	481	24	27	24	18	20	36	23	19	18	14	17	8
10.....	283	16	22	14	13	15	14	13	14	11	7	13	12
11.....	287	16	16	15	19	13	15	15	16	15	20	8	6
12.....	396	24	23	23	12	13	24	18	17	15	12	19	15
13.....	516	20	20	27	19	25	20	19	18	15	23	12	15
14.....	401	19	22	12	13	23	21	15	16	10	18	17	12
15.....	340	7	13	20	16	11	15	19	21	7	15	10	10
16.....	337	17	13	15	16	15	10	10	24	12	12	15	11
17.....	469	28	21	16	23	16	26	23	20	24	15	13	13
18.....	388	20	14	15	12	16	16	12	17	15	16	13	12
19.....	433	24	23	18	12	21	12	27	20	27	13	17	15
20.....	546	30	33	20	18	25	21	23	21	22	18	23	15
21.....	336	18	14	13	16	15	22	14	11	25	25	10	20
22.....	331	17	20	24	24	23	10	10	13	18	13	12	15
23.....	325	12	13	11	19	12	13	13	18	16	15	8	12
24.....	404	14	12	28	26	24	23	12	14	12	15	10	17
25.....	291	14	14	15	12	13	11	19	4	10	9	9	9
Ward unknown	46	.....	4	3	4	6	3	1	1	5	1	.....	3
Total residents, each sex.....		446	451	447	387	434	421	435	399	415	396	350	322
Both sexes.....	9,717	897		824		855		834		811		672	
Non-residents..	1,020	46	39	36	26	51	48	50	39	48	44	48	37
Unknown.....	265	14	2	1)	7	18	15	17	12	18	4	27	14
Total, each sex.....		506	492	493	420	503	484	502	450	481	444	425	373
Both sexes.....	11,002	998		913		987		952		925		798	

**TABLE VI., *Concluded.*—DEATHS BY MONTHS AND WARDS:  
RESIDENTS, NON-RESIDENTS, AND UNKNOWN.**

WARDS.	July.		August.		September.		October.		November.		December.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1.....	30	10	23	14	16	19	16	9	9	14	13	16
2.....	17	20	18	12	14	11	13	20	15	15	14	16
3.....	12	15	13	18	16	16	12	7	13	9	16	7
4.....	11	14	14	9	12	8	11	5	16	11	9	14
5.....	14	14	11	10	9	5	13	7	11	14	16	9
6.....	26	18	44	26	29	24	31	14	36	25	51	23
7.....	14	16	11	11	12	18	10	11	12	5	17	16
8.....	26	11	20	14	10	14	25	14	19	18	24	12
9.....	28	15	17	19	21	13	23	20	11	20	23	18
10.....	7	12	10	7	6	8	11	14	7	10	10	17
11.....	8	12	7	10	8	6	3	10	11	9	17	17
12.....	11	17	15	18	11	12	8	13	17	22	16	21
13.....	38	25	28	17	37	33	28	15	13	13	17	19
14.....	16	18	19	18	18	14	20	15	13	16	20	16
15.....	15	11	20	15	20	8	13	26	13	9	20	5
16.....	14	16	19	11	13	15	9	12	12	13	14	19
17.....	29	17	21	22	24	11	13	16	25	23	22	8
18.....	31	12	16	15	17	14	16	15	16	20	22	16
19.....	30	19	30	26	19	14	19	21	18	21	20	12
20.....	22	21	20	22	9	33	22	20	19	29	22	28
21.....	10	22	10	18	10	15	12	25	18	12	13	18
22.....	15	16	26	15	17	13	14	11	16	11	16	7
23.....	11	16	15	19	14	13	12	12	12	11	12	16
24.....	18	20	20	14	15	17	22	11	21	15	15	9
25.....	14	15	12	18	11	5	13	17	9	12	18	8
Ward unknown.....		4		4		2			2		1	2
Total residents, each sex.....	467	406	459	402	383	335	394	360	363	377	458	369
Both sexes.....	873		861		738		754		760		827	
Non-residents.....	73	42	57	35	47	41	44	33	49	27	42	18
Unknown.....	13	7	20	8	11	3	5	4	11	4	12	9
Total, each sex....	553	455	536	445	441	399	443	397	443	408	512	396
Total, both sexes..	1,008		981		840		840		851		908	

**TABLE VII.—DEATHS: BY MONTHS AND AGE-PERIODS.  
RESIDENTS OF BOSTON.**

AGE-PERIOD.	January.		February.		March.		April.		May.		June.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year....	75	58	67	52	70	60	74	47	64	39	58	44
1 to 2 years....	20	9	18	11	21	11	16	16	13	12	4	11
2 to 4 " ...	17	20	15	15	21	15	16	17	23	17	16	17
5 to 9 " ....	9	10	6	6	9	15	16	11	13	11	16	16
10 to 14 " ....	7	7	7	4	4	4	2	5	7	11	7	4
15 to 19 " ...	7	6	8	10	7	8	10	6	10	12	12	6
20 to 24 " ....	16	19	22	12	13	17	19	13	21	16	14	11
25 to 29 " ....	25	21	20	15	23	25	25	16	22	22	19	17
30 to 34 " ....	23	28	23	17	18	24	23	21	18	26	22	16
35 to 39 " ....	28	20	37	22	23	17	28	27	28	18	23	23
40 to 44 " ....	31	23	18	30	19	20	21	23	16	16	18	12
45 to 49 " ....	15	30	27	14	28	18	25	18	27	20	18	16
50 to 54 " ....	34	21	28	31	31	23	23	27	29	24	22	13
55 to 59 " ....	26	32	31	17	34	24	31	22	16	17	24	16
60 to 64 " ....	35	33	33	26	27	32	27	22	24	24	22	26
65 to 69 " ....	24	26	31	25	31	34	26	37	28	26	16	16
70 to 74 " ....	26	29	22	30	21	33	20	33	18	29	18	14
75 to 79 " ....	13	23	17	22	16	22	18	13	18	21	9	13
80 to 84 " ....	10	23	10	11	12	18	8	19	11	13	7	11
85 to 89 " ....	2	7	6	8	5	8	4	6	3	14	6	9
90 to 94 " ....	1	4	.....	9	1	2	2	1	4	2	.....	3
95 and over.....	2	2	1	1	1	.....	.....	.....	2	2	.....	.....
Age unknown.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Totals, each sex. .	446	451	447	388	435	420	434	400	415	397	351	324
Totals, both sexes.	897		835		855		834		812		675	

**TABLE VII., Continued.—DEATHS: BY MONTHS, AND AGE-PERIODS. RESIDENTS OF BOSTON.**

AGE-PERIOD.	July.		August.		September.		October.		November.		December.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year.....	150	104	146	128	121	98	91	64	89	54	97	68
1 to 2 years.....	23	29	25	30	13	16	11	15	12	19	25	19
2 to 4 " .....	15	14	22	4	12	13	13	12	17	17	25	12
5 to 9 " .....	9	5	12	11	8	9	8	8	7	6	3	5
10 to 14 " .....	6	8	11	2	5	8	9	2	8	8	5	2
15 to 19 " .....	5	14	9	11	5	6	2	3	3	8	4	5
20 to 24 " .....	11	8	19	13	10	13	15	8	14	5	16	8
25 to 29 " .....	25	16	13	15	22	9	22	19	16	13	20	10
30 to 34 " .....	26	24	18	11	19	19	11	13	23	23	23	21
35 to 39 " .....	24	17	16	15	22	16	21	16	20	21	34	18
40 to 44 " .....	16	16	24	15	21	16	26	15	22	19	28	20
45 to 49 " .....	32	24	21	19	15	12	20	21	26	28	29	19
50 to 54 " .....	21	18	25	14	18	17	29	27	24	23	21	20
55 to 59 " .....	15	14	18	20	26	20	27	26	19	22	29	19
60 to 64 " .....	23	18	22	19	14	18	24	31	24	14	34	30
65 to 69 " .....	20	23	19	24	15	23	25	27	22	30	21	23
70 to 74 " .....	17	18	20	22	14	19	15	18	12	23	19	25
75 to 79 " .....	12	15	8	15	9	12	15	12	16	20	12	17
80 to 84 " .....	7	15	9	6	9	8	5	10	6	18	6	15
85 to 89 " .....	7	8	2	4	5	5	5	7	7	12	5	8
90 to 94 " .....	2	1	.....	2	.....	4	.....	4	1	3	1	5
95 and over.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	1
Age unknown.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Total, each sex....	466	405	459	400	383	356	394	359	383	381	468	365
Total, both sexes..	871		859		739		753		764		833	



TABLE VII., *Continued.* — DEATHS BY MONTHS AND AGE-PERIODS.  
NON-RESIDENTS.

AGE-PERIOD.	January.		February.		March.		April.		May.		June.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year.....	1	2	2	1	10	2	4	1	3	3	2	5
1 to 2 years.....	.....	.....	1	.....	.....	1	2	.....	1	2	1	4
2 to 4 " .....	.....	.....	.....	1	.....	1	1	3	3	.....	2	.....
5 to 9 " .....	2	2	.....	.....	2	1	.....	1	.....	.....	1	.....
10 to 14 " .....	.....	.....	.....	2	3	3	2	3	1	2	3	1
15 to 19 " .....	1	3	.....	3	1	2	1	1	.....	1	2	5
20 to 24 " .....	2	2	2	1	3	2	1	4	2	5	2	1
25 to 29 " .....	4	3	3	2	4	5	2	4	3	3	4	.....
30 to 34 " .....	4	1	2	2	4	1	5	3	1	.....	4	.....
35 to 39 " .....	3	.....	4	1	4	7	4	4	1	4	3	4
40 to 44 " .....	1	3	4	2	.....	2	3	1	7	6	3	3
45 to 49 " .....	7	2	3	2	4	3	3	1	5	7	4	2
50 to 54 " .....	2	2	1	1	2	3	2	.....	6	2	5	3
55 to 59 " .....	5	2	6	2	2	3	6	6	4	1	4	2
60 to 64 " .....	4	3	3	2	2	2	3	4	1	1	.....	1
65 to 69 " .....	.....	1	1	1	3	6	1	.....	4	4	6	2
70 to 74 " .....	3	.....	.....	.....	1	2	5	2	1	1	1	1
75 to 79 " .....	1	2	3	3	4	2	3	.....	2	1	1	2
80 to 84 " .....	5	5	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
85 to 89 " .....	1	.....	1	.....	1	.....	.....	1	1	1	.....	1
90 to 94 " .....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
95 and over.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Age unknown.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Total, each sex....	46	39	36	26	51	48	50	39	48	44	48	37
Total, both sexes..	85		62		99		89		92		85	

**TABLE VII., Continued. — DEATHS BY MONTHS AND AGE-PERIODS.  
NON-RESIDENTS.**

AGE-PERIODS.	July.		August.		September.		October.		November.		December.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year.....	10	3	14	9	8	7	5	7	2	6	6	3
1 to 2 years.....		3	2	1	2	2	3	1	.....	1	3	.....
2 to 4 ".....	3	.....	3	1	2	1	1	4	1	1	.....	1
5 to 9 ".....	1	2	1	1	.....	2	1	2	.....	2	.....	1
10 to 14 ".....	2	.....	2	2	.....	1	1	.....	1	.....	.....	1
15 to 19 ".....	7	1	1	2	.....	2	1	1	2	2	1	1
20 to 24 ".....	3	3	1	2	3	4	3	.....	1	.....	2	.....
25 to 29 ".....	3	2	3	1	1	2	2	1	4	1	4	.....
30 to 34 ".....	2	2	1	2	3	2	2	.....	6	2	2	.....
35 to 39 ".....	4	1	10	.....	3	5	5	2	6	1	2	4
40 to 44 ".....	5	2	3	1	1	.....	3	2	5	.....	5	1
45 to 49 ".....	4	2	1	1	5	2	1	4	3	1	1	.....
50 to 54 ".....	4	6	3	5	3	6	2	3	4	3	3	1
55 to 59 ".....	8	2	2	.....	2	1	5	2	4	4	2	2
60 to 64 ".....	4	6	3	6	5	2	2	.....	5	1	2	1
65 to 69 ".....	5	2	4	1	2	.....	4	1	1	1	4	2
70 to 74 ".....	4	2	.....	.....	5	1	1	2	1	.....	2	.....
75 to 79 ".....	.....	2	2	.....	.....	.....	.....	.....	2	1	1	.....
80 to 84 ".....	2	1	.....	.....	1	.....	2	1	.....	.....	2	.....
85 to 89 ".....	2	.....	1	.....	1	1	.....	.....	1	.....	.....	.....
90 to 94 ".....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
95 and over.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Age unknown.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Total, each sex....	73	42	57	35	47	41	44	33	49	27	42	18
Total, both sexes..	115		92		88		77		76		60	

TABLE VII., *Continued.*—DEATHS BY MONTHS AND AGE-PERIODS.  
RESIDENCE UNKNOWN.

AGE-PERIODS.	January.		February.		March.		April.		May.		June.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year.....	6	2	5	5	13	8	10	6	8	8	16	9
1 to 2 years.....	1				2		1	1	1		4	3
2 to 4 ".....						1						
5 to 9 ".....												
10 to 14 ".....												
15 to 19 ".....						1						
20 to 24 ".....												
25 to 29 ".....	1								1			2
30 to 34 ".....	1		1			1			3		1	
35 to 39 ".....			1		1							
40 to 44 ".....							3		3		3	
45 to 49 ".....						1			1	1	3	
50 to 54 ".....	2		1					1				
55 to 59 ".....						1						
60 to 64 ".....			1				1					
65 to 69 ".....	2						2	1	1			
70 to 74 ".....	1		1	2	2	1		1				
75 to 79 ".....								1				
80 to 84 ".....								1				
85 to 89 ".....						1						
90 to 94 ".....												
95 and over.....												
Age unknown.....												
Total, each sex....	14	2	10	7	18	15	17	12	18	4	27	14
Total, both sexes..	16		17		33		29		22		41	

**TABLE VII., *Concluded.*—DEATHS BY MONTHS AND AGE-PERIODS.  
RESIDENCE UNKNOWN.**

AGE-PERIOD.	July.		August.		September.		October.		November.		December.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year.....	7	6	13	5	1	1	3	2	2	3	5	8
1 to 2 years.....			1		2				2		1	
2 to 4 ".....						1						
5 to 9 ".....												
10 to 14 ".....												
15 to 19 ".....												
20 to 24 ".....					1							
25 to 29 ".....	1						1				1	
30 to 34 ".....	1		1	1					1		1	
35 to 39 ".....		1										
40 to 44 ".....				1	1		2		2	1		
45 to 49 ".....			1		2							
50 to 54 ".....	1		1	1	1				1		1	
55 to 59 ".....	1				2				1		2	
60 to 64 ".....	1		1		1	1			1			
65 to 69 ".....											1	
70 to 74 ".....	1											1
75 to 79 ".....									1			
80 to 84 ".....							1					
85 to 89 ".....												
90 to 94 ".....											1	
95 and over.....												
Age unknown.....			2									
Total, each sex....	13	7	20	8	11	3	5	4	11	4	13	9
Total, both sexes..	20		28		14		9		15		22	

TABLE VIII.—DEATHS: PRINCIPAL CAUSES BY AGE-PERIODS.

AGE-PERIOD.	TOTAL DEATHS.	Total Each Sex.		Phthisis.		Pneumonia.		Bronchitis.		Diseases of Heart.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year.....	2,163	1,260	903	29	14	162	108	36	22	36	18
1 to 2 years ...	448	231	217	12	10	85	67	3	12	1	1
2 to 4 " ....	416	228	188	9	14	52	60	10	5	5	4
5 to 9 " ....	251	124	127	15	11	11	8	.....	.....	5	22
10 to 14 " ....	168	83	70	11	11	4	5	1	.....	12	21
15 to 19 " ....	219	99	120	33	49	2	4	.....	1	11	20
20 to 24 " ....	383	216	167	81	60	32	18	1	1	9	15
25 to 29 " ....	517	292	225	103	80	32	31	2	.....	22	19
30 to 34 " ....	552	293	259	88	100	52	33	1	2	18	30
35 to 39 " ....	619	355	264	92	63	51	38	1	1	41	39
40 to 44 " ....	564	314	250	64	48	49	30	2	3	41	43
45 to 49 " ....	599	331	268	53	28	48	38	2	4	51	53
50 to 54 " ....	650	350	300	48	29	44	36	7	10	62	62
55 to 59 " ....	629	352	277	25	27	59	36	7	8	65	65
60 to 64 " ....	677	349	328	22	16	53	49	5	10	72	60
65 to 69 " ....	655	319	336	11	8	40	43	8	12	68	73
70 to 74 " ....	559	251	308	4	10	29	48	9	15	63	67
75 to 79 " ....	407	183	224	4	2	24	27	9	12	32	49
80 to 84 " ....	296	114	182	5	1	15	21	4	12	21	28
85 to 89 " ....	168	66	102	.....	.....	3	11	5	7	15	19
90 to 94 " ....	53	13	40	.....	.....	1	6	.....	4	8	8
95 and over ....	17	8	9	.....	.....	2	.....	.....	1	1	2
Total, each sex .....	.....	5,836	5,164	709	581	850	717	118	142	654	718
Total, both sexes.	11,000	11,000		1,290		1,567		255		1,372	

**TABLE VIII., Continued. — DEATHS: PRINCIPAL CAUSES BY AGE-PERIODS.**

AGE-PERIOD.	Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Emaciation, Marasmus.		Kidney Diseases.		Cancer, Uterine and Ovarian.		Cancer of Vital Organs.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year....	74	43	10	2	239	182	5	1				
1 to 2 years....	43	35			12	19		1				
2 to 4 "....	44	35	5		5	4	2	2				
5 to 9 "....	28	23			1		3	4				
10 to 14 "....	22	11		1			5	1				
15 to 19 "....	10	3	1			1	3	4				
20 to 24 "....	14	8	2	2			3	8		1	3	1
25 to 29 "....	8	10	1	1			13	18			2	1
30 to 34 "....	9	3	1	3			12	10		1	1	1
35 to 39 "....	7	2	9	8		1	24	14		8	2	2
40 to 44 "....	1	3	12	12			16	17		7	11	7
45 to 49 "....	9	2	13	8	1	1	26	23		17	9	12
50 to 54 "....	2	3	34	19			25	22		17	18	14
55 to 59 "....	4	3	40	23			37	25		14	18	13
60 to 64 "....	2	7	41	36			35	30		11	11	23
65 to 69 "....	1		58	46			40	35		14	8	11
70 to 74 "....		1	31	45	1		26	26		2	8	8
75 to 79 "....		3	22	30	1	1	18	11		4	6	7
80 to 84 "....			14	41			6	6		2		3
85 to 89 "....			6	12			3	3				1
90 to 94 "....			1	4								
95 and over....												
Total, each sex....	278	195	301	293	260	209	302	261		98	97	104
Total, both sexes..	473		594		469		563		98		201	



TABLE VIII., *Continued.*—DEATHS: PRINCIPAL CAUSES BY AGE-PERIODS.

AGE-PERIOD.	Cancer of Non-vital Organs or Tissues.		Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid Fever.		Enteritis.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year.....			7	6	254	207	2	2	1			2
1 to 2 years.....			21	10	29	34	2	3				1
2 to 4 ".....			27	16	7	4	10	6	1	4	1	
5 to 9 ".....			11	14			7	9	2		2	1
10 to 14 ".....			1	1			2	2	2	5		
15 to 19 ".....				1					2	8		
20 to 24 ".....									12	2		
25 to 29 ".....	1	1		2					11	4	2	
30 to 34 ".....	3	1	1						9	3		
35 to 39 ".....	2	13	1	1					9	2	3	
40 to 44 ".....	4	13					1	5	4			2
45 to 49 ".....	9	19								1		2
50 to 54 ".....	10	25							3	2		
55 to 59 ".....	12	13							1	1	1	
60 to 64 ".....	10	26							1	1	2	1
65 to 69 ".....	15	11								1	2	4
70 to 74 ".....	10	10										3
75 to 79 ".....	7	5									1	2
80 to 84 ".....		2										1
85 to 89 ".....		2										
90 to 94 ".....		1										
95 and over.....												
Total, each sex.....	83	142	69	51	290	245	23	23	59	38	14	19
Total, both sexes....	225		120		535		46		97		33	

**TABLE VIII., Concluded. — DEATHS: PRINCIPAL CAUSES BY AGE-PERIODS.**

AGE-PERIOD.	Senile Debility.		All Other Diseases.		Accident.		Suicide.		Homicide.		Unknown.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 year.....			387	277	15	11			1		8	6
1 to 2 years.....			21	20	5	5						1
2 to 4 “.....			27	26	21	8						1
5 to 9 “.....			20	24	16	9						1
10 to 14 “.....			15	11	13	1						
15 to 19 “.....			23	25	18	3					1	
20 to 24 “.....			29	46	23	2	6	2	1			1
25 to 29 “.....			48	45	37	8	6	5	2		1	1
30 to 34 “.....			49	64	30	3	7	4	4		2	1
35 to 39 “.....			64	65	43	5	9		2	1	3	2
40 to 44 “.....			58	49	34	9	4	1	1		2	1
45 to 49 “.....			62	55	40	3	10	2	1		4	1
50 to 54 “.....		1	62	53	22	6	10	1			3	
55 to 59 “.....	2	2	52	42	19	3	6	1		1	3	
60 to 64 “.....	7	4	55	45	27	7	7	2			1	
65 to 69 “.....	7	12	44	55	13	8	2	2			2	2
70 to 74 “.....	23	26	33	35	12	9						1
75 to 79 “.....	19	40	32	29	9	2		1				
80 to 84 “.....	26	41	21	16	4	7						
85 to 89 “.....	22	31	9	12	4	4						
90 to 94 “.....	4	12	4	3		3						
95 and over.....	5	4				1						
Total, each sex....	115	173	1,115	996	400	117	67	21	12	2	30	19
Total, both sexes..	288		2,111		517		88		14		49	

**TABLE IX.—DEATHS: PRINCIPAL CAUSES. RESIDENTS BY WARDS, NON-RESIDENTS AND UNKNOWN.**

WARD.	TOTAL BOTH SEXES.	Phthisis and Tuberculosis		Pneumonia.		Bronchitis.		Heart Disease.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1.....	385	31	18	30	26	1	4	31	24
2.....	390	24	25	33	24	2	5	20	21
3.....	291	24	20	9	18	7	3	21	15
4.....	255	22	19	16	21	7	4	11	15
5.....	245	18	17	21	9	1	5	13	19
6.....	642	24	15	112	75	9	15	29	23
7.....	315	37	21	30	20	2	3	19	21
8.....	434	19	14	48	34	7	2	27	31
9.....	481	41	26	43	39	2	4	32	25
10.....	283	18	13	20	23	1	3	18	25
11.....	287	14	13	19	25	1	2	25	30
12.....	396	22	23	22	28	2	1	32	32
13.....	516	58	37	37	32	6	12	19	21
14.....	401	29	18	26	21	6	15	21	37
15.....	340	30	15	32	34	1	6	18	29
16.....	337	15	28	28	19	3	1	19	22
17.....	469	43	26	36	33	5	9	17	34
18.....	338	34	21	23	27	9	6	30	25
19.....	433	36	24	33	31	8	3	22	31
20.....	546	38	23	29	31	4	5	36	43
21.....	336	11	19	21	27	5	7	31	35
22.....	331	24	19	23	21	7	3	22	33
23.....	325	18	13	23	26	2	6	16	25
24.....	404	23	35	18	17	5	6	25	21
25.....	291	11	16	21	11	3	4	25	21
Ward unknown.....	46	1	2	3	1	1	1	3	3
Residents, each sex.....		660	525	771	633	107	140	532	666
Both sexes.....	9,717	1,135		1,434		247		1,248	
Non-residents.....	1,020	38	43	62	46	6	2	57	49
Unknown.....	265	11	8	17	8	.....	.....	15	3
Total, each sex.....		709	581	850	717	113	142	604	718
Total, both sexes *....	11,002	1,290		1,567		255		1,372	

\* To the total number of deaths must be added one of unknown sex, making 11,003.

**TABLE IX., Continued. — DEATHS: PRINCIPAL CAUSES. RESIDENTS BY WARDS, NON-RESIDENTS AND UNKNOWN.**

WARD.	Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Disability, Inanition, Marasmus.		Kidney Diseases.		Cancer, Uterine and Ovarian.		Cancer of Vital Organs.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1.....	6	9	16	11	9	7	9	12	.....	5	5	.....
2.....	14	9	9	9	7	8	10	6	.....	4	1	7
3.....	7	7	7	8	6	5	9	9	.....	4	2	1
4.....	9	6	5	5	9	5	6	9	.....	4	2	2
5.....	12	.....	7	8	2	3	5	4	.....	.....	.....	4
6.....	36	15	8	8	16	8	8	4	.....	.....	3	9
7.....	7	5	7	4	6	7	5	8	.....	1	2	4
8.....	18	15	18	3	8	8	12	5	.....	2	9	4
9.....	5	7	18	13	6	8	12	12	.....	6	4	5
10.....	4	4	8	8	2	4	14	14	.....	6	1	2
11.....	3	1	9	12	5	2	13	14	.....	4	.....	5
12.....	4	8	12	16	9	4	13	12	.....	2	1	3
13.....	14	10	11	8	14	15	8	8	.....	.....	4	5
14.....	10	5	11	18	5	9	12	7	.....	3	2	5
15.....	7	11	4	7	11	8	7	6	.....	1	4	3
16.....	13	9	6	16	4	3	10	10	.....	6	5	7
17.....	12	6	13	12	13	9	11	6	.....	3	6	1
18.....	12	8	8	11	12	6	10	7	.....	5	2	1
19.....	17	20	13	12	14	10	19	6	.....	3	2	3
20.....	10	8	19	18	9	9	13	24	.....	6	6	5
21.....	4	4	16	16	8	4	13	13	.....	9	1	2
22.....	5	4	11	9	13	9	19	7	.....	4	7	7
23.....	4	3	9	10	4	4	7	10	.....	1	5	4
24.....	8	3	23	24	7	7	18	12	.....	4	2	3
25.....	9	4	6	7	4	4	11	9	.....	3	2	4
Ward unknown....	2	.....	1	1	4	10	.....	.....	.....	.....	.....	.....
Residents, each sex,	252	181	275	274	207	171	274	234	.....	86	78	96
Both sexes.....	433		549		378		508		86		174	
Non-residents.....	25	12	21	14	29	16	25	24	.....	12	19	8
Unknown .....	1	2	5	5	33	22	8	3	.....	.....	.....	.....
Total, each sex.....	278	195	301	293	260	209	302	261	.....	98	97	104
Total, both sexes...	473		594		469		563		98		201	

TABLE IX., *Continued.*—DEATHS: PRINCIPAL CAUSES. RESIDENTS BY WARDS, NON-RESIDENTS AND UNKNOWN.

WARD.	Cancer of Non-vital Organs or Tissues.		Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1.....	1	6	4	5	12	11	1	....	1	....	....	2
2.....	2	3	3	2	10	8	2	3	3	1	1	....
3.....	2	2	6	1	5	7	4	1	....	....	....	....
4.....	1	2	1	....	7	5	1	....	2	....	....	....
5.....	4	1	2	1	5	9	1	1	1	....	....	....
6.....	3	1	5	3	24	21	1	....	10	1	1	2
7.....	....	2	3	2	5	9	1	1	....	1	3	....
8.....	1	2	1	1	11	11	....	2	2	1	2	....
9.....	1	3	1	1	6	11	....	....	....	1	....	1
10.....	1	6	1	5	4	3	....	....	1	1	....	1
11.....	3	6	2	....	3	1	1	....	1	2	....	1
12.....	7	8	....	....	6	6	....	....	3	2	....	....
13.....	3	3	....	2	29	22	....	3	1	5	1	....
14.....	7	7	4	1	15	6	2	1	4	2	....	2
15.....	....	2	3	....	14	7	....	2	....	3	2	....
16.....	3	2	3	1	9	8	....	....	1	....	1	....
17.....	4	4	1	2	22	14	1	2	2	....	....	1
18.....	2	6	2	3	16	5	....	1	1	....	....	2
19.....	4	6	2	2	12	8	1	....	1	....	....	....
20.....	7	12	8	3	4	9	2	1	2	....	....	1
21.....	3	7	1	2	3	5	....	....	4	1	....	3
22.....	6	6	1	1	12	6	1	1	4	2	....	....
23.....	3	5	....	3	8	7	....	1	1	1	....	1
24.....	1	4	4	2	3	6	2	2	3	1	1	....
25.....	2	6	5	....	4	12	....	....	2	3	....	....
Ward unknown.....	....	....	....	1	....	5	....	....	....	....	....	....
Residents, each sex	71	112	63	44	249	222	21	22	50	28	12	17
Both sexes.....	183		108		471		43		78		29	
Non-residents.....	12	28	1	2	23	10	2	1	9	10	2	1
Unknown.....	....	2	5	5	19	13	....	....	....	....	....	1
Total, each sex.....	83	142	69	51	290	245	23	23	59	38	14	19
Total, both sexes...	225		120		535		46		97		33	

**TABLE IX., *Concluded.*—DEATHS: PRINCIPAL CAUSES. RESIDENTS BY WARDS, NON-RESIDENTS AND UNKNOWN.**

WARD.	Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1.....	1	3	31	33	11	6	2	.....	.....	.....	1	.....
2.....	5	5	39	43	14	6	2	.....	.....	.....	.....	.....
3.....	2	4	36	30	7	1	.....	.....	1	.....	.....	.....
4.....	3	5	23	20	6	1	.....	.....	.....	.....	1	.....
5.....	5	4	24	22	11	1	3	.....	.....	.....	2	.....
6.....	6	7	69	44	26	2	1	1	2	.....	2	.....
7.....	.....	4	24	36	10	4	1	.....	.....	.....	1	.....
8.....	1	5	41	37	16	9	3	.....	.....	.....	3	1
9.....	2	10	52	40	19	9	6	4	.....	1	4	1
10..	3	4	33	22	7	4	3	1	.....	.....	1	1
11.....	2	12	24	22	2	3	3	.....	.....	.....	1	1
12.....	1	12	38	41	11	3	4	4	2	.....	1	.....
13.....	2	7	57	33	12	6	2	.....	.....	.....	3	3
14.....	7	7	29	32	11	3	.....	.....	.....	.....	1	.....
15.....	4	1	27	34	8	3	2	.....	.....	.....	1	3
16.....	4	6	31	30	7	1	2	1	.....	1	1	1
17.....	4	9	46	36	14	7	2	.....	.....	.....	2	2
18.....	3	7	34	28	5	5	.....	2	1	.....	.....	3
19.....	9	9	46	30	20	8	1	2	1	.....	4	.....
20.....	9	8	56	66	10	5	3	.....	1	.....	1	2
21.....	3	11	32	48	10	4	1	.....	1	.....	.....	.....
22.....	8	4	29	29	11	2	1	1	1	.....	.....	.....
23.....	6	7	31	37	11	7	.....	1	.....	.....	.....	.....
24.....	10	11	44	31	14	2	.....	1	.....	.....	.....	1
25.....	1	4	42	23	5	1	3	2	1	.....	.....	.....
Ward unknown.....	.....	.....	.....	4	3	.....	.....	.....	.....	.....	.....	.....
Residents, each sex	101	166	938	855	281	103	45	20	11	2	30	19
Both sexes.....	267		1,793		384		65		13		49	
Non-residents.....	12	7	151	127	88	11	16	1	1	.....	.....	.....
Unknown.....	2	.....	26	14	31	3	4	.....	.....	.....	.....	.....
Total, each sex.....	115	173	1,115	996	400	117	67	21	12	2	30	19
Total, both sexes..	288		2,111		517		88		14		49	

TABLE X.—DEATHS BY ACCIDENT: RESIDENTS OF BOSTON, BY WARDS.

	WHOLE NUMBER.	WARD.											
		1		2		3		4		5		6	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Drowning.....	55	3	...	4	...	...	...	...	...	1	...	3	...
Falls.....	188	1	1	5	1	2	...	2	1	5	...	10	...
Burns and scalds.....	56	2	1	1	2	...	1	...	...	1	1	...	1
Electric shock.....	2	...	...	...	...	...	...	...	...	...	...	...	...
Poison.....	10	...	...	1	...	...	...	...	...	...	...	1	...
" illuminating gas.....	18	...	1	...	...	1	...	...	...	...	...	...	...
Run over by vehicle.....	17	...	1	...	...	...	...	...	...	...	...	2	...
" " ?.....	5	...	...	...	...	...	...	...	...	...	...	...	...
Railroad (steam and electric).....	75	3	...	1	...	2	...	2	...	1	...	3	...
Elevator.....	11	...	...	...	...	...	...	1	...	...	...	1	...
Wound by firearms.....	4	...	...	...	...	...	...	...	...	...	...	...	...
Starvation.....	1	...	...	...	...	...	...	...	...	...	...	...	...
Strangulation.....	1	...	...	...	...	...	...	...	...	...	...	...	...
Crushed by falling body.....	7	...	...	...	...	1	...	...	...	2	...	1	...
Suffocation, overlaying.....	8	...	...	...	...	1	...	...	...	...	...	...	...
" fire smoke.....	10	...	...	...	...	...	...	...	...	...	...	...	...
" various causes.....	11	...	...	...	...	...	...	...	...	...	...	1	...
Fractures, ruptures, etc.....	61	2	1	1	2	...	...	...	...	1	...	4	...
Explosion.....	2	...	...	...	...	...	...	...	...	...	...	...	...
Succeeding surgical operation.....	8	...	1	...	...	...	...	...	...	...	...	...	1
Nature not given.....	17	...	...	1	1	...	...	1	...	...	...	...	...
Total, each sex.....		11	6	14	6	7	1	6	1	11	1	26	2
Total, both sexes.....	517	17		20		8		7		12		28	



TABLE X., *Continued.*—DEATHS BY ACCIDENT: RESIDENTS OF BOSTON, BY WARDS.

	WARD.															
	7		8		9		10		11		12		13		14	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Drowning.....			1		1						2			1	1	
Falls.....	7		6	2	8	2	2		1	3			6	1	2	1
Burns and scalds.....	4		2	2	1	2		1			1		2	1	1	1
Electric shock.....																
Poison.....					1	1	1									
" illuminating gas.....			2				1						1		2	1
Run over by vehicle.....			1	1		1										
" " ?.....					1											
Railroad (steam and electric).....	1		1	1	1		1				3	1	1	1	1	
Elevator.....					1											
Wound by firearms.....									1				1			
Starvation.....																
Strangulation.....							1									
Crushed by falling body.....					1											
Suffocation, overlaying.....			1	1												
" fire smoke.....					1	1							1			
" various causes.....					1										1	
Fractures, ruptures, etc.....	2		1	1	2		2				5		2		2	
Explosion.....																
Succeeding surgical operation.....				1		3					1					
Nature not given.....			1		1		1				1				1	
Total, each sex.....	10	4	16	9	19	9	7	4	2	3	11	3	12	6	11	3
Total, both sexes.....	14		25		28		11		5		14		18		14	

**TABLE X., Continued. — DEATHS BY ACCIDENT: RESIDENTS OF BOSTON, BY WARDS.**

	WARD.											
	15		16		17		18		19		20	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Drowning .....	4	1	...	...	1	...	2	...	2	1	...	...
Falls .....	2	1	2	...	4	2	1	4	4	2	...	1
Burns and scalds .....	...	...	...	...	1	2	...	...	1	3	1	2
Electric shock .....	...	...	...	...	...	...	...	...	...	...	...	...
Poison .....	...	...	...	1	...	...	...	...	...	...	...	2
“ illuminating gas .....	...	...	...	...	...	...	1	2	...	1	...	...
Run over by vehicle .....	...	...	1	...	...	...	1	4	...	...	...	...
“ “ ? .....	...	...	...	...	...	...	...	...	...	...	...	...
Railroad (steam and electric) .....	...	...	1	...	1	...	...	5	...	2	...	2
Elevator .....	1	...	...	...	1	...	...	1	...	...	...	...
Wound by firearms .....	...	...	...	...	...	...	...	...	...	...	...	...
Starvation .....	...	...	...	...	...	...	...	...	...	...	...	...
Strangulation .....	...	...	...	...	...	...	...	...	...	...	...	...
Crushed by falling body .....	...	...	...	...	...	...	...	...	...	...	...	...
Suffocation, overlaying .....	...	...	...	...	1	...	...	...	1	...	...	...
“ fire smoke .....	...	...	...	...	...	2	...	...	...	2	...	...
“ various causes .....	...	1	...	...	1	...	...	...	...	2	...	...
Fractures, ruptures, etc. ....	1	...	3	...	4	1	...	...	1	1	...	...
Explosion .....	...	...	...	...	...	...	...	...	...	2	1	2
Succeeding surgical operation .....	...	...	...	...	...	...	...	...	...	...	...	...
Nature not given .....	...	...	...	...	...	1	...	...	2	...	...	...
Total, each sex .....	8	3	7	1	14	7	5	5	20	8	10	5
Total, both sexes .....	11	...	8	...	21	...	10	...	28	...	15	...

**TABLE X., Continued. — DEATHS BY ACCIDENT: RESIDENTS OF BOSTON, BY WARDS, NON-RESIDENTS AND RESIDENCE UNKNOWN.**

	WARD.						Ward Unknown.		Non- Resident.		Unknown	
	23		24		25							
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Drowning.....	1		3						7		20	
Falls.....	2	2	3	1		2			17	1	4	1
Burns and scalds.....		2		2	1				3	6		
Electric shock.....			1						1			
Poison.....			1						1			
" illuminating gas....		1	2									1
Run over by vehicle.....			1		1				8			
" " ?.....												
Railroad (steam and elec- tric).....	3		2		2		1		28		3	
Elevator.....									3	1		
Wounded by firearms.....									2			
Starvation.....											1	
Strangulation....												
Crushed by falling body...									1			
Suffocation, overlaying....	1								2			
" fire smoke. ....										2		
" various causes,									1		2	1
Fractures, ruptures, etc....	2	1	1		1				9		1	
Explosion.....		1							1			
Succeeding surgical oper- ation.....	1											
Nature not given.....	1								4	1		
Total, each sex.....	11	7	14	2	5	1	3		88	11	31	3
Total, both sexes.....	18		16		6		3		99		34	

TABLE X., *Continued.*—DEATHS: SUICIDE AND HOMICIDE.  
RESIDENTS OF BOSTON, BY WARDS.

SUICIDE.	WHOLE NUMBER.	WARD.											
		1		2		3		4		5		6	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Drowning.....	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Hanging.....	6	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1
Leap from height.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Use of firearms.....	21	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
Poison.....	36	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....
“ illuminating gas.....	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cutting or stabbing.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Manner unknown.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Total, each sex.....	.....	2	.....	2	.....	.....	.....	.....	.....	3	.....	1	1
Total, both sexes.....	88	2	.....	2	.....	.....	.....	.....	.....	3	.....	2	.....
HOMICIDE.													
By firearms.....	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Violent blow or push.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Manner unknown.....	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....
Total, each sex.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....
Total, both sexes.....	14	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....

**TABLE X., Continued.—DEATHS: SUICIDE AND HOMICIDE.  
RESIDENTS OF BOSTON, BY WARDS.**

SUICIDE.	WARD.															
	7	8	9	10	11	12	13	14								
	Males. Females.	Males. Females.	Males. Females.	Males. Females.	Males. Females.	Males. Females.	Males. Females.	Males. Females.								
Drowning.....					1											
Hanging.....																
Leap from height .....			1													
Use of firearms.....		1	1	1	2		1									
Poison.....	1	1	4	2	1	2	2	1								
“ illuminating gas.....			1	1			1	1								
Cutting or stabbing.....						1										
Manner unknown.....		1														
Total, each sex.....	1	3	6	4	3	4	4	2								
Total, both sexes.....	1	3	10	4	3	8	8	2								
<b>HOMICIDE.</b>																
Firearms.....						1										
Violent blow or push.....						1										
Manner unknown.....			1													
Total, each sex.....			1			2										
Total, both sexes.....			1			2										

TABLE X., *Continued.*—DEATHS: SUICIDE AND HOMICIDE.  
RESIDENTS OF BOSTON, BY WARDS.

SUICIDE.	WARD.															
	15	16	17	18	19	20	21	22								
	Males. Females.	Males. Females.	Males. Females.	Males. Females.	Males. Females.	Males. Females.	Males. Females.	Males. Females.								
Drowning.....															1	...
Hanging.....	1															...
Leap from height.....																...
Use of firearms.....	1	1	1			2	1									...
Poison.....		1			2	1	1									...
" illuminating gas.....			1													...
Cutting or stabbing.....			1			1										1
Manner unknown .....						1										...
Total, each sex. ....	2	2	1	2	2	3	2		1	1					1	1
Total, both sexes.....	2	3	2	2	3	3	3		1	1					2	
HOMICIDE.																
Firearms.....			1	1	1	1									1	...
Violent blow or push .....											1					...
Manner unknown.....																...
Total, each sex.....			1	1	1	1			1		1			1	1	...
Total, both sexes.....		1		1	1	1			1		1			1	1	...

**TABLE X., Concluded. — DEATHS: SUICIDE AND HOMICIDE. RESIDENTS OF BOSTON, BY WARDS.**

SUICIDE.	WARD.						WARD UNKNOWN.		NON-RESIDENTS.		RESIDENCE UNKNOWN.	
	23		24		25							
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Drowning.....									2		2	
Hanging .....					1				1			
Leap from height.....									1	1		
Use of firearms.....					1				4			
Poison.....		1			2	1			8		1	
“ Illuminating gas....				1					1		1	
Cutting or stabbing.....									1			
Manner unknown.....												
Total, each sex.....		1		1	3	2			18	1	4	
Total, both sexes.....		1		1	5				19		4	
HOMICIDE.												
Firearms.....												
Violent blow or push.....									1			
Manner unknown.....					1							
Total, each sex.....					1				1			
Total, both sexes.....					1				1			

TABLE XI.—NATIVITY OF DECEDENTS BY COUNTRIES.

WARD.	TOTAL BOTH SEXES.	Total Each Sex.		Boston.		*United States.		Ireland.		British-American Provinces.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1.....	385	203	182	82	76	38	25	29	34	23	23
2.....	390	201	189	106	97	21	13	30	34	14	20
3.....	291	155	136	81	62	20	12	41	50	9	8
4.....	255	132	123	69	51	23	19	29	39	9	10
5.....	245	137	108	61	43	20	20	41	38	6	4
6.....	642	398	249	222	139	23	10	35	28	7	4
7.....	315	164	151	64	51	26	28	22	35	8	14
8.....	434	247	187	107	90	36	14	32	30	12	4
9.....	481	254	227	97	86	52	29	41	64	18	17
10.....	283	133	150	43	39	51	63	17	20	8	16
11.....	287	131	156	56	46	53	63	9	27	2	7
12.....	396	190	206	68	65	66	76	25	34	15	18
13.....	516	279	237	148	129	16	4	91	80	9	14
14.....	401	202	199	113	67	27	34	40	65	14	15
15.....	340	175	165	94	92	14	16	36	36	11	14
16.....	337	165	172	77	68	31	32	26	42	9	18
17.....	469	254	215	141	91	31	32	60	61	12	20
18.....	368	209	179	114	69	30	39	35	33	9	22
19.....	483	270	213	136	84	35	26	72	69	8	12
20.....	546	267	279	112	115	68	71	36	40	25	27
21.....	386	168	218	76	71	53	74	9	26	11	26
22.....	381	208	173	86	59	44	25	32	39	10	13
23.....	325	148	177	67	75	28	35	28	32	9	18
24.....	404	211	193	99	62	66	47	20	37	12	27
25.....	291	157	134	73	62	39	32	25	20	8	7
Ward unknown.....	46	18	28	9	2	4	22	2	2	2	2
Residents, each sex.....		5,071	4,646	2,411	1,891	915	861	863	1,015	280	380
Both sexes.....	9,717	9,717		4,302		1,776		1,37		660	
Non-residents.....	1,020	591	429	68	49	328	245	56	37	63	44
Residence unknown..	265	176	89	77	67	32	.....	11	7	3	3
Total mortality, each sex.....		5,838	5,164	2,526	2,007	1,275	1,106	980	1,059	346	427
Both sexes.....	11,002	11,002		4,563		2,381		1,989		773	

\* Outside of Boston.



TABLE XI., *Continued.* — NATIVITY OF DECEDENTS, BY COUNTRIES.

WARD.	Great Britain.		Germany.		Italy.		Russia.		Norway.		Sweden.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1.....	7	9	2	2	4	4	4	5	.....	.....	2	1
2.....	8	3	1	4	3	5	10	7	4	1	2	2
3.....	1	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....
4.....	1	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
5.....	3	1	.....	.....	2	2	1	.....	.....	.....	.....	.....
6.....	5	2	1	4	74	44	16	13	2	.....	3	2
7.....	10	7	5	1	2	1	2	.....	1	1	.....	1
8.....	5	6	.....	1	11	12	35	22	.....	.....	1	.....
9.....	8	11	5	2	5	4	11	10	.....	.....	1	1
10.....	4	5	3	.....	1	.....	.....	.....	.....	.....	.....	1
11.....	5	6	1	.....	.....	.....	.....	2	.....	.....	.....	1
12.....	7	7	2	.....	1	.....	.....	1	.....	.....	3	1
13.....	1	3	6	2	.....	1	6	3	1	.....	.....	.....
14.....	5	8	1	3	.....	1	1	2	.....	1	.....	1
15.....	4	3	9	3	.....	.....	2	.....	.....	.....	2	1
16.....	10	4	7	4	1	2	1	1	.....	.....	1	.....
17.....	5	1	2	2	.....	.....	1	.....	.....	1	.....	2
18.....	10	5	2	2	.....	.....	1	4	1	.....	2	1
19.....	.....	7	13	8	.....	1	1	1	1	.....	1	2
20.....	13	11	7	3	.....	1	3	2	.....	.....	1	3
21.....	1	4	7	5	2	.....	3	3	.....	.....	2	3
22.....	7	10	24	16	.....	.....	.....	3	.....	.....	3	4
23.....	1	8	10	5	.....	.....	1	.....	.....	.....	3	2
24.....	3	10	2	3	1	1	1	1	.....	.....	1	3
25.....	6	6	.....	1	1	2	.....	2	.....	1	.....	.....
Ward unknown.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Residents, each sex.....	180	142	111	71	109	81	100	83	11	5	28	32
Both sexes.....	272		182		190		183		16		60	
Non-residents.....	32	18	4	6	5	6	7	5	1	.....	8	4
Residence unknown.....	1	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....
Total mortality, each sex...	163	160	116	78	116	87	107	88	12	5	36	36
Both sexes.....	323		194		203		195		17		72	

TABLE XI., *Continued.* — NATIVITY OF DECEDENTS, BY COUNTRIES.

WARD.	China.		France.		Turkey.		Austria.		Portugal.		Holland.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1.....									2	3		
2.....							1			1		
3.....												
4.....									1			
5.....												
6.....					1		2		1			
7.....	11		1	3	3							
8.....					2	4	2		1	1		
9.....							1					1
10.....			1	2			1					
11.....	2		1	1								
12.....			1	1			1					1
13.....												
14.....											1	
15.....	1											
16.....							1					
17.....							1		1			
18.....					1							
19.....			1				1					
20.....			1	1	1				1		1	
21.....	1		1	2			2					1
22.....				1	1	1						1
23.....												1
24.....				1	1		1				2	
25.....			1									
Ward unknown.....												
Residents, each sex.....	15		8	13	8	8	11	7	8	8	4	6
Both sexes.....	15		20		11		18		11		10	
Non-residents.....					2	4	1		1	1		
Unknown.....				1								
Total mortality, each sex.....	15		8	13	10	7	11	8	4	9	4	6
Both sexes.....	15		21		17		19		13		10	

TABLE XI., *Concluded.* — NATIVITY OF DECEDENTS, BY COUNTRIES.

WARD.	Belgium.		Switzerland.		Greece.		Denmark.		Cuba and West Indies.		All Other Countries.		Unknown.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1.....														
2.....							1						1	1
3.....											1		1	
4.....														1
5.....													3	
6.....					8								1	
7.....											3		8	6
8.....													3	3
9.....	1						1		2	1			11	1
10.....			1				1		2				2	2
11.....											1	1	1	2
12.....									1					2
13.....											1			1
14.....												2		
15.....											2			
16.....							1				1			
17.....									1				1	8
18.....				1	1				2				1	3
19.....									1				1	2
20.....				1				1						1
21.....														3
22.....				1			1							
23.....	1													1
24.....			1		1								1	1
25.....							1	1		3				
Ward unknown.....														
Residents, each sex.....	2		1	4	5		3	4	10	1	8	7	35	33
Both sexes.....	2		5		5		7		11		15		68	
Non-residents.....							2		1	1	6	1	7	7
Residence unknown.....							1				1		47	11
Total mortality, each sex.....			1	4	5		6	4	11	2	15	8	89	51
Both sexes.....	2		5		5		10		13		23		140	

TABLE XII.—CONJUGAL CONDITION OF DECEDENTS, BY COUNTRY OF BIRTH. RESIDENTS OF BOSTON.

BIRTHPLACES.	WHOLE NUMBER.	SINGLE.		MARRIED.		WIDOWED.		DIVORCED.		UNKNOWN.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston.....	4,302	2,008	1,485	319	267	86	135	3	5	.....	1
United States, outside Boston.....	1,776	278	212	490	307	139	330	11	9	2	3
Ireland.....	1,878	184	174	477	872	202	469	.....	.....	.....	.....
Br.-Amer. Provinces..	660	87	87	148	155	45	135	.....	3	.....	.....
Great Britain.....	272	31	21	72	59	26	62	1	.....	.....	.....
Germany.....	182	11	5	66	32	34	34	.....	.....	.....	.....
Italy.....	190	36	16	67	46	6	19	.....	.....	.....	.....
Russia.....	183	27	12	67	53	6	18	.....	1	.....	.....
Norway.....	16	4	1	5	3	1	1	.....	.....	1	.....
Sweden.....	60	11	3	12	21	5	8	.....	.....	.....	.....
China.....	15	1	.....	13	.....	1	.....	.....	.....	.....	.....
France.....	20	1	1	5	5	1	6	.....	.....	.....	.....
Turkey.....	11	5	.....	2	2	1	1	.....	.....	1	.....
Austria.....	18	2	.....	8	5	1	2	.....	.....	.....	.....
Portugal.....	11	2	2	.....	3	1	3	.....	.....	.....	.....
Holland.....	10	.....	.....	3	2	1	4	.....	.....	.....	.....
Belgium.....	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Switzerland.....	5	.....	.....	.....	.....	.....	4	.....	.....	1	.....
Greece.....	5	4	.....	1	.....	.....	.....	.....	.....	.....	.....
Denmark.....	7	.....	1	3	2	.....	1	.....	.....	.....	.....
Cuba and West Indies,	11	4	.....	5	.....	1	1	.....	.....	.....	.....
All other countries....	15	1	1	6	4	1	2	.....	.....	.....	.....
Unknown.....	68	10	7	3	10	4	9	.....	.....	18	7
Total, each sex....	.....	2,698	2,023	1,773	1,347	562	1,242	15	18	23	11
Total, both sexes..	9,717	4,726	.....	3,120	.....	1,804	.....	33	.....	34	.....

TABLE XII., *Continued.*—CONJUGAL CONDITION OF DECEDENTS,  
BY COUNTRY OF BIRTH. NON-RESIDENTS.

BIRTHPLACES.	WHOLE NUMBER.	SINGLE.		MARRIED.		WIDOWED.		DIVORCED.		UNKNOWN.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston.....	117	47	32	18	11	3	6	.....	.....	.....	.....
United States, outside of Boston.....	573	175	137	118	71	31	35	8	2	1	.....
Ireland.....	93	19	5	24	14	12	18	1	.....	.....	.....
Br.-Amer. Provinces..	107	19	14	33	24	11	6	1	.....	.....	.....
Great Britain .....	50	8	8	13	5	11	5	.....	.....	.....	.....
Germany.....	10	.....	.....	2	4	2	2	.....	.....	.....	.....
Italy.....	11	1	3	3	3	1	.....	.....	.....	.....	.....
Russia.....	12	2	.....	4	5	1	.....	.....	.....	.....	.....
Norway.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Sweden.....	12	2	1	6	3	.....	.....	.....	.....	.....	.....
China.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
France.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Turkey.....	6	1	1	1	3	.....	.....	.....	.....	.....	.....
Austria.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Portugal.....	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Holland.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Belgium.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Switzerland.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Greece.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Denmark.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cuba and West Indies,	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
All other countries.....	7	2	1	3	.....	.....	.....	.....	.....	1	.....
Unknown.....	14	1	3	3	1	1	2	.....	.....	2	1
Total each sex.....	.....	278	206	231	145	73	75	5	2	4	1
Total both sexes...	1,020	484	.....	376	.....	148	.....	7	.....	5	.....

**TABLE XII., *Concluded.*—CONJUGAL CONDITION OF DECEDENTS,  
BY COUNTRY OF BIRTH. RESIDENCE UNKNOWN.**

BIRTHPLACES.	WHOLE NUMBER.	SINGLE.		MARRIED.		WIDOWED.		DIVORCED.		UNKNOWN.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston .....	144	75	66	2	.....	.....	1	.....	.....	.....	.....
United States, outside of Boston.....	32	28	.....	1	.....	1	.....	.....	.....	2	.....
Ireland.....	17	3	3	4	1	2	2	.....	.....	2	.....
Br.-Amer. Provinces..	6	2	1	.....	2	1	.....	.....	.....	.....	.....
Great Britain.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Germany.....	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Italy.....	2	.....	.....	1	.....	.....	.....	.....	.....	1	.....
Russia .....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Norway.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Sweden.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
China .....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
France.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Turkey.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Austria .....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Portugal .....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Holland.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Belgium.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Switzerland.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Greece .....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Denmark.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cuba and West Indies,	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other countries.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Unknown .....	58	10	2	.....	1	.....	.....	1	.....	86	8
Total, each sex.....	.....	119	72	9	4	4	5	1	.....	48	8
Total, both sexes..	265	191	.....	18	.....	9	.....	1	.....	51	.....

**TABLE XIII. — DEATHS: NATIVITY OF PARENTS OF DECEDENTS,  
BY COUNTRY OF BIRTH (RELATIVE).**

BIRTHPLACES OF FATHERS.	TOTAL BOTH SEXES.	BIRTHPLACES OF MOTHERS.									
		Total, Each Sex.		Boston.		United States.		Ireland.		British- American Provinces.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston.....	848	494	349	276	202	96	81	60	37	31	16
United States, outside of Boston.....	2,064	1,124	960	154	113	791	705	38	27	49	55
Ireland.....	3,689	1,874	1,815	51	35	25	24	1,711	1,678	40	26
Br.-Am. Provinces.....	945	475	470	35	34	32	35	30	27	349	356
Great Britain.....	604	285	319	20	20	29	20	22	33	22	31
Germany.....	289	170	119	8	6	6	4	6	3	1	.....
Italy.....	615	348	267	11	4	3	2	1	3	.....	.....
Russia.....	428	231	197	.....	.....	1	1	1	2	1	.....
Norway.....	32	20	12	2	1	.....	.....	.....	.....	2	.....
Sweden.....	112	54	58	1	.....	1	4	2	3	2	2
China.....	11	11	.....	.....	.....	.....	.....	.....	.....	.....	.....
France.....	27	15	12	.....	.....	2	.....	3	.....	2	.....
Turkey.....	22	15	17	.....	.....	.....	.....	.....	.....	.....	.....
Austria.....	32	23	9	1	1	.....	.....	.....	1	.....	.....
Portugal.....	39	18	21	2	1	.....	.....	.....	3	.....	.....
Holland.....	15	6	9	.....	.....	.....	1	.....	.....	.....	.....
Belgium.....	8	6	2	.....	.....	1	1	2	.....	.....	.....
Switzerland.....	10	6	4	1	.....	1	.....	.....	.....	.....	.....
Greece.....	5	4	1	.....	.....	.....	.....	.....	.....	.....	.....
Denmark.....	12	7	5	.....	.....	1	.....	1	.....	.....	.....
Cuba and West Indies...	17	8	9	.....	2	4	2	.....	.....	.....	.....
All other countries.....	28	14	14	.....	.....	1	2	.....	.....	1	1
Unknown.....	1,125	680	495	37	37	68	68	28	26	19	17
Total, each sex.....	.....	5,838	5,164	599	456	1,062	950	1,905	1,843	519	504
Total, both sexes.....	11,002	.....	.....	1,055	.....	2,012	.....	3,748	.....	1,023	.....

**TABLE XIII, Continued.—DEATHS: NATIVITY OF PARENTS OF DECEDENTS, BY COUNTRY OF BIRTH (RELATIVE).**

BIRTHPLACES OF FATHERS.	BIRTHPLACES OF MOTHERS.											
	Great Britain.		Germany.		Italy.		Russia.		Norway.		Sweden.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston.....	15	7	8	.....	1	1	.....	.....	.....	.....	1	.....
United States, outside of Boston.....	24	18	8	1	1	.....	.....	.....	.....	.....	2	.....
Ireland.....	15	18	2	.....	.....	.....	.....	.....	.....	.....	2	.....
Br.-American Provinces....	17	8	1	.....	.....	.....	.....	.....	.....	.....	.....	1
Great Britain.....	172	197	2	.....	.....	.....	.....	.....	.....	.....	3	2
Germany.....	1	.....	139	100	.....	.....	1	1	.....	.....	1	1
Italy.....	2	2	.....	.....	327	253	1	.....	.....	.....	.....	.....
Russia.....	2	1	.....	.....	.....	.....	224	191	2	.....	.....	.....
Norway.....	.....	.....	.....	.....	.....	.....	.....	1	15	9	1	1
Sweden.....	.....	1	.....	.....	.....	.....	.....	.....	3	.....	43	47
China.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
France.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Turkey.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Austria.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
Portugal.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Holland.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Belgium.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Switzerland.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Greece.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Denmark.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Cuba and West Indies.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other countries.....	.....	1	.....	1	.....	.....	1	3	.....	.....	.....	.....
Unknown.....	3	6	1	1	2	.....	4	.....	.....	.....	2	1
Total, each sex.....	252	259	154	103	331	254	233	196	21	9	55	53
Total, both sexes.....	511		257		585		429		30		108	



**TABLE XIII., Continued. — DEATHS: NATIVITY OF PARENTS OF DECEDENTS, BY COUNTRY OF BIRTH (RELATIVE.)**

BIRTHPLACES OF FATHERS.	BIRTHPLACES OF MOTHERS.											
	China.		France.		Turkey.		Austria.		Portugal.		Holland.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston .....			1						2	1		
United States, outside of Boston .....			1	2								
Ireland.....				1								
Br.-American Provinces.....			2									
Great Britain .....			1	2								
Germany.....			3	1								1
Italy.....												
Russia.....												
Norway .....												
Sweden.....												
China.....	10											
France .....			5	13								
Turkey.....					14	17						
Austria .....							17	6				
Portugal .....									16	17		
Holland .....											5	8
Belgium.....												
Switzerland.....												
Greece .....												
Denmark .....												
Cuba and West Indies.....												
All other countries.....							1					
Unknown .....												
Total, each sex.....	10		13	18	14	17	18	6	18	18	5	9
Total, both sexes.....	10		31		31		24		36		14	

TABLE XIII., *Concluded.*—DEATHS: NATIVITY OF PARENTS OF DECEDENTS, BY COUNTRY OF BIRTH (RELATIVE).

BIRTHPLACES OF FATHERS.	BIRTHPLACES OF MOTHERS.													
	Belgium.		Switzerland.		Greece.		Denmark.		Cuba and West Indies.		All Other Countries.		Unknown.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston .....													8	4
United States, outside of Boston....									3				58	39
Ireland.....										1			28	31
Br.-American Provinces.....													9	8
Great Britain.....					1								13	14
Germany.....				1									4	1
Italy.....													3	3
Russia.....														2
Norway.....														
Sweden.....													2	1
China.....													1	
France.....													2	
Turkey.....													1	
Austria.....													2	1
Portugal.....														
Holland.....														
Belgium.....	2	1											1	
Switzerland.....			3	4										
Greece.....					4	1								
Denmark.....							4	5						
Cuba and West Indies.....									3	4	1	1		
All other countries.....											9	4	1	2
Unknown.....											1		465	337
Total, each sex...	2	1	3	5	5	1	4	5	6	7	11	5	598	443
Total, both sexes,	3		8		6		9		13		16		1,041	

TABLE XIV.—DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	...	...	7	5	...	...	6	...	2	2	...	...	9	5	...	...	...	...	...	...	...	...
1 year.....	1	1	2	2	...	1	...	...	1	1	...	...	1	...	...	...	...	...	...	...	...	...
2 to 4 years.	1	...	1	3	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
5 to 9 " ..	2	1	1	...	...	...	...	1	2	4	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 " ..	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
15 to 19 " ..	2	3	1	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 " ..	5	4	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 " ..	6	3	1	...	...	...	...	1	...	...	...	...	...	...	...	2	...	...	...	...	...	...
30 to 34 " ..	2	1	2	3	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 " ..	3	...	3	...	...	...	1	1	...	...	1	...	...	...	...	...	...	...	...	...	1	...
40 to 44 " ..	1	3	...	1	...	...	...	...	...	...	2	3	...	...	...	...	...	1	...	...	1	...
45 to 49 " ..	2	...	3	...	2	1	1	...	...	1	...	...	...	...	...	2	...	1	...	...	...	...
50 to 54 " ..	4	...	1	3	...	...	3	2	...	...	1	1	...	...	1	2	...	1	1	...	...	...
55 to 59 " ..	...	...	2	1	1	...	2	1	...	...	1	...	...	...	1	...	3	1	...	...	1	...
60 to 64 " ..	1	1	2	4	...	...	6	1	...	...	3	1	...	...	2	...	...	...	...	...	1	...
65 to 69 " ..	...	...	3	2	...	...	2	7	...	...	1	8	...	...	1	2	...	...	...	1	2	...
70 to 74 " ..	...	...	...	1	...	...	3	3	...	...	1	1	...	1	1	2	...	2	...	...	...	...
75 to 79 " ..	1	...	...	...	1	...	3	2	...	...	1	...	...	...	1	...	...	...	...	...	...	...
80 to 84 " ..	...	...	1	...	...	...	1	...	...	...	3	2	...	...	1	1	...	...	...	...	...	...
85 to 89 " ..	...	...	1	...	...	...	2	1	...	...	1	...	...	...	1	...	...	...	...	...	...	...
90 to 94 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	31	18	30	26	1	4	31	24	6	9	16	11	9	7	9	12	...	5	5	...	1	6

BY AGE-PERIODS. WARD 1.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	...	...	10	11	...	...	...	...	2	...	...	...	9	9	...	1	...	...	...	...	1	...
1 year.....	1	2	2	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...
2 to 4 years.	2	2	...	...	1	...	...	...	...	...	...	...	2	2	1	...	...	...	...	...	...	...
5 to 9 "	1	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...
10 to 14 "	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	1	...	...	...	...	...	...
25 to 29 "	...	...	...	...	...	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...
30 to 34 "	...	...	...	...	...	...	...	...	...	...	...	...	4	3	1	...	...	...	...	...	...	...
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	2	2	...	...	...	...	...	...	...	...
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	3	2	1	...	...	...	...	...	...	...
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	3	1	...	...	...	...	...	...	...	...
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	3	1	...	...	...	...	...	...	...	...
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	1	...	...	...	...	...
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	2	1	1	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	...	...	1	2	...	3	1	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	1	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	4	5	12	11	1	...	1	...	2	1	3	31	33	12	6	1	...	...	...	...	1	...

TABLE XIV. DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
Under 1 year..	....	1	9	6	1	2	2	2	2	3	....	....	6	7	....	....	....	....	....	....	....	....	
1 year.....	....	....	1	2	....	....	....	....	....	3	1	....	....	1	....	....	....	....	....	....	....	....	
2 to 4 years.	....	....	1	5	1	....	1	....	....	4	2	....	....	1	....	....	....	....	....	....	....	....	
5 to 9 "	....	1	1	1	....	....	....	....	....	3	3	....	....	....	....	1	....	....	....	....	....	....	
10 to 14 "	....	....	1	....	....	....	2	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	
15 to 19 "	3	4	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
20 to 24 "	3	4	....	....	....	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	
25 to 29 "	2	1	3	....	....	....	....	1	1	....	....	....	....	....	....	1	....	....	....	....	....	....	
30 to 34 "	1	6	1	1	....	....	....	....	2	....	....	1	....	....	....	1	....	....	....	....	....	....	
35 to 39 "	5	6	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	
40 to 44 "	4	1	3	1	....	....	....	2	2	....	....	....	1	....	....	....	1	....	2	....	....	2	1
45 to 49 "	2	....	3	2	....	....	....	1	3	....	....	1	....	....	....	....	1	....	....	....	1	....	
50 to 54 "	....	....	2	2	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	
55 to 59 "	....	1	3	....	....	....	....	....	....	....	....	2	....	....	....	1	1	....	....	....	2	....	
60 to 64 "	2	....	2	2	....	....	....	....	2	....	....	2	1	....	....	....	....	....	1	....	....	....	
65 to 69 "	....	....	2	....	....	....	....	1	3	....	....	....	....	....	....	2	1	....	2	....	1	....	
70 to 74 "	....	....	....	....	....	1	....	....	3	2	....	....	2	2	....	....	....	....	....	1	....	....	
75 to 79 "	1	....	....	1	....	....	....	....	2	....	....	....	....	....	....	....	2	....	....	....	1	....	
80 to 84 "	1	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	
85 to 89 "	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
90 to 94 "	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
95 and over...	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
	24	25	33	24	2	5	20	21	14	9	9	9	9	7	8	10	6	....	4	1	7	2	3

BY AGE-PERIODS. WARD II.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	2	...	9	6	...	...	...	...	...	...	...	...	13	16	...	...	...	...	...	...	...	...
1 year.....	...	...	1	2	...	1	...	...	...	...	...	...	1	3	...	...	...	...	...	...	...	...
2 to 4 years.	...	1	...	...	...	1	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...
5 to 9 "	1	1	...	...	2	1	...	...	...	...	...	...	1	3	2	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...
20 to 24 "	...	...	...	...	...	...	1	...	...	...	...	...	...	6	...	...	...	...	...	...	...	...
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	2	2	1	...	...	...	...	...	...	...
30 to 34 "	...	...	...	...	...	1	...	...	...	...	...	...	3	...	1	...	...	...	...	...	...	...
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	3	...	...	...	...	...	...
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	3	4	3	...	...	...	...	...	...	...
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	3	2	2	1	...	...	...	...	...	...
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	5	1	1	1	...	...	...	...	...	...
55 to 59 "	...	...	...	...	...	...	...	1	...	...	...	...	2	2	1	1	...	...	...	...	...	...
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	...	...	3	2	...	...	...	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	...	...	...	2	1	1	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	3	2	10	8	2	3	3	1	1	...	5	5	37	43	13	6	5	...	...	...	...	...

TABLE XIV.—DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	1	...	1	2	...	...	...	...	4	1	...	...	5	4	...	...	...	...	...	...	...	...
1 year.....	...	...	...	1	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...
2 to 4 years.	...	...	1	...	...	...	...	...	2	...	...	...	1	1	...	...	...	...	...	...	...	...
5 to 9 " ..	...	...	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 " ..	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 " ..	1	4	...	...	...	...	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 " ..	3	3	...	1	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...
25 to 29 " ..	2	1	2	...	...	...	2	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...
30 to 34 " ..	8	1	1	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...
35 to 39 " ..	4	4	...	...	...	...	2	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...
40 to 44 " ..	2	2	1	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
45 to 49 " ..	...	...	1	1	1	...	2	...	...	1	...	...	...	...	2	...	...	1	...	...	1	...
50 to 54 " ..	...	2	3	1	1	1	3	...	...	1	...	...	...	...	1	...	1	...	...	1	...	...
55 to 59 " ..	1	1	1	2	...	...	5	...	...	1	...	...	...	...	1	...	1	1	...	...	...	...
60 to 64 " ..	1	2	...	2	...	...	5	...	...	1	...	...	...	...	2	1	...	...	1	...	...	...
65 to 69 " ..	1	...	1	1	1	3	3	...	...	1	1	...	...	...	3	2	...	...	...	1	...	...
70 to 74 " ..	...	...	1	...	1	2	1	...	...	1	2	...	...	...	1	...	...	...	...	...	...	...
75 to 79 " ..	...	...	...	2	...	1	1	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...
80 to 84 " ..	...	...	1	...	...	...	...	...	...	1	1	...	...	...	1	...	1	...	...	...	...	...
85 to 89 " ..	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
90 to 94 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	24	20	9	18	7	3	21	15	7	7	7	8	6	5	9	9	...	4	2	1	2	2

BY AGE PERIODS. WARD III.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	...	...	5	5	...	...	...	...	...	...	...	...	14	7	1	...	...	...	...	...	...	...
1 year.....	2	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2 to 4 years.	1	...	...	1	3	1	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...
5 to 9 "	3	1	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	2	1	1	...	...	...	...	...	...	...
30 to 34 "	...	...	...	...	...	...	...	...	...	...	...	...	2	5	...	...	...	...	...	...	...	...
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	5	2	...	...	...	1	...	...	...	...
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	4	...	1	...	...	...	...	...	...	...
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	...	4	2	...	...	...	...	...	...	...
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	4	...	1	...	...	...	...	...	...	...
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	1	3	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	...	...	2	1	1	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over....	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...
	6	1	5	7	4	1	...	...	...	...	2	4	36	30	7	1	...	...	1	...	...	...



TABLE XIV.—DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	2	...	2	4	6	1	...	...	2	1	1	...	9	5	1	...	...	...	...	...	...	...
1 year.....	...	...	...	2	...	1	...	...	3	3	...	...	...	...	...	...	...	...	...	...	...	...
2 to 4 years..	...	1	...	1	4	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
5 to 9 " ..	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 " ..	...	...	...	1	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 " ..	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 " ..	2	4	...	1	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 " ..	3	4	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
30 to 34 " ..	2	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 " ..	2	3	2	1	...	...	...	...	1	...	...	...	...	...	...	3	...	1	...	...	...	...
40 to 44 " ..	3	1	2	...	...	...	1	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...
45 to 49 " ..	3	...	1	1	...	...	1	1	1	...	...	...	...	...	1	2	...	...	...	...	1	...
50 to 54 " ..	3	...	4	...	1	...	1	...	1	...	1	...	...	...	1	1	...	2	...	...	...	...
55 to 59 " ..	1	2	1	1	...	...	1	3	...	2	...	...	...	...	1	...	...	...	...	1	...	...
60 to 64 " ..	...	...	1	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
65 to 69 " ..	1	...	1	...	...	...	1	2	...	1	3	...	...	1	...	...	...	...	...	...	...	...
70 to 74 " ..	...	...	1	5	...	...	1	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...
75 to 79 " ..	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...
80 to 84 " ..	...	...	1	...	2	...	...	...	...	...	2	...	...	...	...	...	1	...	1	...	...	...
85 to 89 " ..	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
90 to 94 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	22	19	16	21	7	4	11	15	9	6	5	5	9	5	6	9	...	4	2	2	1	2

BY AGE-PERIODS. WARD IV.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	.....	.....	6	4	1	.....	.....	.....	.....	.....	.....	.....	10	6	1	.....	.....	.....	.....	.....	.....	.....
1 year.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2 to 4 years.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
5 to 9 “	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
10 to 14 “	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
15 to 19 “	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	
20 to 24 “	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
25 to 29 “	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	
30 to 34 “	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	
35 to 39 “	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	
40 to 44 “	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	.....	1	.....	.....	.....	.....	.....	
45 to 49 “	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	
50 to 54 “	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	
55 to 59 “	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	
60 to 64 “	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	
65 to 69 “	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
70 to 74 “	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
75 to 79 “	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	
80 to 84 “	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
85 to 89 “	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
90 to 94 “	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
95 and over....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
	1	.....	7	5	1	.....	2	.....	.....	.....	3	5	23	20	6	1	.....	.....	.....	.....	1	.....

TABLE XIV.—DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Insanitation, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	.....	.....	2	2	.....	2	1	.....	5	.....	.....	.....	2	3	.....	.....	.....	.....	.....	.....	.....	.....
1 year.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2 to 4 years.	.....	.....	.....	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5 to 9 "	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 "	.....	.....	.....	1	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 "	.....	.....	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20 to 24 "	.....	1	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25 to 29 "	.....	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
30 to 34 "	.....	2	3	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
35 to 39 "	.....	2	1	1	.....	.....	2	2	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....
40 to 44 "	.....	2	3	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
45 to 49 "	.....	3	.....	3	1	.....	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
50 to 54 "	.....	.....	1	1	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
55 to 59 "	.....	2	1	1	1	.....	1	2	4	.....	2	1	.....	.....	.....	1	.....	.....	.....	.....	1	.....
60 to 64 "	.....	1	.....	.....	.....	.....	.....	1	4	.....	1	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....
65 to 69 "	.....	.....	1	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
70 to 74 "	.....	.....	.....	1	.....	.....	1	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	1	1
75 to 79 "	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
80 to 84 "	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
85 to 89 "	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
95 and over...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	18	17	21	9	1	5	13	19	12	...	7	8	2	3	5	4	.....	.....	.....	4	4	1

BY AGE PERIODS. WARD V.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	.....	.....	4	7	...	1	...	...	...	...	...	...	13	11	...	...	...	...	...	...	...	...
1 year.....	1	...	1	2	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...
2 to 4 years.	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5 to 9 "	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...
30 to 34 "	...	...	...	...	...	...	1	...	...	...	...	...	1	2	2	...	1	...	...	...	...	...
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2	...	1	...	...	...	...	...
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	8	...	1	...	...	...	...	...	...	...
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	...	...
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...
60 to 64 "	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...
70 to 74 "	...	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	...	...	...	2	1	1	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...
95 and over	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
	2	1	5	9	1	1	1	...	...	...	5	4	24	22	11	1	8	...	...	...	2	...

TABLE XIV.—DEATHS : PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	2	1	37	20	5	4	...	1	10	2	...	14	2	...	...	...	...	...	...	...	...	
1 year.....	...	...	23	21	1	4	...	...	6	6	...	1	1	...	...	...	...	...	...	...	...	
2 to 4 years.	3	2	14	16	...	3	...	...	7	4	...	1	...	1	...	...	...	...	...	...	...	
5 to 9 "	2	1	1	...	...	...	1	1	3	1	...	...	...	...	...	...	...	...	...	...	...	
10 to 14 "	1	1	...	...	1	...	...	3	3	...	...	...	...	...	...	...	...	...	...	...	...	
15 to 19 "	1	3	...	1	...	...	2	2	...	...	...	...	...	1	...	...	...	...	...	...	...	
20 to 24 "	1	2	3	1	...	...	2	...	4	1	...	...	...	...	...	...	...	...	...	...	...	
25 to 29 "	2	...	3	2	1	...	1	...	...	...	...	...	...	1	...	...	1	...	...	...	...	
30 to 34 "	2	...	6	3	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	
35 to 39 "	1	1	4	1	...	1	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	
40 to 44 "	2	1	4	1	...	...	1	...	...	1	...	...	...	1	...	...	...	...	1	...	...	
45 to 49 "	...	1	4	2	...	...	1	...	...	1	...	...	1	...	1	...	...	...	...	...	1	
50 to 54 "	2	1	2	2	...	1	5	3	...	...	...	...	...	...	...	...	...	2	1	...	...	
55 to 59 "	3	...	4	1	...	1	4	2	...	2	1	...	...	1	...	...	1	1	1	...	...	
60 to 64 "	1	1	3	2	...	...	3	4	...	2	4	...	...	2	1	...	...	3	...	...	...	
65 to 69 "	1	...	4	2	...	...	1	...	...	3	...	...	...	1	...	...	...	1	1	...	...	
70 to 74 "	...	...	...	...	1	...	4	2	...	...	...	...	...	...	...	...	...	1	...	...	...	
75 to 79 "	...	...	...	...	1	...	2	2	...	2	...	...	...	1	...	...	1	...	...	...	...	
80 to 84 "	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
90 to 94 "	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
95 and over..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	24	15	112	75	9	15	29	23	36	15	8	8	16	3	8	4	...	...	3	9	3	1

BY AGE-PERIODS. WARD VI.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	1	...	19	16	...	...	1	...	...	...	...	...	26	16	2	1	...	...	...	...	1	...
1 year.....	2	...	5	4	...	...	...	...	...	...	...	...	6	...	1	...	...	...	...	...	...	...
2 to 4 years.	2	2	...	1	...	...	...	...	...	...	...	...	2	4	3	...	...	...	...	...	1	...
5 to 9 "	...	...	...	...	1	...	2	...	1	...	...	...	1	1	4	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	...	...	1	...	...	...	...	3	2	...	...	...	...	...	...	...	...
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	2	4	2	...	1	...	...	...	...	...
25 to 29 "	...	1	...	...	...	...	2	...	...	...	...	...	2	3	3	1	...	1	...	...	...	...
30 to 34 "	...	...	...	...	...	...	...	...	...	...	...	...	4	3	3	...	...	...	...	...	...	...
35 to 39 "	...	...	...	...	...	...	3	...	...	...	...	...	1	5	3	...	1	...	...	...	...	...
40 to 44 "	...	...	...	...	...	...	1	...	1	...	...	...	4	1	2	...	...	1	...	...	...	...
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	3	2	...	...	...	...	...	...	...	...
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...
60 to 64 "	...	...	...	...	...	...	...	...	...	2	...	...	4	1	...	...	...	...	...	...	...	...
65 to 69 "	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	1	1	4	...	6	...	1	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
95 and over...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
	5	3	24	21	1	...	10	1	1	2	6	7	67	44	26	2	1	1	2	...	2	...

TABLE XIV. — DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	1	...	4	1	1	...	...	...	2	1	...	...	6	7	...	...	...	...	...	...	...	...
1 year.....	...	...	3	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2 to 4 years.	...	...	1	1	...	...	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...	...
5 to 9 "	...	...	...	1	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	1	2	...	...	...	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	3	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
25 to 29 "	5	2	...	1	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
30 to 34 "	3	5	3	2	...	...	2	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...
35 to 39 "	8	4	6	2	...	...	3	2	1	1	1	1	...	...	...	...	...	...	...	...	...	...
40 to 44 "	4	4	...	3	...	...	2	1	...	...	2	...	...	...	1	...	...	1	1	...	...	...
45 to 49 "	3	1	2	1	...	...	1	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...
50 to 54 "	6	1	1	...	...	...	2	2	1	...	1	...	...	...	1	...	...	1	...	...	...	...
55 to 59 "	1	...	3	...	...	4	1	...	...	1	...	...	...	2	1	...	...	...	...	...	...	...
60 to 64 "	1	...	2	1	...	1	2	2	...	1	3	1	...	...	1	2	...	...	...	...	2	...
65 to 69 "	1	1	2	1	...	...	1	3	...	...	1	...	...	...	1	...	...	...	...	...	...	...
70 to 74 "	...	...	1	2	...	1	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...
75 to 79 "	...	...	3	1	1	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	37	21	30	20	2	3	19	21	7	5	7	4	6	7	5	8	...	1	2	4	...	2

BY AGE-PERIODS. WARD VII.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	1	5	9										6	7							1	
1 year.....	1	1																				
2 to 4 years.	2				1								1	3								
5 to 9 "						1																
10 to 14 "															1							
15 to 19 "															1							
20 to 24 "														2								
25 to 29 "													1		2							
30 to 34 "													2	2								
35 to 39 "								1					5	4								
40 to 44 "							1						4	1	1							
45 to 49 "													2	1	3		1					
50 to 54 "													4	2								
55 to 59 "													1								1	
60 to 64 "													1	5	1							
65 to 69 "								1			1		4									
70 to 74 "													1		1	1						
75 to 79 "								1						2								
80 to 84 "											1											
85 to 89 "											2											
90 to 94 "																						
95 and over..																						
	3	2	5	9	1	1	1	3			4	24	36	10	2	1					2	



TABLE XIV.—DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phtisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	1	...	12	4	3	...	...	...	5	1	1	...	6	6	...	1	...	...	...	...	...	...
1 year.....	...	...	7	8	...	...	...	...	2	1	...	...	2	1	...	...	...	...	...	...	...	...
2 to 4 years.	...	...	8	4	...	...	...	1	6	7	...	...	...	...	...	...	...	...	...	...	...	...
5 to 9 "	...	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	...	3	1	2	1	...	...	...	...	...	1	...	...	...	...	1	...	1	1	...	...	...
25 to 29 "	...	3	2	3	2	1	...	3	1	...	2	...	...	...	1	...	...	...	...	...	...	...
30 to 34 "	...	2	3	2	...	...	...	3	2	...	...	1	...	...	2	...	...	...	...	...	...	...
35 to 39 "	...	4	3	1	2	...	...	3	2	...	...	...	1	2	...	...	...	1	1	...	...	...
40 to 44 "	...	2	1	2	2	...	...	3	1	1	...	1	...	2	...	...	...	1	1	...	1	...
45 to 49 "	...	4	1	3	3	...	...	3	3	...	...	...	...	2	...	...	1	2	...	...	...	...
50 to 54 "	...	1	3	2	1	...	1	3	...	3	...	...	...	...	...	...	...	2	1	...	...	...
55 to 59 "	...	2	3	1	...	...	3	4	...	2	...	...	...	1	1	...	...	2	...	...	...	...
60 to 64 "	...	...	4	2	...	...	2	4	...	3	2	...	...	3	...	...	...	...	...	...	...	...
65 to 69 "	...	...	...	2	...	1	4	1	...	5	...	...	...	...	...	...	...	...	1	...	1	...
70 to 74 "	...	...	1	1	...	...	4	...	1	1	...	...	...	1	...	...	...	...	...	...	...	...
75 to 79 "	...	...	1	...	1	1	2	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...
80 to 84 "	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	19	14	48	34	7	2	27	31	18	15	18	8	8	8	12	5	...	2	9	4	1	2

BY AGE-PERIODS. WARD VIII.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..			10	9									14	18	1	2						
1 year.....	1		1	2		1							1									
2 to 4 years..		1											2		2	2						
5 to 9 "						1							1	1		1					1	
10 to 14 "								1														
15 to 19 "																						
20 to 24 "							1						2	2		1						
25 to 29 "							1		1				3	1	3							
30 to 34 "													1	1	1		1					
35 to 39 "									1				3	6	1							
40 to 44 "													2	1	2	1					1	
45 to 49 "													3	3	1						1	
50 to 54 "													2	3		1					1	
55 to 59 "											1		3									
60 to 64 "													2									
65 to 69 "													2		1	1	1					
70 to 74 "											1		2		1							
75 to 79 "										1	1		1		1							
80 to 84 "											1		1			1						
85 to 89 "																						
90 to 94 "											1											
95 and over..																						
	1	1	11	11		2	2	1	2		1	5	41	37	16	9	3				3	1

TABLE XIV. — DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Disease.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	3	1	7	7	1	...	2	...	1	1	2	...	5	8	...	...	...	...	...	...	...	...
1 year.....	...	...	2	8	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
2 to 4 years..	...	...	6	1	...	...	...	...	...	2	2	...	1	...	...	...	...	...	...	...	...	...
5 to 9 "	...	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 "	1	1	...	1	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	5	4	4	2	...	...	2	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	5	5	2	2	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 "	7	5	2	3	...	...	2	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...
35 to 39 "	6	1	3	1	...	...	2	...	...	...	1	...	...	2	...	...	1	...	...	...	1	...
40 to 44 "	5	2	6	...	...	1	2	...	...	...	2	1	...	...	2	...	1	1	...	...	...	...
45 to 49 "	3	...	2	4	...	...	4	2	...	...	1	...	...	2	...	1	...	...	1	1	...	...
50 to 54 "	2	2	1	2	...	...	1	3	...	...	3	1	...	...	3	1	...	1	1	2	...	...
55 to 59 "	2	...	3	1	...	...	3	3	...	1	3	2	...	...	2	2	...	1	...	1	...	1
60 to 64 "	1	2	3	2	...	1	5	3	...	...	1	3	...	...	1	3	...	1	...	1	...	...
65 to 69 "	...	...	3	...	2	...	3	2	...	...	2	...	...	...	1	1	...	1	1	...	...	...
70 to 74 "	...	2	...	5	1	...	4	5	...	...	2	...	...	...	2	...	...	...	...	...	...	...
75 to 79 "	...	...	2	...	...	...	...	...	...	...	1	1	...	...	...	1	...	...	1	...	...	...
80 to 84 "	...	...	1	...	...	...	1	2	...	...	1	1	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	41	26	43	39	2	4	32	25	5	7	18	13	6	8	12	12	....	6	4	5	1	3

BY AGE-PERIODS. WARD IX.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..			6	8									13	13	1	2					1	
1 year.....				3										1		1						
2 to 4 years.	1	1											1	3								
5 to 9 "															1	1						
10 to 14 "							1						1		1							
15 to 19 "													1									
20 to 24 "													1	3								
25 to 29 "													4	2	1	2		2				
30 to 34 "													3	4	1		1			1		
35 to 39 "													4	1	2				1	1		
40 to 44 "														1	1	1					1	
45 to 49 "													5	2	1	1	1					
50 to 54 "													4	2	2		4	1				
55 to 59 "									1				4	8	3							
60 to 64 "											1		4	2	4							
65 to 69 "													3			1				1		
70 to 74 "									1	1	3			2	1		1					
75 to 79 "											2	3										
80 to 84 "											1	2										
85 to 89 "											1											
90 to 94 "											2											
95 and over....																						
	1	1	6	11			1		1	2	10	52	40	19	9	6	4		1	4	1	

TABLE XIV.—DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	...	2	...	...	...	...	...	...	1	1	...	2	3	...	...	...	...	...	...	...	...	
1 year.....	...	...	2	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	
2 to 4 years.	...	...	1	...	...	...	1	2	...	...	...	...	1	...	...	...	...	...	...	...	...	
5 to 9 "	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
10 to 14 "	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
20 to 24 "	...	2	...	2	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	
25 to 29 "	...	5	3	...	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	
30 to 34 "	...	1	5	2	1	1	...	...	1	...	...	...	...	2	...	...	...	...	...	...	...	
35 to 39 "	...	2	...	...	4	...	...	2	1	...	...	1	...	...	...	...	...	...	...	...	...	
40 to 44 "	...	...	...	8	1	...	...	2	...	...	1	...	...	...	1	1	...	1	...	...	...	
45 to 49 "	...	...	1	1	2	...	...	1	3	1	1	1	...	...	...	...	1	...	...	...	3	
50 to 54 "	...	...	1	2	3	...	...	6	3	...	1	1	...	...	1	1	...	2	1	1	2	
55 to 59 "	...	1	...	1	2	...	...	2	4	...	...	...	...	...	2	2	...	1	...	...	...	
60 to 64 "	...	1	1	3	...	...	1	2	...	...	1	2	...	...	2	4	...	...	1	...	...	
65 to 69 "	...	...	...	3	...	...	3	2	...	...	2	...	...	...	4	2	...	1	...	...	1	
70 to 74 "	...	...	...	1	1	...	...	2	2	...	...	1	...	...	2	...	...	...	...	1	1	
75 to 79 "	...	...	...	...	1	...	1	2	...	...	1	1	...	...	...	...	...	...	...	...	...	
80 to 84 "	...	...	...	1	1	...	...	...	1	...	...	2	...	...	1	...	...	...	...	...	...	
85 to 89 "	...	...	...	...	...	1	...	2	...	...	1	...	...	...	...	...	...	...	...	...	...	
90 to 94 "	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	
95 and over...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	18	13	20	23	1	3	18	25	4	4	8	8	2	4	14	14	....	6	1	2	1	7

BY AGE-PERIODS. WARD X.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	....	....	4	3	....	....	....	....	....	....	....	....	7	2	1	....	....	....	....	....	....	....
1 year.....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
2 to 4 years..	....	....	3	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
5 to 9 " ..	1	2	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
10 to 14 " ..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15 to 19 " ..	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
20 to 24 " ..	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....
25 to 29 " ..	....	....	....	....	....	....	1	....	....	....	....	....	2	3	....	....	....	....	....	1	....	....
30 to 34 " ..	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	....	1	....	....	....	....	....
35 to 39 " ..	....	....	....	....	....	....	....	....	....	....	....	....	3	3	....	1	....	....	....	....	....	....
40 to 44 " ..	....	....	....	....	....	....	....	....	1	....	....	....	1	1	1	....	....	....	....	....	....	....
45 to 49 " ..	....	....	....	....	....	....	....	....	....	....	....	....	5	....	2	....	....	....	....	....	....	....
50 to 54 " ..	....	....	....	....	....	....	....	....	....	....	....	....	2	3	1	....	....	....	....	....	....	....
55 to 59 " ..	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	1	1	....	....	....	....	....
60 to 64 " ..	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	1	....	....	....	....	....	....
65 to 69 " ..	....	....	....	....	....	....	....	....	....	....	1	2	1	....	....	....	....	....	....	....	1	....
70 to 74 " ..	....	....	....	....	....	....	....	....	....	1	....	....	3	....	....	....	....	....	....	....	....	....
75 to 79 " ..	....	....	....	....	....	....	....	....	....	....	2	3	....	....	....	....	....	....	....	....	....	....
80 to 84 " ..	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
85 to 89 " ..	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
90 to 94 " ..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
95 and over...	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	1	5	4	3	....	....	1	1	....	1	1	4	33	22	7	4	3	1	....	....	1	1

TABLE XIV.—DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Insanition, Marasmus.		Kidney Disease.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	....	1	2	2	....	1	1	2	....	....	1	1	5	2	....	....	....	....	....	....	....	....
1 year.....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2 to 4 years.	1	....	....	....	1	....	2	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
5 to 9 "	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
10 to 14 "	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15 to 19 "	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
20 to 24 "	1	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
25 to 29 "	1	4	1	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
30 to 34 "	....	4	3	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....
35 to 39 "	1	1	1	1	....	....	1	1	....	....	1	....	....	2	....	....	....	....	....	....	....	....
40 to 44 "	1	....	1	....	....	....	2	....	....	1	....	....	....	1	....	1	....	....	....	....	....	....
45 to 49 "	1	3	....	....	....	....	2	1	1	....	1	....	....	1	2	....	....	1	....	....	....	....
50 to 54 "	1	....	4	2	....	....	2	3	....	....	2	....	....	....	2	1	....	....	....	1	1	....
55 to 59 "	....	....	....	2	....	....	....	1	....	....	1	....	....	....	1	4	....	....	2	....	1	....
60 to 64 "	1	....	2	....	....	....	3	1	....	....	1	....	....	....	1	1	....	1	....	....	2	....
65 to 69 "	1	....	1	1	....	....	4	7	....	....	1	....	....	....	3	1	....	2	....	....	1	....
70 to 74 "	....	....	....	2	....	....	2	3	....	....	1	2	....	....	2	1	....	....	1	....	2	....
75 to 79 "	....	....	1	6	....	....	3	....	....	....	1	1	....	....	....	....	....	....	1	....	....	....
80 to 84 "	....	....	1	2	....	1	3	3	....	....	....	4	....	....	....	....	....	....	....	....	....	....
85 to 89 "	....	....	1	....	....	....	1	2	....	....	....	1	....	....	1	....	....	....	....	....	....	....
90 to 94 "	....	....	1	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
95 and over..	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	14	13	19	25	1	2	25	30	3	1	9	12	5	2	13	14	....	4	....	5	3	6

BY AGE-PERIODS. WARD XI.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..			3	1									9	3								
1 year.....																						
2 to 4 years.	1																					
5 to 9 "					1								2									
10 to 14 "	1						1															
15 to 19 "															1							
20 to 24 "																						
25 to 29 "							1	1					1		1							
30 to 34 "														3							1	
35 to 39 "													1									
40 to 44 "													1	1	1	1						
45 to 49 "									1				1	1			1					
50 to 54 "											1		1				1				1	
55 to 59 "													1	3	1							
60 to 64 "													2									
65 to 69 "													3	1								
70 to 74 "											1		1	2								
75 to 79 "											2		4									
80 to 84 "											2	2	1	1		1						
85 to 89 "												5	1	1								
90 to 94 "													1									
95 and over..												1										
	2		3	1	1		1	2		1	2	12	24	22	3	3	2				1	1



TABLE XIV.—DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.	1	...	3	4	...	...	...	1	1	2	...	...	8	4	...	...	...	...	...	...	...	...
1 year.....	...	...	1	1	1	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
2 to 4 years.	...	...	...	...	1	...	...	...	...	1	3	...	...	...	...	...	...	...	...	...	...	...
5 to 9 "	1	...	...	1	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	1	4	...	...	...	...	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...
25 to 29 "	1	3	...	1	...	...	1	...	...	...	...	...	...	2	2	...	...	1	1	...	...	...
30 to 34 "	2	3	2	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 "	4	1	4	3	...	...	2	1	...	1	...	...	...	1	...	...	...	...	...	...	1	...
40 to 44 "	...	2	1	2	...	...	4	...	...	1	...	...	...	1	...	...	...	...	...	...	2	...
45 to 49 "	3	2	...	3	...	...	3	1	...	1	...	...	...	...	...	...	...	...	...	...	1	...
50 to 54 "	5	...	2	1	...	...	2	5	...	2	1	...	...	...	...	1	...	...	1	1	...	...
55 to 59 "	3	5	3	3	...	...	1	5	...	1	2	...	...	3	1	...	...	1	2	...	...	...
60 to 64 "	...	1	...	2	...	...	6	4	1	1	...	2	...	3	...	...	...	1	...	...	...	...
65 to 69 "	...	1	3	4	...	...	7	4	...	2	1	...	...	3	3	...	1	...	...	...	2	...
70 to 74 "	...	1	1	...	...	...	2	3	...	1	5	1	...	1	...	...	1	...	1	1	...	...
75 to 79 "	...	1	1	...	...	...	1	3	...	...	1	...	...	1	...	...	...	...	2	...	...	...
80 to 84 "	1	...	1	1	...	...	1	1	...	...	3	...	...	1	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	1	...	1	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	22	23	22	28	2	1	32	32	4	8	12	16	9	4	13	12	...	2	1	3	7	8

BY AGE-PERIODS. WARD XII.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..			3	5									11	5	1							
1 year.....			2	1									2									
2 to 4 years.			1										1	1								
5 to 9 "																						
10 to 14 "																						
15 to 19 "							1						3	1								
20 to 24 "							1	1					2	1				1				
25 to 29 "													2	3	1	1						
30 to 34 "													4	4	1		1	1				
35 to 39 "							1						4	2	2	1						
40 to 44 "								1					3	4		1			1			
45 to 49 "													2	2		1						
50 to 54 "													3	3								
55 to 59 "													1		1							
60 to 64 "													1	4	1	1						
65 to 69 "												1	1	3								
70 to 74 "												1	1		1							
75 to 79 "												4	4	3								
80 to 84 "											1	3		4	1							
85 to 89 "												2		2								
90 to 94 "																						
95 and over..												1										
			6	6			3	2			1	12	34	41	15	4	4	4	2		1	

TABLE XIV.—DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	2	...	6	4	...	3	...	...	2	5	...	...	14	14	...	...	...	...	...	...	...	...
1 year.....	...	2	4	3	...	...	...	...	3	2	...	...	1	...	...	...	...	...	...	...	...	...
2 to 4 years.	...	...	1	6	...	1	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
5 to 9 " ..	1	1	...	...	...	...	1	6	2	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 " ..	1	2	...	3	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 " ..	3	4	...	1	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
20 to 24 " ..	8	5	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...
25 to 29 " ..	8	3	3	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 " ..	6	9	5	...	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 " ..	9	2	4	...	...	...	3	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...
40 to 44 " ..	7	4	5	1	1	...	2	4	...	...	...	...	...	...	2	...	...	...	...	...	1	...
45 to 49 " ..	4	2	1	1	1	...	4	4	...	...	2	1	...	...	2	...	...	1	1	1	...	...
50 to 54 " ..	4	2	1	...	1	5	2	...	...	...	...	...	...	...	2	...	...	...	1	1	...	...
55 to 59 " ..	4	...	2	2	1	...	2	...	...	2	8	...	...	1	1	...	...	...	...	...	...	...
60 to 64 " ..	...	1	...	4	1	1	2	...	...	1	1	...	...	...	...	...	...	1	2	...	1	...
65 to 69 " ..	1	...	1	...	...	...	2	1	...	2	1	...	...	...	...	...	...	2	...	...	...	...
70 to 74 " ..	...	...	3	3	...	1	1	2	...	3	2	...	...	...	...	...	...	...	...	...	...	...
75 to 79 " ..	...	...	1	...	...	...	1	...	...	...	...	...	...	2	2	...	...	1	...	...	...	...
80 to 84 " ..	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...
85 to 89 " ..	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	58	37	37	32	6	12	19	21	14	10	11	8	14	15	8	8	...	...	4	5	3	3

BY AGE-PERIODS. WARD XIII.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	...	...	26	21	..	...	...	...	...	...	...	...	22	15	1	1	...	...	...	...	...	...
1 year.....	2	3	1	...	...	...	...	...	...	...	...	...	1	2	3	1	...	...	...	...	1	...
2 to 4 years.	...	...	...	...	1	...	...	...	...	...	...	...	1	...	2	1	...	...	...	...	1	...
5 to 9 "	...	...	...	...	2	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	1	...	...	...	...	...	...	3	1	...	...	...	...	...	...	...	...
20 to 24 "	...	...	...	...	...	1	...	...	...	...	...	...	5	1	1	...	...	...	...	...	...	...
25 to 29 "	...	...	...	...	...	1	1	...	...	...	...	...	2	2	1	1	...	...	...	...	...	...
30 to 34 "	...	...	...	...	...	1	...	...	...	...	...	...	1	3	2	...	...	...	...	...	...	...
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	2	1	...
40 to 44 "	...	...	...	...	...	1	...	...	...	...	...	...	1	3	1	...	...	...	...	...	...	...
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	6	2	1	...	...	...	...	1	...	...
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	...	...
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	4	3	...	...	...	...	...	...	...	...
65 to 69 "	...	...	...	...	...	1	...	...	1	2	3	1	...	...	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	1	...	...	1	...	1	1	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	...	...	...	5	1	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	....	2	29	22	....	3	1	5	1	...	2	7	55	38	12	6	2	...	...	...	3	3

TABLE XIV.—DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculous.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	....	....	5	2	2	...	2	...	1	3	....	....	5	7	....	....	....	....	....	....	....	....
1 year.....	....	....	4	1	1	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
2 to 4 years.	....	....	2	1	....	....	....	....	3	1	....	....	1	....	....	....	....	....	....	....	....	....
5 to 9 "	....	....	1	....	....	....	....	1	2	....	....	....	....	....	1	....	....	....	....	....	....	....
10 to 14 "	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15 to 19 "	1	....	1	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
20 to 24 "	3	1	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
25 to 29 "	8	4	3	....	....	....	1	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....
30 to 34 "	1	1	2	....	....	....	1	3	....	....	....	....	....	....	1	....	....	....	....	....	....	....
35 to 39 "	7	2	2	....	....	....	1	4	....	....	1	....	....	....	1	....	1	....	....	....	....	....
40 to 44 "	3	3	1	2	1	1	1	4	....	....	....	....	....	....	2	....	....	....	1	1	1	1
45 to 49 "	3	....	2	....	....	....	2	1	....	....	1	....	....	....	2	1	....	1	....	1	1	1
50 to 54 "	1	4	1	2	....	....	3	3	....	....	3	....	....	....	2	1	....	....	1	1	1	....
55 to 59 "	....	2	2	2	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	1	....
60 to 64 "	2	1	1	2	....	4	2	5	....	....	3	....	....	....	1	....	1	1	1	1	2	3
65 to 69 "	....	....	....	....	1	4	4	4	....	....	3	3	....	....	2	2	....	....	1	....	....	1
70 to 74 "	....	....	1	4	1	2	3	1	....	....	2	2	....	....	2	1	....	....	....	....	1	1
75 to 79 "	....	....	....	....	1	1	2	....	....	2	4	....	....	....	....	....	....	....	....	....	....	....
80 to 84 "	....	....	1	....	2	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
85 to 89 "	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
90 to 94 "	....	....	....	....	....	....	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
95 and over..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	29	18	26	21	6	15	21	37	10	5	11	18	5	9	12	7	...	3	2	5	7	7

BY AGE-PERIODS. WARD XIV.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	1	...	14	3	...	...	...	...	...	...	...	...	9	6	...	...	...	...	...	...	...	...
1 year.....	1	1	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...
2 to 4 years.	3	...	...	...	1	...	...	...	...	...	...	...	4	...	...	1	...	...	...	...	...	...
5 to 9 "	...	...	...	...	1	1	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	...	1	...	...	...	...	...	3	...	...	...	...	...	1	...	...	...
20 to 24 "	...	...	...	...	...	1	...	...	...	...	...	...	3	2	1	...	...	...	...	...	...	...
25 to 29 "	...	...	...	...	...	1	...	...	...	...	...	...	2	2	1	...	...	...	...	...	...	...
30 to 34 "	...	...	...	...	...	1	1	...	...	...	...	...	2	2	1	...	...	...	...	...	...	...
35 to 39 "	...	...	...	...	...	1	1	...	...	...	...	...	2	2	1	...	...	...	...	...	...	...
40 to 44 "	...	...	...	...	...	1	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	2	2	3	...	...	...	...	...	...	...
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	2	2	1	...	...	...	...	...	...	...
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	1	2	1	...	...	...	...	...	...	...
65 to 69 "	...	...	...	...	...	...	...	2	...	...	...	...	3	1	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	...	2	3	1	...	...	...	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	2	3	1	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	4	1	15	6	3	1	4	2	...	2	7	7	29	32	10	3	1	...	...	...	1	...

TABLE XIV.—DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..			5	4			1		1	2			8	8								
1 year.....			4	2						2			1									
2 to 4 years..	1		2						1	2												
5 to 9 " ..				1					1	1												
10 to 14 " ..			1				2	2														
15 to 19 " ..	2	2						2							1							
20 to 24 " ..	7	4	1				1				1							1				
25 to 29 " ..	9	2	2	3																		
30 to 34 " ..	5	1	3	1					1													
35 to 39 " ..	3	2	3	4			1		1													
40 to 44 " ..		2		1			4	4	1	1		1			1							
45 to 49 " ..	2		1				2	2			1	1			1							
50 to 54 " ..	1		1	2		2		2							1	2			1	1		1
55 to 59 " ..		1	2		1		1	3	2						1			1	1			
60 to 64 " ..	1		3	2		1		1							2			1	1			1
65 to 69 " ..				1			2	3			2				3				1			
70 to 74 " ..			1	2		1	2	2			2				1							
75 to 79 " ..			3				2	3		3		3	1		1							
80 to 84 " ..				1		2	1	2				1										
85 to 89 " ..								1														
90 to 94 " ..								1														
95 and over..																						
	30	15	32	24	1	6	18	29	7	11	4	7	11	8	7	6	....	1	4	3	....	2

BY AGE-PERIODS. WARD XV.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	.....	.....	12	6	.....	.....	.....	.....	.....	.....	.....	.....	11	13	.....	1	.....	.....	.....	.....	.....	3
1 year.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
2 to 4 years.	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
5 to 9 "	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 "	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
15 to 19 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
20 to 24 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....
25 to 29 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	1	.....	.....	.....	.....	.....	.....	.....
30 to 34 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	1	.....	.....	1	.....	.....
35 to 39 "	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	5	.....	.....	.....	.....	.....	.....	.....	.....
40 to 44 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
45 to 49 "	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
50 to 54 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
55 to 59 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
60 to 64 "	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
65 to 69 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	3	2	1	.....	.....	.....	.....	.....	.....	.....
70 to 74 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
75 to 79 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
85 to 89 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
95 and over..	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	3	.....	14	7	.....	2	.....	3	2	.....	4	1	27	34	8	3	2	.....	.....	.....	1	3



TABLE XIV.—DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Insanition, Marasmus.		Kidney Disease.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	...	...	5	4	1	...	1	1	8	2	...	...	3	3	...	...	...	...	...	...	...	...
1 year.....	...	...	3	1	...	...	...	...	3	...	...	...	1	...	...	...	...	...	...	...	...	...
2 to 4 years.	1	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
5 to 9 "	...	1	...	...	...	...	...	...	1	2	...	...	...	...	1	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	...	2	4	2	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	...	1	3	...	1	...	3	...	...	1	...	...	...	...	...	2	...	...	...	...	...	...
30 to 34 "	...	1	6	2	2	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
35 to 39 "	...	1	3	...	...	1	...	3	...	...	...	...	...	...	1	1	...	...	...	1	...	...
40 to 44 "	...	2	3	2	...	...	...	2	...	...	...	...	...	...	...	1	...	...	1	...	1	1
45 to 49 "	...	3	...	2	1	...	2	2	...	...	...	...	...	...	1	...	1	...	1	1	...	...
50 to 54 "	...	2	2	3	...	...	2	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...
55 to 59 "	...	2	2	3	3	...	1	2	3	...	1	...	...	...	2	1	...	...	2	...	...	...
60 to 64 "	...	...	1	1	...	...	2	2	...	1	...	4	...	...	1	1	...	1	...	3	...	...
65 to 69 "	...	...	1	2	1	...	1	2	...	...	2	7	...	...	2	2	...	1	...	1	...	...
70 to 74 "	...	...	2	...	...	...	2	4	...	...	1	1	...	...	...	1	...	1	2	...	...	...
75 to 79 "	...	...	1	...	...	...	2	2	...	...	3	1	...	...	...	1	...	...	...	...	...	...
80 to 84 "	...	...	...	1	...	...	...	...	...	...	...	3	...	...	1	...	...	...	...	...	...	...
85 to 89 "	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...
90 to 94 "	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	15	28	28	19	3	1	19	22	13	9	6	16	4	3	10	10	...	6	5	7	8	1

BY AGE-PERIODS. WARD XVI.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	...	...	9	8	...	...	...	...	...	...	...	...	11	6	...	...	...	...	...	...	...	...
1 year .....	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
2 to 4 years.	1	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...
5 to 9 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...
30 to 34 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...
35 to 39 "	...	1	...	...	...	...	...	...	...	...	...	...	3	4	...	...	...	...	...	...	...	...
40 to 44 "	...	...	...	...	...	...	1	...	...	...	...	...	1	2	1	...	...	...	...	...	...	...
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	1	3	...	...	...	...	...	...	...	...
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	1	3	...	...	...	...	...	...	...	...
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	1	...	...
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	2	2	1	...	2	1	...	...	...	...
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	...	2	...	6	3	...	...	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	2	1	...	1	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	1	1	1	1	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...
95 and over....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	8	1	9	8	...	...	1	...	1	...	4	6	31	30	7	1	2	1	...	1	1	1

TABLE XIV. — DEATHS : PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	2	...	7	3	2	2	...	...	4	2	...	...	12	7	...	...	...	...	...	...	...	...
1 year.....	1	...	5	2	...	1	...	...	...	1	...	...	1	1	...	...	...	...	...	...	...	...
2 to 4 years.	...	...	1	2	1	...	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...
5 to 9 " ..	2	1	...	...	...	...	...	3	3	1	...	...	...	...	1	...	...	...	...	...	...	...
10 to 14 " ..	...	...	...	...	...	...	1	1	2	...	1	...	...	...	2	...	...	...	...	...	...	...
15 to 19 " ..	3	...	...	...	...	...	...	2	2	...	...	...	...	1	...	...	...	...	...	...	...	...
20 to 24 " ..	6	1	1	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...
25 to 29 " ..	3	4	2	1	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 " ..	6	9	3	2	...	1	2	2	...	...	...	...	...	...	...	1	...	1	...	...	1	...
35 to 39 " ..	2	5	1	2	...	...	1	1	...	...	1	...	...	...	...	...	1	...	...	...	...	...
40 to 44 " ..	5	1	...	2	...	...	1	4	...	...	...	...	...	...	1	2	...	...	2	...	...	...
45 to 49 " ..	4	3	2	2	...	...	...	5	...	...	...	...	...	...	...	...	1	1	...	...	1	...
50 to 54 " ..	2	2	1	2	...	...	1	2	...	1	...	1	...	...	4	...	...	1	...	1	...	1
55 to 59 " ..	...	...	5	...	1	...	2	3	...	...	3	2	...	...	...	...	...	...	...	...	...	1
60 to 64 " ..	3	...	3	6	...	...	3	2	...	...	2	1	...	...	1	...	...	1	...	...	...	1
65 to 69 " ..	3	...	3	3	...	...	3	4	...	...	4	4	...	...	2	1	...	...	1	...	1	1
70 to 74 " ..	...	...	1	3	1	...	1	1	...	...	2	1	...	...	...	1	...	...	1	...	1	...
75 to 79 " ..	1	...	1	2	...	1	...	2	...	...	1	...	...	...	...	...	...	...	...	...	...	...
80 to 84 " ..	...	...	...	1	...	2	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
85 to 89 " ..	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	43	26	36	33	5	9	17	34	12	6	13	12	13	9	11	6	...	3	6	1	4	4

BY AGE-PERIODS. WARD XVII.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	...	...	21	12	...	...	...	...	...	...	...	...	21	6	3	...	...	...	...	...	2	1
1 year.....	...	...	1	2	1	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...
2 to 4 years.	1	1	...	...	...	1	...	...	...	...	...	...	3	1	1	...	...	...	...	...	...	...
5 to 9 "	...	1	...	...	...	1	...	...	1	...	...	...	2	2	1	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
20 to 24 "	...	...	...	...	...	...	1	...	...	...	...	...	1	3	...	...	...	...	...	...	...	...
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	2	3	...	...	...	...	...	...	1	...
30 to 34 "	...	...	...	...	...	...	1	...	...	...	...	...	5	3	...	...	...	...	...	...	...	...
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	3	2	...	...	...	...	...	...	...	...
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	2	3	1	1	1	...	...	...	...	...
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	2	3	...	...	...	...	...	...	...	...
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	2	1	1	...	1	...	...	...	...	...
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...
60 to 64 "	...	...	...	...	...	...	...	...	...	...	1	1	1	...	2	1	...	...	...	...	...	...
65 to 69 "	...	...	...	...	...	...	...	...	...	1	1	2	3	...	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	...	...	1	2	1	...	1	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	...	...	...	2	1	...	1	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	3	2	2	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...
95 and over..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	1	2	22	14	1	2	2	...	...	1	4	9	46	36	14	6	2	...	...	...	2	2

TABLE XIV. — DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phtisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	3	...	6	7	4	3	3	1	3	1	...	...	11	4	...	...	...	...	...	...	...	...
1 year.....	1	1	1	...	...	...	...	...	3	3	...	...	2	...	...	...	...	...	...	...	...	...
2 to 4 years.	1	1	1	1	2	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
5 to 9 "	...	1	1	1	...	...	...	1	...	1	...	...	1	...	...	...	...	...	...	...	...	...
10 to 14 "	1	1	...	...	...	...	...	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	3	2	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	4	...	3	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	7	4	3	1	...	...	2	...	1	1	...	1	...	...	1	1	...	...	...	...	...	...
30 to 34 "	7	5	2	1	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 "	2	1	...	3	...	...	1	1	...	...	...	...	...	...	...	...	3	...	...	...	...	...
40 to 44 "	3	4	3	2	...	...	4	3	...	...	...	1	...	...	1	...	1	1	1	...	...	...
45 to 49 "	1	1	1	...	...	...	4	2	1	...	2	...	...	...	1	...	...	...	...	...	2	...
50 to 54 "	1	...	2	1	...	...	5	2	...	...	1	1	...	...	1	2	...	...	1	...	1	2
55 to 59 "	...	...	2	2	...	...	2	4	...	...	1	...	...	...	2	1	...	...	...	1	...	...
60 to 64 "	...	...	1	...	...	...	1	...	...	2	1	...	...	1	1	...	1	...	...	...	2	...
65 to 69 "	...	...	...	3	2	1	3	...	...	1	3	...	...	1	...	...	...	...	...	...	...	...
70 to 74 "	...	...	1	3	1	...	1	3	...	...	2	2	...	...	3	1	...	...	...	...	...	...
75 to 79 "	...	...	1	...	...	...	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over..	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	34	21	28	27	9	6	30	25	12	8	8	11	12	6	10	7	....	5	2	1	2	6

BY AGE-PERIODS. WARD XVIII.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	...	...	14	5	...	...	...	...	...	...	...	...	20	8	...	...	...	...	...	...	...	1
1 year.....	1	1	2	...	...	...	...	...	1	...	...	...	1	1	...	...	...	...	...	...	...	...
2 to 4 years.	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
5 to 9 "	...	1	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	1	...	...	...	...	...
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	1	...	...	...	...	...
30 to 34 "	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...
45 to 49 "	...	...	...	...	...	...	...	...	1	...	...	...	1	5	1	...	...	...	...	...	...	...
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2	...	...	...	...	...	...
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	2	2	...	...	...	...	...	...	...	...
60 to 64 "	...	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	...	...	...
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	1
75 to 79 "	...	...	...	...	...	...	...	...	...	...	2	...	...	1	...	1	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	2	...	1	1	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...
95 and over....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	2	3	16	5	...	1	1	...	2	3	7	34	28	5	5	...	2	1	...	...	...	3

TABLE XIV.—DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Pathosis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	1	9	6	2	2	1	4	5	4	1	14	9	2									
1 year.....	1	4			1			3	4			1										
2 to 4 years.	1	2	5	1	1			4	4					1								
5 to 9 "				1				2	1					1								
10 to 14 "	1	1	1					1	1	1												
15 to 19 "	2	3						1	1													
20 to 24 "	2	1	2		1		1	2		1												
25 to 29 "	4	4	1	1			2	1														
30 to 34 "	4	2	3	3		1	1	1						1	1							
35 to 39 "	8	2	2				1							1							2	
40 to 44 "	3	3					1		1	1				2	1							
45 to 49 "	4	3	1	5			3	5	1	1	1			2	1		1					
50 to 54 "	3		2	1			1	5			3				1		1		1		1	
55 to 59 "	2	2	4	3			1	3			3	2			2		1	2		1		
60 to 64 "	1	1	3	3	1	1	1		4	2				2				1	2			
65 to 69 "		1		1	1		3	5		2				2	1				1			
70 to 74 "		1		1	1	1	5	1		2	3			1				1		1		
75 to 79 "			1	1	1									2	1						2	
80 to 84 "			1							1	1											
85 to 89 "				1			2				1											
90 to 94 "										1												
95 and over..							1															
	36	24	38	31	8	8	22	31	17	20	13	12	14	10	19	6	3	2	3	4	6	

BY AGE PERIODS. WARD XIX.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	...	...	12	6	...	...	...	...	...	...	...	...	16	12	...	1	...	...	...	...	2	...
1 year.....	1	...	...	2	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...	...
2 to 4 years.	...	2	...	...	1	...	...	...	...	...	...	...	1	...	2	1	...	...	...	...	...	...
5 to 9 " ..	1	...	...	...	...	...	...	...	...	...	...	...	1	1	4	...	...	...	...	...	...	...
10 to 14 " ..	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...
15 to 19 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 " ..	...	...	...	...	...	...	1	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...
25 to 29 " ..	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2	...	...	...	...	...	...	...
30 to 34 " ..	...	...	...	...	...	...	...	...	...	...	...	...	3	1	2	...	1	1	...	...	...	...
35 to 39 " ..	...	...	...	...	...	...	...	...	...	...	...	...	3	2	3	...	...	...	...	...	...	...
40 to 44 " ..	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...
45 to 49 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	1	...
50 to 54 " ..	...	...	...	...	...	...	...	...	...	...	...	...	2	2	1	1	1	...	...	...	...	...
55 to 59 " ..	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	1	...
60 to 64 " ..	...	...	...	...	...	...	...	...	...	1	1	...	3	1	3	1	...	...	...	...	...	...
65 to 69 " ..	...	...	...	...	...	...	...	...	...	...	...	...	3	3	...	2	...	...	...	...	...	...
70 to 74 " ..	...	...	...	...	...	...	...	...	...	...	1	...	1	3	...	1	...	...	...	...	...	...
75 to 79 " ..	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...
80 to 84 " ..	...	...	...	...	...	...	...	...	...	...	3	5	1	...	...	...	...	...	...	...	...	...
85 to 89 " ..	...	...	...	...	...	...	...	...	...	...	3	...	1	...	...	...	...	...	...	...	...	...
90 to 94 " ..	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...
95 and over....	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...
	2	2	12	8	1	...	1	...	...	...	9	9	46	30	20	8	1	2	1	...	4	...



TABLE XIV.—DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	...	...	2	3	...	...	2	3	2	3	...	...	9	7	...	...	...	...	...	...	...	...
1 year.....	...	...	2	2	...	...	...	...	2	1	...	...	2	...	...	...	...	...	...	...	...	...
2 to 4 years.	...	...	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5 to 9 " ..	3	...	2	...	...	...	1	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 " ..	...	...	...	...	...	...	1	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...
15 to 19 " ..	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
20 to 24 " ..	4	...	2	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 " ..	7	5	...	1	...	...	1	1	...	...	...	...	...	...	1	3	...	...	...	...	...	...
30 to 34 " ..	4	5	1	...	...	...	...	...	3	1	...	...	...	...	...	2	...	...	...	...	...	...
35 to 39 " ..	4	2	2	2	...	...	2	6	...	...	1	...	...	...	3	1	...	...	...	...	1	...
40 to 44 " ..	3	2	1	1	...	1	2	1	...	...	...	...	...	...	...	2	...	...	...	...	2	...
45 to 49 " ..	3	2	1	3	...	1	2	1	...	...	...	...	...	...	4	...	1	1	1	1	1	...
50 to 54 " ..	4	2	...	...	...	...	3	5	1	1	3	1	...	...	1	1	...	2	...	...	2	...
55 to 59 " ..	1	...	2	1	2	1	5	6	...	...	2	1	...	...	1	...	1	2	1	...	2	...
60 to 64 " ..	1	1	5	2	...	...	6	1	...	...	4	3	...	...	1	1	...	1	...	3	1	2
65 to 69 " ..	...	1	2	3	...	...	2	3	...	...	5	3	...	...	1	4	...	1	1	...	2	1
70 to 74 " ..	3	1	3	5	...	...	4	5	...	...	4	...	...	...	1	2	...	...	1	...	2	1
75 to 79 " ..	1	1	1	1	...	...	2	2	...	...	2	1	...	...	2	1	...	...	1	...	1	...
80 to 84 " ..	...	...	2	2	2	...	...	3	...	...	2	3	...	...	...	1	...	...	...	...	...	...
85 to 89 " ..	...	...	...	...	...	1	2	1	...	...	2	...	...	...	1	1	...	...	...	...	1	...
90 to 94 " ..	...	...	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over....	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	38	23	29	31	4	5	36	43	10	8	19	18	9	9	13	24	...	6	6	5	7	12

BY AGE-PERIODS. WARD XX.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	.....	.....	1	4	1	...	.....	.....	.....	.....	.....	.....	25	20	1	.....	.....	.....	.....	.....	.....	.....
1 year:.....	1	2	2	3	.....	.....	.....	.....	.....	.....	.....	.....	1	...	1	.....	.....	.....	.....	.....	.....	.....
2 to 4 years.	4	...	1	2	1	...	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
5 to 9 "	3	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
20 to 24 "	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	2	3	1	1	.....	.....	.....	.....	.....	.....
25 to 29 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....	.....	.....	.....	.....
30 to 34 "	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	6	1	.....	.....	.....	.....	.....	.....	.....
35 to 39 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....
40 to 44 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	3	1	.....	.....	.....	.....	.....	.....	.....
45 to 49 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	1	2	.....	.....	.....	.....	1	.....
50 to 54 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	.....	.....	.....	.....	1	.....	.....
55 to 59 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	1	.....	.....	.....	.....	.....	.....
60 to 64 "	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....
65 to 69 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	5	.....	1	.....	.....	.....	.....	.....	1	.....
70 to 74 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	4	1	1	.....	.....	.....	.....	.....	.....	.....
75 to 79 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	4	.....	1	.....	.....	.....	.....	.....	.....	.....
80 to 84 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
85 to 89 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
95 and over....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	8	3	4	9	2	1	2	.....	1	9	8	52	66	13	5	4	.....	1	.....	1	2	.....

TABLE XIV.—DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	...	...	5	4	...	...	1	...	2	...	...	7	3	...	...	...	...	...	...	...	...	
1 year.....	...	1	3	2	...	...	...	...	2	...	...	1	...	...	...	...	...	...	...	...	...	
2 to 4 years..	...	...	1	1	...	...	2	...	1	...	...	...	1	...	...	...	...	...	...	...	...	
5 to 9 “	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	
10 to 14 “	...	1	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	
15 to 19 “	...	1	1	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	
20 to 24 “	...	2	1	1	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	
25 to 29 “	...	1	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	
30 to 34 “	...	3	4	1	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
35 to 39 “	...	2	2	1	...	...	4	2	1	...	...	...	...	3	...	...	...	...	...	...	...	
40 to 44 “	...	2	...	1	...	...	1	1	...	...	1	...	...	1	...	...	1	...	...	...	...	
45 to 49 “	...	1	...	2	2	...	1	1	...	...	1	...	...	1	2	...	3	...	...	1	...	
50 to 54 “	...	2	1	4	...	...	4	...	...	2	...	...	...	1	1	...	1	1	...	...	4	
55 to 59 “	...	5	...	...	...	1	4	1	...	1	3	2	...	1	1	...	1	...	...	...	...	
60 to 64 “	...	...	2	1	...	...	2	2	...	...	1	2	...	1	2	...	...	...	1	1	...	
65 to 69 “	...	...	3	4	1	...	3	3	...	...	2	1	...	2	3	...	...	1	1	1	...	
70 to 74 “	...	...	2	...	...	3	1	2	...	...	4	3	...	1	1	...	1	...	...	...	...	
75 to 79 “	...	...	3	2	1	1	2	10	...	...	3	2	...	1	1	...	2	...	...	...	...	
80 to 84 “	...	...	...	...	1	1	2	5	...	...	...	3	...	...	...	...	...	1	...	...	...	
85 to 89 “	...	...	...	1	1	...	1	1	...	...	...	2	...	...	...	...	...	...	...	...	...	
90 to 94 “	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	
95 and over..	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	11	19	21	27	5	7	31	35	4	4	16	16	8	4	13	13	....	9	1	2	3	7

BY AGE PERIODS. WARD XXI.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	...	...	3	5	...	...	...	...	...	...	...	...	8	9	...	...	...	...	...	...	...	...
1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2 to 4 years.	1	1	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...
5 to 9 "	...	1	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	...	1	1	...	...	...	...	2	2	...	...	...	...	...	...	...	...
20 to 24 "	...	...	...	...	...	...	1	...	...	...	...	...	1	1	1	...	1	...	...	...	...	...
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
30 to 34 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	1	...	...	...	...
35 to 39 "	...	...	...	...	...	...	2	...	...	...	...	...	1	4	1	...	...	...	...	...	...	...
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	1	2	1	...	...	...	...	...	...	...
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	2	4	...	...	...	...	...	...	...	...
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	1	6	1	1	...	...	...	...	...	...
55 to 59 "	...	...	...	...	...	...	...	...	...	1	...	...	3	8	...	...	...	...	...	...	...	...
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	3	1	1	...	...	...	...	...	...	...
65 to 69 "	...	...	...	...	...	...	...	...	1	...	...	...	3	4	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	1	1	...	...	1	1	...	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	...	1	2	2	1	7	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	4	...	1	...	1	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	3	1	1	2	1	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	...	...	...	...
95 and over...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
	1	2	3	5	...	...	4	1	...	3	3	11	31	48	11	5	1	...	1	...	...	...

TABLE XIV. — DEATHS : PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	...	...	7	2	2	...	...	...	3	2	...	...	13	8	...	...	...	...	...	...	...	...
1 year.....	...	...	1	1	1	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...
2 to 4 years..	...	...	1	2	1	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...
5 to 9 " ..	...	...	1	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 " ..	...	...	1	1	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 " ..	...	...	4	1	1	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 " ..	...	...	4	3	1	...	2	2	1	...	...	...	...	...	1	...	...	...	...	...	...	...
30 to 34 " ..	...	...	6	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
35 to 39 " ..	...	...	3	2	2	1	...	2	...	...	...	...	...	...	2	...	...	...	...	...	...	...
40 to 44 " ..	...	...	2	4	1	...	1	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...
45 to 49 " ..	...	...	1	...	1	1	...	2	4	...	...	...	...	...	3	...	...	1	1	...	1	...
50 to 54 " ..	...	...	1	2	1	2	1	2	2	...	1	...	...	...	1	...	1	3	...	1	1	...
55 to 59 " ..	...	...	1	1	1	1	...	5	4	...	3	1	...	...	2	...	1	1	2	1	1	...
60 to 64 " ..	...	...	...	2	1	1	...	5	5	...	...	1	...	...	3	1	...	1	2	...	2	2
65 to 69 " ..	...	...	...	1	2	1	1	1	2	...	2	2	...	...	3	2	...	...	1	1	...	...
70 to 74 " ..	...	...	...	1	1	1	1	1	2	...	1	2	...	...	3	2	...	...	1	...	1	...
75 to 79 " ..	...	...	...	2	2	...	...	3	...	...	2	1	...	...	1	1	...	1	...	1	1	...
80 to 84 " ..	...	...	...	2	3	1	...	1	2	...	2	2	...	...	...	...	...	...	...	...	...	...
85 to 89 " ..	...	...	...	...	2	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 " ..	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	24	19	28	21	7	3	22	38	5	4	11	9	13	9	19	7	...	4	7	7	6	6

BY AGE-PERIODS. WARD XXII.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	...	...	10	5	...	...	...	...	...	...	...	...	6	6	...	...	...	...	...	...	...	...
1 year.....	...	...	1	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
2 to 4 years.	...	...	1	...	...	...	2	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...
5 to 9 “ ..	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 “ ..	...	...	...	...	1	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...
15 to 19 “ ..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
20 to 24 “ ..	...	...	...	...	...	1	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...
25 to 29 “ ..	...	...	...	...	...	1	...	...	...	...	...	...	3	1	...	1	...	1	1	...	...	...
30 to 34 “ ..	...	1	...	...	...	1	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...
35 to 39 “ ..	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2	...	...	...	...	...	...	...
40 to 44 “ ..	...	...	...	...	...	1	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...
45 to 49 “ ..	...	...	...	...	...	...	...	...	...	...	...	...	3	3	1	...	...	...	...	...	...	...
50 to 54 “ ..	...	...	...	...	...	...	...	...	...	...	...	...	3	1	...	...	...	...	...	...	...	...
55 to 59 “ ..	...	...	...	...	...	...	...	...	...	...	...	...	2	4	1	...	...	...	...	...	...	...
60 to 64 “ ..	...	...	...	...	...	...	...	...	...	...	...	...	5	1	1	...	...	...	...	...	...	...
65 to 69 “ ..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
70 to 74 “ ..	...	...	...	...	...	...	...	...	...	2	...	2	3	...	...	...	...	...	...	...	...	...
75 to 79 “ ..	...	...	...	...	...	...	...	...	...	2	1	...	...	1	1	...	...	...	...	...	...	...
80 to 84 “ ..	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...
85 to 89 “ ..	...	...	...	...	...	...	...	...	...	1	1	...	2	1	...	...	...	...	...	...	...	...
90 to 94 “ ..	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...
95 and over....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	1	1	12	6	1	1	4	2	...	...	6	4	31	29	9	2	1	1	1	...	...	...

TABLE XIV.—DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	1	...	4	2	2	1	2	1	1	...	...	...	4	2	...	...	...	...	...	...	...	...
1 year.....	...	...	3	1	...	...	...	...	2	...	...	...	2	...	1	...	...	...	...	...	...	...
2 to 4 years.	1	1	2	2	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
5 to 9 " ..	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 " ..	3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 " ..	3	3	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 " ..	1	3	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
30 to 34 " ..	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
35 to 39 " ..	2	2	2	3	...	...	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
40 to 44 " ..	1	1	2	2	...	...	2	2	...	...	...	...	...	...	...	...	...	1	...	...	1	...
45 to 49 " ..	...	...	...	1	...	...	1	2	...	...	...	...	...	...	3	1	...	...	1	...	1	...
50 to 54 " ..	2	2	1	...	...	...	1	5	...	...	1	1	...	...	2	...	...	1	...	...	...	...
55 to 59 " ..	...	1	...	1	...	2	1	1	...	...	1	1	...	...	1	...	1	...	...	...	...	...
60 to 64 " ..	...	...	3	5	...	...	1	1	...	...	2	...	...	...	1	1	...	...	1	1	...	1
65 to 69 " ..	1	...	1	2	...	...	1	3	...	...	3	1	...	...	1	...	...	...	...	1	...	...
70 to 74 " ..	1	1	1	2	...	...	3	3	...	...	1	2	...	...	1	2	...	...	1	2	1	...
75 to 79 " ..	...	...	1	...	...	1	2	...	...	...	3	...	...	...	1	...	...	...	1	...	1	2
80 to 84 " ..	1	1	...	1	...	1	1	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...
85 to 89 " ..	...	...	...	...	...	1	...	2	...	...	1	...	...	...	...	...	...	...	...	...	...	...
90 to 94 " ..	...	...	...	3	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
95 and over...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	18	18	23	26	2	6	16	25	4	3	9	10	4	4	7	10	...	1	5	4	3	5

BY AGE-PERIODS. WARD XXIII.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	...	...	7	7	...	...	...	...	...	...	...	...	11	12	1	1	...	...	...	...	...	...
1 year.....	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2 to 4 years.	...	...	1	...	...	...	...	...	...	...	...	...	...	3	...	1	...	...	...	...	...	...
5 to 9 "	...	...	3	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...
30 to 34 "	...	...	...	...	...	...	...	...	...	...	...	...	1	2	1	...	...	...	...	...	...	...
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	2	3	...	1	...	...	...	...	...	...
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...
50 to 54 "	...	...	...	...	...	1	...	...	...	...	...	...	2	1	1	...	...	...	...	...	...	...
55 to 59 "	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	1	...	...	...	...	...
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	4	2	1	1	...	...	...	...	...	...
65 to 69 "	...	...	...	...	...	...	...	...	1	1	1	...	2	2	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	...	...	2	...	1	3	1	1	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	...	...	...	1	...	2	1	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	2	2	2	2	...	1	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	2	1	...	1	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	...	...	3	8	7	...	1	1	1	...	1	6	7	31	37	11	7	...	1	...	...	...



TABLE XIV. DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	4	2	...	1	...	4	...	1	1	1	1	7	6	...	...	...	...	...	...	...	...	
1 year.....	...	...	1	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	
2 to 4 years.	...	...	1	...	2	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	
5 to 9 "	1	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	
10 to 14 "	...	...	...	...	...	...	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	
15 to 19 "	...	2	...	...	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	
20 to 24 "	1	1	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	
25 to 29 "	5	4	1	1	...	...	1	3	...	...	...	...	...	1	1	...	...	1	...	...	...	
30 to 34 "	5	9	1	1	...	...	...	1	...	...	...	...	...	2	1	...	...	...	...	...	...	
35 to 39 "	2	4	1	1	...	...	1	2	...	...	1	1	...	2	1	...	1	...	...	...	1	
40 to 44 "	...	3	2	...	...	...	1	...	...	...	1	1	...	...	...	...	...	...	...	...	...	
45 to 49 "	1	4	1	1	...	...	1	...	1	...	...	...	1	3	...	...	1	...	...	1	...	
50 to 54 "	2	...	1	1	...	...	4	...	...	...	2	2	...	1	...	...	...	...	...	...	1	
55 to 59 "	1	...	1	2	...	...	...	1	...	...	4	1	...	1	...	...	...	2	...	...	...	
60 to 64 "	3	2	2	2	...	...	2	5	...	...	4	2	...	...	2	...	1	1	1	...	1	
65 to 69 "	1	...	1	...	...	1	2	1	1	...	5	5	...	3	3	...	1	...	...	...	...	
70 to 74 "	...	1	2	2	2	2	3	3	...	...	1	3	...	2	1	...	...	...	...	...	...	
75 to 79 "	...	1	1	2	...	2	1	3	...	...	4	2	...	1	...	...	...	...	...	...	...	
80 to 84 "	1	...	...	1	...	...	2	...	...	...	...	3	...	1	2	...	...	...	...	...	1	
85 to 89 "	...	...	1	...	...	...	1	...	...	...	...	3	...	...	...	...	...	...	...	...	...	
90 to 94 "	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
95 and over..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	23	35	18	17	5	6	25	21	8	8	23	24	7	7	18	12	...	4	2	3	1	4

BY AGE-PERIODS. WARD XXIV.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..			1	6									19	4								1
1 year.....			2										2									
2 to 4 years.	1					1	1						1	1								
5 to 9 "	2	2			1								1	2								
10 to 14 "	1				1									1								
15 to 19 "													2	1								
20 to 24 "													2	1								
25 to 29 "							1						1	2								
30 to 34 "							1						2									
35 to 39 "														4								
40 to 44 "					1								2		1							
45 to 49 "													4	1	1							
50 to 54 "							1						1	1	1							
55 to 59 "													1									
60 to 64 "													1	4								
65 to 69 "								1			1		5	7	1	1		1				
70 to 74 "										2	1		1	1	1	1						
75 to 79 "										2			2	2								
80 to 84 "										8	8		3									
85 to 89 "										8	6		2									
90 to 94 "																						
95 and over...																						
	4	2	3	6	2	2	8	1	1		10	11	44	31	14	2		1				1

TABLE XIV.—DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Insanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	2	...	4	1	1	...	1	...	5	2	1	...	4	3	...	...	...	...	...	...	...	...
1 year.....	...	...	...	...	...	1	...	...	2	1	...	...	1	...	...	...	...	...	...	...	...	...
2 to 4 years. ....	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5 to 9 " ..	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 " ..	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 " ..	...	1	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 " ..	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 " ..	2	4	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 " ..	2	1	...	...	...	...	1	3	1	...	...	...	...	...	...	1	...	...	...	...	...	...
35 to 39 " ..	1	4	1	...	...	...	1	1	...	...	...	...	...	1	1	...	...	...	...	1	...	...
40 to 44 " ..	1	...	1	...	...	...	1	1	...	...	...	...	...	1	3	...	...	1	...	...	...	...
45 to 49 " ..	...	...	2	...	...	...	3	1	1	...	...	...	...	1	...	...	...	...	...	1	...	...
50 to 54 " ..	...	...	1	...	...	...	1	2	...	...	3	1	...	...	...	1	...	...	...	1	...	...
55 to 59 " ..	...	1	2	1	1	1	4	3	...	...	...	...	...	3	...	...	...	1	...	1	...	1
60 to 64 " ..	...	2	4	...	...	...	3	2	...	...	1	...	...	1	2	...	1	...	...	1	1	...
65 to 69 " ..	...	...	3	2	...	1	4	1	...	...	1	...	...	1	...	1	1	...	1	...	1	...
70 to 74 " ..	...	2	...	1	...	...	3	2	...	...	2	...	...	2	1	...	...	...	...	1	...	...
75 to 79 " ..	...	...	1	...	1	...	1	1	...	...	1	...	...	1	1	...	...	1	1	...	...	...
80 to 84 " ..	1	...	1	...	1	...	2	1	...	...	1	...	...	...	...	...	...	1	...	...	...	...
85 to 89 " ..	...	...	3	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over....	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	11	16	21	11	3	4	25	21	9	4	6	7	4	4	11	9	3	2	4	2	6	...

BY AGE-PERIODS. WARD XXV.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	...	...	4	9	...	...	...	...	...	...	...	...	15	13	...	...	...	...	1	...	...	...
1 year.....	1	...	...	8	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...
2 to 4 years.	4	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...	...
5 to 9 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...
25 to 29 "	...	...	...	...	...	...	1	...	...	...	...	...	8	2	1	...	1	...	...	...	...	...
30 to 34 "	...	...	...	...	...	...	...	2	...	...	...	...	2	...	1	...	...	...	...	...	...	...
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	...	...
50 to 54 "	...	...	...	...	...	...	1	...	...	...	...	...	3	1	...	...	1	...	...	...	...	...
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...
60 to 64 "	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	1	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	...	...	...	8	...	2	...	...	...	1	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	1	...	3	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...
95 and over...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	5	...	4	12	...	...	2	3	...	...	1	4	42	23	5	1	3	2	1	...	...	...

TABLE XIV. — DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	1	1	1	...	...	...	...	...	1	...	...	...	4	10	...	...	...	...	...	...	...	...
1 year.....	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2 to 4 years.	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5 to 9 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 "	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 "	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
40 to 44 "	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
45 to 49 "	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
50 to 54 "	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
65 to 69 "	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	1	2	8	1	1	1	3	3	2	...	1	1	4	10	...	...	...	...	...	...	...	...

BY AGE-PERIODS. WARD UNKNOWN.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	....	1	....	4	....	....	....	....	....	....	....	....	8	....	....	....	....	....	....	....	....	....
1 year.....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2 to 4 years.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5 to 9 "	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10 to 14 "	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15 to 19 "	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
20 to 24 "	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
25 to 29 "	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
30 to 34 "	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
35 to 39 "	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
40 to 44 "	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
45 to 49 "	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....
50 to 54 "	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
55 to 59 "	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
60 to 64 "	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
65 to 69 "	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
70 to 74 "	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
75 to 79 "	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
80 to 84 "	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
85 to 89 "	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
90 to 94 "	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
95 and over...	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	....	1	....	5	....	....	....	....	....	....	....	....	4	3	....	....	....	....	....	....	....	....

Digitized by Google

TABLE XIV.—DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	3	...	3	6	...	1	1	1	2	...	1	...	19	13	1	...	...	...	...	...	...	...
1 year.....	3	3	2	3	...	...	...	...	5	1	...	...	...	3	...	...	...	...	...	...	...	...
2 to 4 years.	...	1	4	3	1	...	...	1	1	3	...	...	1	...	...	...	...	...	...	...	...	...
5 to 9 " ..	1	2	1	...	...	...	...	3	1	1	...	...	...	...	1	1	...	...	...	...	...	...
10 to 14 " ..	2	3	...	...	...	...	...	2	3	3	...	...	...	...	1	...	...	...	...	...	...	...
15 to 19 " ..	3	8	...	...	...	...	1	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...
20 to 24 " ..	3	8	2	2	...	...	...	3	5	1	...	...	...	...	3	...	...	...	...	...	...	...
25 to 29 " ..	6	4	2	5	...	...	2	...	3	3	1	...	...	...	1	1	...	...	...	...	1	...
30 to 34 " ..	5	3	4	3	...	...	5	1	...	...	...	...	...	...	...	...	...	1	...	1	...	...
35 to 39 " ..	4	5	5	5	...	...	3	2	2	...	3	1	...	...	3	2	...	...	1	...	4	...
40 to 44 " ..	5	1	5	3	...	...	4	3	...	...	1	...	...	...	1	1	...	1	...	...	2	...
45 to 49 " ..	1	4	6	1	...	1	7	1	...	...	2	1	...	...	2	2	...	3	2	1	1	3
50 to 54 " ..	2	2	4	2	1	...	3	7	...	...	2	1	...	...	3	1	...	1	3	3	1	7
55 to 59 " ..	...	...	6	3	...	...	7	2	2	...	2	...	...	...	5	6	...	2	5	...	3	5
60 to 64 " ..	...	...	3	2	1	...	3	6	1	...	2	4	...	...	4	5	...	2	2	1	...	4
65 to 69 " ..	...	2	5	1	...	...	7	6	...	...	4	2	...	...	1	...	3	4	...	3	...	...
70 to 74 " ..	...	2	3	2	1	...	8	3	...	...	1	1	...	...	2	1	...	1	1	2	1	...
75 to 79 " ..	...	...	3	4	...	...	4	3	...	...	...	2	...	...	1	...	1	...	...	1	...	...
80 to 84 " ..	...	...	3	1	...	...	1	...	...	...	2	1	...	...	...	...	...	...	...	...	1	...
85 to 89 " ..	...	...	1	...	2	...	1	2	...	...	1	...	...	...	...	...	...	...	...	...	...	...
90 to 94 " ..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	38	48	62	46	6	2	57	49	25	12	21	14	20	16	25	24	...	12	19	8	12	28

BY AGE-PERIODS. NON-RESIDENTS.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus Fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	...	...	17	8	...	1	...	...	...	...	...	...	21	19	1	...	...	...	...	...	...	...
1 year.....	...	...	3	2	...	...	...	...	...	...	...	...	2	2	...	1	...	...	...	...	...	...
2 to 4 years.	...	...	2	...	2	...	2	...	...	...	...	...	5	2	...	1	...	...	...	...	...	...
5 to 9 "	...	...	...	...	...	...	...	...	...	...	...	...	3	5	1	2	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	1	...	...	...	...	...	6	5	3	1	...	...	...	...	...	...
15 to 19 "	...	1	...	...	...	...	2	...	...	...	...	...	10	8	3	1	...	...	...	...	...	...
20 to 24 "	...	...	...	...	...	1	1	...	...	...	...	...	5	6	8	...	1	...	...	...	...	...
25 to 29 "	...	1	...	...	...	...	2	1	...	...	...	...	7	8	11	...	2	...	...	...	...	...
30 to 34 "	...	...	...	...	...	...	2	...	...	...	...	...	6	8	8	...	4	...	...	...	...	...
35 to 39 "	1	...	...	...	...	...	2	1	...	...	...	...	13	11	11	1	2	...	...	...	...	...
40 to 44 "	...	...	...	...	...	1	1	...	...	...	...	...	11	11	11	...	1	...	...	...	...	...
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	12	10	5	...	2	...	1	...	...	...
50 to 54 "	...	...	...	...	...	1	1	...	...	...	...	...	12	10	3	...	2	...	...	...	...	...
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	12	9	7	...	1	...	...	...	...	...
60 to 64 "	...	...	...	...	...	...	...	2	...	1	1	...	7	7	6	1	2	1	...	...	...	...
65 to 69 "	...	...	...	...	...	...	...	...	...	1	2	...	4	4	6	...	1	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	...	...	...	...	4	...	2	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	...	...	3	1	...	7	2	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	1	3	2	...	3	...	2	1	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	3	1	...	1	...	...	1	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
95 and over...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
	1	2	22	10	2	1	9	10	2	1	12	7	151	127	88	11	18	1	1	...	...	...



TABLE XIV.—DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Vital Organs.		Cancer of Non-Vital Organs and Tissues.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	4	2	6	4	.....	.....	5	1	1	1	.....	.....	28	22	1	.....	.....	.....	.....	.....	.....	.....
1 year.....	4	1	2	1	.....	.....	1	.....	.....	.....	.....	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....
2 to 4 years.	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5 to 9 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10 to 14 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 "	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20 to 24 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25 to 29 "	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
30 to 34 "	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35 to 39 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
40 to 44 "	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
45 to 49 "	1	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
50 to 54 "	.....	.....	.....	.....	.....	.....	2	.....	.....	2	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
55 to 59 "	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
60 to 64 "	1	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
65 to 69 "	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
70 to 74 "	.....	.....	2	.....	.....	.....	2	1	.....	.....	1	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
75 to 79 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 "	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85 to 89 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
90 to 94 "	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
95 and over...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	11	8	17	8	.....	.....	15	3	1	2	5	5	33	22	3	3	.....	.....	.....	.....	.....	.....

BY AGE-PERIODS. RESIDENCE UNKNOWN.

AGE-PERIOD.	Diphtheria.		Cholera Infantum.		Scarlet Fever.		Typhoid and Typhus fever.		Enteritis.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.*	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year..	2	4	19	12	...	...	...	...	...	...	...	...	21	12	1	...	...	...	1	...	...	...
1 year .....	3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2 to 4 years.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5 to 9 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...
30 to 34 "	...	...	...	...	...	...	...	...	...	...	...	...	1	9	...	...	...	...	...	...	...	...
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	1	10	1	1	...	...	...	...	...	...
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	1	2	1	...	...	...	...	...	...	...
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
95 and over...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	5	5	19	18	...	...	...	...	1	2	...	...	28	14	29	3	4	...	2	...	...	...

\* Two males, age and cause of death unknown.

TABLE XV.—DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....			6	5			6		1	1			9	4										
1 year.....	1		1	2		1			1				1										1	2
2 to 4 years.....			1	3					1	1													1	2
5 to 9 ".....	2	1	1				1	2	4													1		
10 to 14 ".....																1								1
15 to 19 ".....	1	1					1																	
20 to 24 ".....	1	4																						
25 to 29 ".....	4	1					1																	
30 to 34 ".....	1			1																				
35 to 39 ".....	8									1												1		
40 to 44 ".....		1								1	1													
45 to 49 ".....	1																							
50 to 54 ".....	3			1			1																	
55 to 59 ".....							1			1														
60 to 64 ".....		1					1			1												1		
65 to 69 ".....																								
70 to 74 ".....							1											1						
75 to 79 ".....																								
80 to 84 ".....										1														
85 to 89 ".....																								
90 to 94 ".....																								
95 and over.....																								
	17	9	9	12		1	9	4	4	7	5	1	9	5		1			1			2	3	5

OF BOSTON. WARD I.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year ...	9	10	...	1	...	...	2	2	...	...	...	...	7	7	...	1	...	...	...	...	1	...	41	51
1 year .....	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	4	9
2 to 4 years...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2	1	...	...	...	...	...	...	5	9
5 to 9 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	7	7
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	2
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	5
25 to 29 "	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	6	2
30 to 34 "	...	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...	...	4	1
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	4	2
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	4	2
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	3
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	3	...
75 to 79 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	10	10	...	1	...	...	2	2	1	...	...	...	12	13	5	3	...	...	...	...	1	...	88	76

TABLE XV.—DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy Cerebral Hemorrhage.		Congenital Debility Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	...	1	9	6	1	2	2	2	2	3	...	...	6	7	...	...	...	...	...	...	...	...	2	...
1 year.....	...	...	1	1	...	...	...	...	3	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...
2 to 4 years.....	...	...	1	4	1	...	1	...	4	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...
5 to 9 "	...	...	1	1	...	...	...	...	3	2	...	...	...	...	...	...	...	...	...	...	...	1	1	...
10 to 14 "	...	...	1	...	...	...	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	...	...	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
25 to 29 "	...	1	1	2	...	...	1	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
30 to 34 "	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
35 to 39 "	...	3	3	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...
40 to 44 "	...	3	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...
45 to 49 "	...	...	2	...	...	...	1	1	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
55 to 59 "	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
60 to 64 "	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
75 to 79 "	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	8	14	20	14	2	2	8	4	14	8	1	...	7	8	2	1	...	...	1	1	1	3	2	...

OF BOSTON. WARD II.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year....	8	6	...	...	...	...	6	7	...	...	...	...	7	9	...	...	...	...	...	...	...	...	48	43
1 year .....	...	2	...	...	...	1	...	...	...	...	...	...	1	8	...	...	...	...	...	...	...	...	5	9
2 to 4 years .....	...	...	...	...	...	1	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	10	9
5 to 9 "	...	...	...	...	...	1	...	...	...	...	...	...	1	8	...	1	...	...	...	...	...	...	6	9
10 to 14 "	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	6	...
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	5
20 to 24 "	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	4
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5	2
30 to 34 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	4
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	6	4
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	3	1	2	...	...	...	...	...	...	...	10	2
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	5	8
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...	...	2	1
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	2	1
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	8	2	...	...	...	3	6	7	2	...	1	...	18	21	5	3	...	...	...	...	...	...	106	97

TABLE XV.—DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Insanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	1	...	1	2	...	...	4	1	...	...	5	4	...	...	...	...	...	...	...	...	...	...	...	
1 year.....	...	...	1	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	
2 to 4 years.....	...	...	1	...	...	...	2	...	...	...	1	1	...	...	...	...	...	...	...	...	1	...	...	
5 to 9 "	...	...	1	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	
10 to 14 "	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
15 to 19 "	...	2	...	...	1	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
20 to 24 "	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
25 to 29 "	2	1	...	...	...	...	2	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	
30 to 34 "	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	
35 to 39 "	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	
40 to 44 "	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
45 to 49 "	...	...	...	1	...	2	...	...	...	...	...	...	...	2	...	...	...	...	...	1	...	...	...	
50 to 54 "	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
55 to 59 "	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
60 to 64 "	...	1	...	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	
70 to 74 "	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	
75 to 79 "	...	...	1	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	
80 to 84 "	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	8	7	3	4	4	...	6	8	7	6	1	3	6	5	4	3	...	...	...	...	1	2	5	1

OF BOSTON. WARD III.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	5	5	...	...	...	...	9	3	...	...	...	...	5	4	1	...	...	...	...	...	...	...	32	18
1 year.....	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	5
2 to 4 years....	...	1	...	...	3	1	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	9	4
5 to 9 "	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	4	4
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	2
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	5
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	4	5
30 to 34 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	5	2
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	3	1	...	...	...	1	...	...	...	...	5	3
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	2
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	1	8
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	3	...
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	...
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	4	1
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...
70 to 74 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
75 to 79 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	5	7	...	...	4	1	9	3	...	...	...	...	14	12	3	...	...	1	...	...	...	...	81	62



TABLE XV. — DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	2	...	2	4	6	1	...	...	1	1	1	...	9	5	1	...	...	...	...	...	...	...	...	...
1 year.....	...	...	...	1	...	1	...	...	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	
2 to 4 years.....	...	1	...	3	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	
5 to 9 "	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	
10 to 14 "	...	...	...	1	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	
15 to 19 "	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
20 to 24 "	...	1	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
25 to 29 "	...	1	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	
30 to 34 "	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	
40 to 44 "	...	1	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	
45 to 49 "	...	1	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
50 to 54 "	...	1	...	1	...	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	
55 to 59 "	...	...	1	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
65 to 69 "	...	1	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	
70 to 74 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	
75 to 79 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	9	8	5	9	6	2	6	3	6	6	2	2	9	5	2	2	...	...	1	1	...	...	...	

OF BOSTON. WARD IV.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	6	4	...	...	1	...	5	2	...	...	...	...	5	3	1	...	...	...	...	...	...	...	40	20
1 year.....	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	5
2 to 4 years....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5
5 to 9 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	2
10 to 14 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2
15 to 19 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	...
20 to 24 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	4
25 to 29 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...
30 to 34 " .....	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	2
35 to 39 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2
40 to 44 " .....	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	5	1
45 to 49 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...
50 to 54 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	3	3
55 to 59 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2
60 to 64 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
65 to 69 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1
70 to 74 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
75 to 79 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
85 to 89 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	7	4	...	...	1	...	5	2	...	...	...	...	7	7	2	...	...	...	...	...	...	...	68	51

TABLE XV.—DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Insanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year .....	...	...	2	2	...	2	1	...	5	...	...	...	2	3	...	...	...	...	...	...	...	...	...	...
1 year .....	...	...	3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
2 to 4 years .....	...	...	2	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
5 to 9 " .....	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
10 to 14 " .....	...	...	1	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 " .....	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 " .....	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 " .....	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 " .....	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
35 to 39 " .....	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
40 to 44 " .....	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
45 to 49 " .....	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
50 to 54 " .....	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
55 to 59 " .....	1	1	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
60 to 64 " .....	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...
65 to 69 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
75 to 79 " .....	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
85 to 89 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	7	5	11	5	...	3	4	4	9	...	1	1	2	3	1	...	...	...	1	1	...	2	1	...

OF BOSTON. WARD V.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year....	4	6	...	...	...	...	4	3	...	...	...	...	7	8	...	...	...	...	...	...	...	...	25	24
1 year.....	1	2	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	6	5
2 to 4 years...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	3
5 to 9 "	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	1
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	5	...
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...
30 to 34 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	1
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	1
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	4	...
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	1
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	1
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...
95 and over....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	5	8	...	...	1	...	4	3	...	...	1	...	10	9	2	...	...	...	...	...	...	...	61	43

TABLE XV.—DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	1	1	35	19	5	4	...	1	9	2	...	...	14	2	...	...	...	...	...	...	...	...	1	...
1 year.....	...	...	22	20	1	4	...	...	6	5	...	...	1	...	...	...	...	...	...	...	...	...	1	...
2 to 4 years.....	8	2	13	14	...	3	...	...	5	3	...	...	1	...	...	1	...	...	...	...	...	...	2	2
5 to 9 "	...	...	1	...	...	...	1	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 "	...	1	...	...	1	...	...	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	1	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	...	1	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	...	1	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
30 to 34 "	...	1	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 "	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
40 to 44 "	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
45 to 49 "	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
50 to 54 "	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
55 to 59 "	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
60 to 64 "	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	8	5	76	55	7	11	4	7	25	12	...	...	16	2	1	1	...	...	...	...	...	...	4	2

BY AGE-PERIODS. WARD VI.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year....	19	16	...	...	...	...	12	8	1	...	...	...	14	8	2	1	...	...	...	...	1	...	114	62
1 year.....	5	3	...	...	...	...	...	...	...	...	...	...	6	...	1	...	...	...	...	...	...	...	43	32
2 to 4 years...	...	1	...	...	...	...	...	...	...	...	...	...	2	4	2	...	...	...	...	...	1	...	29	30
5 to 9 "	...	...	1	...	...	...	...	1	...	...	...	...	1	1	4	...	...	...	...	...	...	...	11	3
10 to 14 "	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5	2
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	3	1
25 to 29 "	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	4	1
30 to 34 "	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	6	1
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	1
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...
75 to 79 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over....	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...
	24	20	1	...	...	...	12	8	4	...	1	...	27	15	10	1	...	...	...	...	2	...	222	139

TABLE XV. — DEATHS : PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Insanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	1	...	4	1	1	...	...	...	2	...	...	...	6	7	...	...	...	...	...	...	...	...	1	...
1 year.....	...	...	8	8	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...
2 to 4 years.....	...	...	1	...	...	...	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	2	...	...
5 to 9 "	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 "	...	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 "	...	2	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
45 to 49 "	...	1	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
50 to 54 "	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
55 to 59 "	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...
60 to 64 "	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	13	5	13	6	1	2	2	1	4	2	2	...	6	7	2	2	...	...	2	...	...	3	2	...

BY AGE-PERIODS. WARD VII.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	5	8	...	...	...	...	2	4	...	...	...	...	4	8	...	...	...	...	...	...	1	...	26	24
1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	5
2 to 4 years....	...	...	...	...	1	...	...	...	...	...	...	...	1	1	...	2	...	...	...	...	...	...	6	5
5 to 9 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
10 to 14 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
20 to 24 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1
25 to 29 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...
30 to 34 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	8	1
35 to 39 " .....	...	...	1	...	...	...	...	...	...	...	...	...	2	2	...	...	...	...	...	...	...	...	6	4
40 to 44 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2
45 to 49 " .....	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	4	3
50 to 54 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	...
55 to 59 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	8	...
60 to 64 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
65 to 69 " .....	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1
70 to 74 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
75 to 79 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
80 to 84 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	5	8	1	...	1	...	2	4	...	...	...	...	8	7	...	8	1	...	...	...	1	...	64	51



TABLE XV.—DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Throats.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	1		10	4	3				5	1	1		6	6		1								
1 year.....			6	8					2	1			2	1									1	
2 to 4 years.....			3	4				1	4	7													1	
5 to 9 "			1						1	1														
10 to 14 "								1	1	1														
15 to 19 "							1																	
20 to 24 "				1																				
25 to 29 "	1		3	1			1			1														
30 to 34 "								1							1									
35 to 39 "		1	1	1										1										
40 to 44 "									1										1					
45 to 49 "	1						1							2										
50 to 54 "			1							1														
55 to 59 "			1				1	2																
60 to 64 "								1							1									
65 to 69 "							1				1													
70 to 74 "			1																					
75 to 79 "			1																					
80 to 84 "																								
85 to 89 "																								
90 to 94 "																								
95 and over.....																								
	3	1	23	13	3		5	6	14	12	3		8	7	4	2			1				1	1

OF BOSTON. WARD VIII.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year....	9	9	...	...	...	...	3	10	...	...	...	...	11	8	1	2	...	...	...	...	...	...	50	41
1 year.....	1	2	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	13	13
2 to 4 years....	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2	2	...	...	...	...	...	...	11	15
5 to 9 “	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	3	3
10 to 14 “	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	3
15 to 19 “	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
20 to 24 “	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
25 to 29 “	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	6	3
30 to 34 “	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
35 to 39 “	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
40 to 44 “	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	2	1
45 to 49 “	...	...	...	...	...	...	...	...	...	...	...	...	1	2	1	...	...	...	...	...	...	...	6	2
50 to 54 “	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...
55 to 59 “	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	3	2
60 to 64 “	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
65 to 69 “	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...
70 to 74 “	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	...
75 to 79 “	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...
80 to 84 “	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1
85 to 89 “	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 “	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	10	11	...	...	...	1	3	10	...	1	1	1	18	12	5	5	...	...	...	...	1	...	107	90

TABLE XV.—DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year .....	3	1	7	7	1	...	2	...	1	1	2	...	5	8	...	...	...	...	...	...	...	...	...	...
1 year .....	...	...	2	3	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2 to 4 years .....	...	...	6	1	...	...	...	...	2	...	...	...	1	...	...	...	...	...	...	...	...	...	1	1
5 to 9 " .....	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 " .....	...	1	...	...	1	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 " .....	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 " .....	...	3	2	...	2	...	1	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 " .....	...	1	1	1	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 " .....	...	2	3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
35 to 39 " .....	...	1	...	1	...	...	1	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...
40 to 44 " .....	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
45 to 49 " .....	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
50 to 54 " .....	...	1	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	1	...	...	...	...	...	...
55 to 59 " .....	...	1	...	...	...	...	2	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...
60 to 64 " .....	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
65 to 69 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 " .....	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
75 to 79 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	14	8	19	16	1	1	9	2	4	6	3	3	6	8	5	1	...	1	...	1	...	...	1	1

OF BOSTON. WARD IX.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year....	6	6	...	...	...	...	7	6	...	...	...	...	6	7	1	2	...	...	...	...	1	...	42	38
1 year.....	...	3	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	3	8
2 to 4 years....	...	...	...	...	...	...	...	...	...	...	...	...	1	3	...	...	...	...	...	...	...	...	9	7
5 to 9 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1
10 to 14 "	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	4
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	1
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	4	9
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	4	3
30 to 34 "	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	1	...	...	6	5
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	1	...	...	7	1
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	...	...	6	2
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	6	2
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
75 to 79 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	6	9	...	...	...	...	7	6	...	1	...	1	14	18	4	3	1	...	...	...	3	...	97	86

TABLE XV.—DEATHS: NATIVES

AGE-PERIOD.	Phtisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Testes.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....				2						1	1		2	3										
1 year.....			2	1						1														
2 to 4 years.....				1				1	1					1										1
5 to 9 "				1																		1	1	
10 to 14 "		1																						
15 to 19 "																								
20 to 24 "		2																						
25 to 29 "		1	1																					
30 to 34 "															1									
35 to 39 "				1								1												
40 to 44 "																								
45 to 49 "						1	1				1										1			
50 to 54 "				1			1	1			1				1									
55 to 59 "		1					1																	
60 to 64 "		1																						
65 to 69 "								1			1				1						1			
70 to 74 "				1			1					1												
75 to 79 "																								
80 to 84 "				1																				
85 to 89 "								1				1												
90 to 94 "																								
95 and over.....																								
	5	2	4	7			4	5	1	2	4	3	2	4	3						2	1	2	

OF BOSTON. WARD X.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year....	4	3	...	...	...	...	4	1	...	...	...	...	3	1	1	...	...	...	...	...	...	...	15	11
1 year .....	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	3	2
2 to 4 years....	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	3	4
5 to 9 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
30 to 34 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	1
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	4
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	3	2
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	2
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	3	...
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	2	3
70 to 74 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2
75 to 79 "	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	4	3	...	...	...	...	4	1	...	...	...	...	1	7	6	1	...	1	...	...	...	1	41	39

TABLE XV. — DEATHS : NATIVES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	...	1	2	2	...	1	1	1	...	...	1	1	5	2	...	...	...	...	...	...	...	...	...	...
1 year.....	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2 to 4 years.....	1	...	...	...	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
5 to 9 "	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 "	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 "	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 "	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
40 to 44 "	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
45 to 49 "	...	...	...	...	...	...	1	1	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...
50 to 54 "	1	...	1	...	...	...	1	...	...	...	...	...	...	1	1	...	...	...	1	...	...	...	...	...
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
60 to 64 "	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...
65 to 69 "	1	...	...	...	...	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
70 to 74 "	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
75 to 79 "	...	...	4	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	7	1	5	10	1	1	6	9	2	1	2	1	5	2	3	4	...	...	...	1	1	1	2	...

OF BOSTON. WARD XI.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	3	1	...	...	...	...	5	1	...	...	...	...	4	2	...	...	...	...	...	...	...	...	21	13
1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
2 to 4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5	...
5 to 9 "	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	3	...
10 to 14 "	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
30 to 34 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	3
45 to 49 "	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	3	3
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	2
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	8	1
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	7	1
70 to 74 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	1	4
75 to 79 "	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	1	7
80 to 84 "	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	2	2
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	3
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	3	1	...	1	...	...	5	1	...	1	1	4	13	7	...	...	...	...	...	...	...	...	56	45



TABLE XV.—DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tubercu- losis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Maras- mus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Testes.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year .....	1	...	3	4	...	...	1	1	2	...	...	8	3	...	...	...	...	...	...	...	...	...	...	
1 year.....	...	...	...	...	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
2 to 4 years .....	...	...	...	...	1	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
5 to 9 “ .....	1	...	1	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
10 to 14 “ .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
15 to 19 “ .....	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
20 to 24 “ .....	1	3	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	
25 to 29 “ .....	1	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	
30 to 34 “ .....	...	2	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
35 to 39 “ .....	1	1	1	1	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
40 to 44 “ .....	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
45 to 49 “ .....	1	1	...	1	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	
50 to 54 “ .....	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	
55 to 59 “ .....	1	1	...	...	...	...	1	...	1	...	...	...	...	1	...	...	...	1	1	...	...	...	...	
60 to 64 “ .....	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
65 to 69 “ .....	...	1	1	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	
70 to 74 “ .....	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
75 to 79 “ .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
80 to 84 “ .....	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
85 to 89 “ .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
90 to 94 “ .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	8	11	6	7	2	...	6	6	5	7	3	3	8	3	5	...	1	...	1	2	1	...	...	

OF BOSTON. WARD XII.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year....	3	5					4	2					7	3	1								27	21
1 year.....	2	1											2										6	2
2 to 4 years....	1												1	1									7	1
5 to 9 "																							1	4
10 to 14 "																								
15 to 19 "									1				1										2	2
20 to 24 "																							1	5
25 to 29 "																							1	3
30 to 34 "													2										8	2
35 to 39 "																	1						5	2
40 to 44 "													1										3	
45 to 49 "													1										3	4
50 to 54 "													1										2	2
55 to 59 "																							2	5
60 to 64 "													1										1	3
65 to 69 "													1										1	4
70 to 74 "																							1	1
75 to 79 "											1	1	1										1	2
80 to 84 "													1										1	1
85 to 89 "											1													1
90 to 94 "																								
95 and over.....																								
	6	6					4	2	1		2	15	9	1	1	1							68	65

TABLE XV.—DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Infantile, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	2	...	6	4	...	3	...	...	2	5	...	...	14	13	...	...	...	...	...	...	...	...	...	...
1 year.....	2	...	2	3	...	...	...	...	3	2	...	...	1	...	...	...	...	...	...	...	...	...	2	...
2 to 4 years.....	...	...	1	6	...	1	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5 to 9 ".....	1	1	...	...	...	...	...	1	6	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 ".....	1	1	...	2	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 ".....	3	4	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
20 to 24 ".....	5	5	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 ".....	2	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 ".....	4	2	2	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 ".....	5	...	2	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...
40 to 44 ".....	...	1	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
45 to 49 ".....	1	1	1	1	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...
50 to 54 ".....	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
55 to 59 ".....	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...
60 to 64 ".....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
65 to 69 ".....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 ".....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
75 to 79 ".....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 ".....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 ".....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 ".....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	26	18	17	16	...	4	2	8	14	10	...	1	14	14	3	2	...	...	...	...	1	...	...	2

OF BOSTON. WARD XIII.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year....	23	21	...	...	...	...	9	4	...	...	...	...	13	11	1	1	...	...	...	...	...	...	70	62
1 year.....	2	1	...	...	...	...	...	...	...	...	...	...	1	2	3	1	...	...	...	...	1	11	15	
2 to 4 years...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	2	1	...	...	...	...	1	6	11	
5 to 9 "	...	...	...	...	...	2	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	9	6	
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	3	7	
15 to 19 "	...	...	...	...	...	...	...	...	1	...	...	...	2	1	...	...	...	...	...	...	...	5	7	
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	4	1	...	...	...	...	...	...	...	11	6	
25 to 29 "	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	3	3	
30 to 34 "	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	8	4	
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	9	1	
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	2	
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	1	...	...	7	3	
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	3	...	
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
70 to 74 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
75 to 79 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
95 and over....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	25	22	...	...	...	3	9	4	...	3	...	...	27	17	9	3	...	...	...	1	2	14	8	129

TABLE XV.—DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	...	...	5	...	2	...	2	...	1	3	...	...	5	7	...	...	...	...	...	...	...	...	1	...
1 year.....	...	...	4	1	1	1	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...
2 to 4 years.....	...	...	1	1	...	...	...	...	3	1	...	...	1	...	...	...	...	...	...	...	...	...	3	...
5 to 9 "	...	...	...	1	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	1	...	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	...	3	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	...	6	3	2	...	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 "	...	...	...	...	...	1	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
35 to 39 "	...	5	1	1	...	...	1	...	1	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...
40 to 44 "	...	...	1	...	1	...	1	...	...	...	...	...	...	2	...	...	...	...	1	1	...	...	...	...
45 to 49 "	...	2	...	2	...	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	...
50 to 54 "	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
55 to 59 "	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over,.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	17	8	16	4	3	1	5	7	9	5	2	2	5	9	6	2	...	...	1	1	2	4	1	...

OF BOSTON. WARD XIV.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year....	14	5	...	...	...	...	4	3	...	...	...	...	5	3	...	...	...	...	...	...	...	...	39	21
1 year.....	1	1	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	7	7
2 to 4 years....	...	...	...	...	1	...	...	...	...	...	...	...	4	1	...	...	...	...	...	...	...	...	13	3
5 to 9 "	...	...	...	...	1	...	...	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	3	5
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
15 to 19 "	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	1	...	...	...	5	2
20 to 24 "	...	...	...	...	...	...	...	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	6	2
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	9	6
30 to 34 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	3	2
35 to 39 "	...	...	...	...	...	...	...	1	...	...	...	...	2	1	...	...	...	...	...	...	...	...	11	3
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	4	4
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5	2
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	1	3
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	2
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
65 to 69 "	...	...	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	2	2
70 to 74 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	3	1
75 to 79 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	15	6	...	1	1	1	4	3	3	1	...	...	16	11	5	2	...	...	...	...	1	...	113	67

TABLE XV.—DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	...	...	5	4	...	...	1	...	1	2	...	...	8	8	...	...	...	...	...	...	...	...	...	...
1 year.....	...	...	4	2	...	...	...	...	...	2	...	...	1	...	...	...	...	...	...	...	...	...	1	...
2 to 4 years .....	...	...	1	2	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...
5 to 9 " .....	...	...	...	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 " .....	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 " .....	2	2	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 " .....	4	3	1	...	...	...	1	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...
25 to 29 " .....	7	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 " .....	2	1	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 " .....	1	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
40 to 44 " .....	...	2	...	1	...	...	1	2	...	1	...	1	...	...	...	1	...	...	...	...	...	...	...	...
45 to 49 " .....	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
50 to 54 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
55 to 59 " .....	1	1	...	...	...	...	1	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
60 to 64 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
65 to 69 " .....	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
70 to 74 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
75 to 79 " .....	...	...	...	...	1	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 " .....	...	...	1	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	16	12	16	12	...	1	7	8	5	8	...	4	10	8	2	1	...	...	1	2	...	...	2	...

OF BOSTON. WARD XV.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	12	6	...	...	...	...	8	5	...	...	...	...	3	8	...	1	...	...	...	...	3	...	38	37
1 year .....	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	7	6
2 to 4 years....	1	...	...	...	...	1	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	7	4
5 to 9 " .....	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	3
10 to 14 " .....	...	...	...	...	...	...	...	1	...	...	...	...	1	...	1	...	...	...	...	...	...	...	4	2
15 to 19 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	4	4
20 to 24 " .....	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	7	5
25 to 29 " .....	...	...	...	...	...	...	...	...	...	...	...	...	1	4	...	...	...	...	...	...	...	...	9	6
30 to 34 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	5	3
35 to 39 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	3
40 to 44 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	8
45 to 49 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...
50 to 54 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
55 to 59 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	1
60 to 64 " .....	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
65 to 69 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	1
70 to 74 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
75 to 79 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	8
80 to 84 " .....	...	...	...	...	...	...	...	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3
85 to 89 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	14	7	1	...	...	2	8	5	...	2	...	...	7	16	4	1	...	...	...	...	1	3	94	92



TABLE XV.—DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tuberculous.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	...	...	4	4	1	...	1	1	8	2	...	...	3	3	...	...	...	...	...	...	...	...	...	...
1 year .....	...	...	2	1	...	...	...	...	3	...	...	...	1	...	...	...	...	...	...	...	...	...	2	...
2 to 4 years ....	1	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
5 to 9 "	...	1	...	...	...	...	...	...	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	4	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	...	2	4	1	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	...	1	...	1	...	...	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...
30 to 34 "	...	1	4	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 "	...	1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...
40 to 44 "	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...
45 to 49 "	...	1	...	1	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...
50 to 54 "	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
55 to 59 "	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
60 to 64 "	...	...	...	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
65 to 69 "	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	8	15	12	10	2	1	7	3	12	6	...	...	4	3	3	5	...	1	...	2	2	...	3	1

OF BOSTON. WARD XVI.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year ....	8	6					7	2					8	4									85	22
1 year.....													1										8	2
2 to 4 years....			1										1										5	2
5 to 9 "													1	1									2	4
10 to 14 "																								1
15 to 19 "																								4
20 to 24 "																							4	5
25 to 29 "																							1	4
30 to 34 "																		1					3	6
35 to 39 "													2	2									3	5
40 to 44 "																							1	2
45 to 49 "													1										5	1
50 to 54 "													2										2	2
55 to 59 "																							1	1
60 to 64 "													1										1	4
65 to 69 "																							2	1
70 to 74 "													1										3	2
75 to 79 "																							1	
80 to 84 "																								
85 to 89 "																								
90 to 94 "																								
95 and over.....																								
	8	6	1				7	2					8	12					1				77	68

TABLE XV.—DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	2	...	6	3	2	2	...	...	3	2	...	...	11	7	...	...	...	...	...	...	...	...	...	...
1 year.....	1	...	4	2	...	1	...	...	...	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...
2 to 4 years.....	...	...	1	2	1	...	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	1	1	...
5 to 9 ".....	2	...	...	...	...	...	...	...	3	3	1	...	...	...	...	...	...	...	...	...	...	...	1	...
10 to 14 ".....	...	...	...	...	...	...	1	1	1	...	...	1	...	...	2	...	...	...	...	...	...	...	...	...
15 to 19 ".....	2	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 ".....	5	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...
25 to 29 ".....	2	2	2	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 ".....	3	3	2	...	...	1	1	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...
35 to 39 ".....	2	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
40 to 44 ".....	1	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...
45 to 49 ".....	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
50 to 54 ".....	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...
55 to 59 ".....	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...
60 to 64 ".....	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
65 to 69 ".....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
70 to 74 ".....	...	...	...	2	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
75 to 79 ".....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 ".....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 ".....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 ".....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	23	8	15	9	3	4	3	11	9	5	1	2	12	8	7	2	...	2	2	...	1	1	1	2

OF BOSTON. WARD XVII.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year ...	21	12	...	...	...	...	8	2	...	...	...	...	12	4	3	...	...	...	...	...	2	1	70	33
1 year .....	1	2	...	...	1	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	9	8
2 to 4 years....	...	...	...	...	...	1	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	6	7
5 to 9 "	...	...	...	1	...	1	...	...	...	...	...	...	2	2	1	...	...	...	...	...	...	...	8	9
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	5	2
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	4	1
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	7	2
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	5	5
30 to 34 "	...	...	...	...	...	...	...	1	...	...	...	...	2	3	...	...	...	...	...	...	...	...	11	8
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	4	2
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	...	6	...
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	2
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	1
70 to 74 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4
75 to 79 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	22	14	...	1	1	2	8	2	1	...	...	1	19	14	9	1	2	...	...	...	2	2	141	91

TABLE XV.—DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	3	...	6	7	4	3	3	1	3	1	...	11	4	...	...	...	...	...	...	...	...	...	...	...
1 year .....	1	...	1	...	...	...	...	...	2	3	...	...	1	...	...	...	...	...	...	...	...	...	1	1
2 to 4 years....	1	1	1	1	1	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
5 to 9 " .....	...	...	1	1	...	...	...	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1
10 to 14 " .....	1	...	...	...	...	...	...	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 " .....	2	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 " .....	3	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 " .....	4	1	...	1	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...
30 to 34 " .....	5	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 " .....	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...
40 to 44 " .....	...	2	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
45 to 49 " .....	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
50 to 54 " .....	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
55 to 59 " .....	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
60 to 64 " .....	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...
65 to 69 " .....	...	...	...	1	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 " .....	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
75 to 79 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	21	7	10	13	5	4	8	4	8	6	3	4	12	5	2	...	2	...	...	...	...	...	2	3

OF BOSTON. WARD XVIII.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year....	13	5					11	4					7	4							1		62	30
1 year.....	2												1	1									3	7
2 to 4 years..																							5	4
5 to 9 "													2		1								5	4
10 to 14 "																							3	2
15 to 19 "													1										4	1
20 to 24 "																							4	2
25 to 29 "													1										6	3
30 to 34 "													1										6	2
35 to 39 "																							1	3
40 to 44 "													1		1									6
45 to 49 "													1	1									2	3
50 to 54 "																							1	
55 to 59 "																							1	
60 to 64 "																							2	
65 to 69 "																							2	1
70 to 74 "																							1	
75 to 79 "																								
80 to 84 "													1										1	
85 to 89 "												1												1
90 to 94 "																								
95 and over....																								
	15	6					11	4				1	14	7	2	1					1		114	69

TABLE XV.—DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	1	9	6	2	2	1	3	5	4	1	14	7	2											
1 year.....	1		3			1		3	3			1											1	
2 to 4 years.....	1	2	5	1	1			4	4				1											1
5 to 9 ".....				1			2		1					1									1	
10 to 14 ".....	1		1				1	1																
15 to 19 ".....	2	2					1	1																
20 to 24 ".....	1			1		1		1			1													
25 to 29 ".....	3	1	1				1	1																
30 to 34 ".....	3	1		2																				
35 to 39 ".....	3																					1		
40 to 44 ".....			1																					
45 to 49 ".....	1			3			1	1																
50 to 54 ".....							1												1					
55 to 59 ".....		1	1				1			1				1			1							
60 to 64 ".....										1				2										
65 to 69 ".....																								
70 to 74 ".....																								
75 to 79 ".....																								
80 to 84 ".....										1														
85 to 89 ".....																								
90 to 94 ".....																								
95 and over.....																								
	16	8	21	14	3	4	5	8	16	12	4	1	14	8	7		1		1		1	2	1	

OF BOSTON. WARD XIX.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year....	10	6					7	9					9	8	1						2		62	42
1 year.....		2											1		1								9	8
2 to 4 years....					1								1	1	1								15	9
5 to 9 "													1	1	4								7	5
10 to 14 "													1	1									5	1
15 to 19 "																							3	3
20 to 24 "													1										3	3
25 to 29 "																							5	2
30 to 34 "																		1					4	3
35 to 39 "													3	1									6	2
40 to 44 "													2										3	
45 to 49 "																							3	3
50 to 54 "													1										2	1
55 to 59 "																							4	2
60 to 64 "													1										4	
65 to 69 "																								
70 to 74 "																								
75 to 79 "																								
80 to 84 "																							1	
85 to 89 "																								
90 to 94 "																								
95 and over....																								
	10	8			1		7	9					21	5	6	3			1		2		136	84



TABLE XV.—DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Deplity, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Testes.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	...	...	2	2	...	...	2	5	2	3	...	...	8	7	...	...	...	...	...	...	...	...	...	...
1 year.....	...	...	1	2	...	...	...	...	2	1	...	...	...	2	...	...	...	...	...	...	...	...	1	2
2 to 4 years.....	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	...
5 to 9 ".....	3	...	3	...	...	...	1	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	1
10 to 14 ".....	...	...	...	...	...	...	1	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
15 to 19 ".....	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
20 to 24 ".....	...	...	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 ".....	4	...	...	1	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...
30 to 34 ".....	2	1	1	...	...	...	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...
35 to 39 ".....	1	1	...	...	...	...	...	4	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
40 to 44 ".....	2	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
45 to 49 ".....	3	2	...	1	...	1	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...
50 to 54 ".....	1	...	...	...	...	...	2	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...
55 to 59 ".....	1	...	...	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...
60 to 64 ".....	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	1	...	...	...
65 to 69 ".....	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 ".....	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...
75 to 79 ".....	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...
80 to 84 ".....	...	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 ".....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 ".....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	17	6	8	12	1	1	7	14	6	6	5	8	8	9	2	6	...	2	1	...	1	2	6	3

OF BOSTON. WARD XX.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Under 1 year ...	1	4	...	...	1	...	11	8	...	...	...	...	14	11	1	...	...	...	...	...	42	39		
1 year .....	2	3	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	8	10		
2 to 4 years...	1	2	...	...	1	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	7	5		
5 to 9 "	...	...	...	...	...	1	...	...	...	...	...	...	1	2	...	...	...	...	...	...	8	7		
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	4	2		
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	2	2		
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	3	2		
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	4	6		
30 to 34 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	4	5		
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	5		
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	2	4		
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	7	6		
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	5	4		
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	3	3		
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	3		
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	2	2		
70 to 74 "	...	...	...	...	...	...	...	...	...	1	...	...	1	2	...	...	...	...	...	...	3	4		
75 to 79 "	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	3	1		
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2		
85 to 89 "	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	1	1		
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1		
95 and over....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1		
	4	9	...	...	2	1	11	8	...	...	2	...	27	30	4	1	...	...	...	...	1	112		
																						115		

TABLE XV.—DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Insanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....			5	4			1						7	3										
1 year.....		1	2	2					2				1											
2 to 4 years.....			1	1			2		1				1									1	1	
5 to 9 "							1	1							1								1	
10 to 14 "			1																					
15 to 19 "		1	1							1														
20 to 24 "		1	1	1			2																	
25 to 29 "			1	1																				
30 to 34 "		1	3	1					2															
35 to 39 "			1												1									
40 to 44 "		1					1					1			1									
45 to 49 "											1				1									
50 to 54 "			1				1										1							
55 to 59 "			1								1	1												
60 to 64 "					1								1		1									
65 to 69 "			1		1		1	1			1	1							1					
70 to 74 "						1		1																
75 to 79 "						1	3										1							
80 to 84 "							1																	
85 to 89 "																								
90 to 94 "																								
95 and over.....																								
	4	11	9	10	2	1	10	9	3	1	3	4	8	4	4	1	2	1	1	1	1	1	2	

OF BOSTON. WARD XXI.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	2	5					3	5					5	4									23	21
1 year.....																							5	3
2 to 4 years.....													2										7	3
5 to 9 ".....														2									2	2
10 to 14 ".....													1										3	1
15 to 19 ".....									1				2										1	5
20 to 24 ".....								1				1	1	1		1							7	3
25 to 29 ".....													1										1	2
30 to 34 ".....												1					1						3	6
35 to 39 ".....								2				1		1									5	1
40 to 44 ".....																							3	1
45 to 49 ".....												2	1										3	2
50 to 54 ".....												1	1	1									3	3
55 to 59 ".....													1										1	3
60 to 64 ".....													1										2	2
65 to 69 ".....													1										5	3
70 to 74 ".....				1																				3
75 to 79 ".....																							1	4
80 to 84 ".....																								1
85 to 89 ".....												1											1	
90 to 94 ".....													1		1									2
95 and over.....																								
	2	5		1			3	5	3	1			16	12	6	1	1		1				76	71

TABLE XV.—DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	...	...	7	2	2	...	...	...	3	2	...	...	13	8	...	...	...	...	...	...	...	...	...	...
1 year.....	...	1	1	1	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
2 to 4 years.....	...	...	2	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5 to 9 “.....	1	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 “.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 “.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 “.....	4	...	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 “.....	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 “.....	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 “.....	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
40 to 44 “.....	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
45 to 49 “.....	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	1	1	...	1	...	...	...	...
50 to 54 “.....	...	...	...	1	...	1	1	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...
55 to 59 “.....	1	...	...	...	...	2	1	...	...	2	...	...	...	...	...	...	...	2	...	...	...	...	...	...
60 to 64 “.....	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...
65 to 69 “.....	...	...	...	...	1	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 “.....	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...
75 to 79 “.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 “.....	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 “.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 “.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	13	1	11	6	4	...	5	9	3	3	4	1	13	9	2	1	...	...	3	4	...	3	...	...

OF BOSTON. WARD XXII.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year....	7	5	...	...	...	...	2	1	...	...	...	...	4	5	...	...	...	...	...	...	...	...	38	23
1 year.....	1	1	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	3	6
2 to 4 years....	1	...	...	...	...	...	...	...	2	...	...	...	1	1	...	...	...	...	...	...	...	...	5	4
5 to 9 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	1	1
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...
20 to 24 "	...	...	...	...	...	...	...	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	7	3
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
30 to 34 "	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5	...
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	3	1
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	2
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	3	3
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	5	1
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5	3
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	3	1
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1
70 to 74 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2
75 to 79 "	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
85 to 89 "	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	1	1
90 to 94 "	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	9	6	...	...	1	...	2	1	2	2	1	2	10	11	3	...	...	...	...	...	...	...	86	59

TABLE XV.—DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year ....	1	...	4	2	2	1	2	1	1	...	...	...	4	2	...	...	...	...	...	...	...	...	...	...
1 year .....	...	...	8	1	...	...	...	...	2	...	...	...	2	...	1	...	...	...	...	...	...	...	...	...
2 to 4 years ....	1	1	1	2	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5 to 9 " .....	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...
10 to 14 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 " .....	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 " .....	...	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 " .....	1	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 " .....	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 " .....	1	1	1	1	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
40 to 44 " .....	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
45 to 49 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	...	...
50 to 54 " .....	...	1	...	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
55 to 59 " .....	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
60 to 64 " .....	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
65 to 69 " .....	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 " .....	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
75 to 79 " .....	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 " .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over .....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	6	11	14	9	2	1	5	6	4	2	1	1	4	4	3	2	...	...	...	...	1	...	3	...

OF BOSTON. WARD XXIII.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	6	7					5	5					6	7	1	1							32	26
1 year.....							1																5	5
2 to 4 years....	1													3									4	7
5 to 9 "													2	1									3	4
10 to 14 "															1								1	
15 to 19 "									1														2	3
20 to 24 "														1									2	4
25 to 29 "																							2	2
30 to 34 "														2										4
35 to 39 "													1			1							3	5
40 to 44 "														1									1	2
45 to 49 "														1									2	2
50 to 54 "																								5
55 to 59 "																							2	
60 to 64 "													1			1							3	
65 to 69 "														1									2	
70 to 74 "													1	1									2	3
75 to 79 "														1										2
80 to 84 "													1										1	
85 to 89 "												1												1
90 to 94 "																								
95 and over.....																								
	7	7					1	5	5		1		1	13	18	3	2						67	75



TABLE XV.—DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	...	...	2	4	...	...	4	...	1	1	1	1	7	6	...	...	...	...	...	...	...	...	...	...
1 year.....	...	...	1	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2 to 4 years.....	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
5 to 9 ".....	1	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...
10 to 14 ".....	...	...	...	...	...	...	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
15 to 19 ".....	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 ".....	1	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 ".....	4	1	1	1	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
30 to 34 ".....	3	2	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
35 to 39 ".....	1	1	1	...	...	...	...	1	...	...	1	1	...	...	1	...	...	...	...	...	...	...	...	...
40 to 44 ".....	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
45 to 49 ".....	...	2	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
50 to 54 ".....	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...
55 to 59 ".....	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
60 to 64 ".....	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
65 to 69 ".....	...	...	...	...	...	...	...	1	...	...	2	...	...	...	1	...	...	...	...	...	...	...	...	...
70 to 74 ".....	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
75 to 79 ".....	...	1	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 ".....	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 ".....	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 ".....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	11	8	7	8	2	...	10	6	5	3	11	7	7	6	4	2	...	...	...	...	...	4	1	...

OF BOSTON. WARD XXIV.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year ....	1	6					8	1					10	3							1		34	23
1 year .....	2													2									3	5
2 to 4 years ..							1		1						1								6	1
5 to 9 "													1	2									5	4
10 to 14 "															1								6	
15 to 19 "														1										3
20 to 24 "													2										3	2
25 to 29 "									1						2								8	4
30 to 34 "									1				1										6	3
35 to 39 "																							3	4
40 to 44 "																								1
45 to 49 "															1								3	2
50 to 54 "													1										3	
55 to 59 "																							3	
60 to 64 "														1									2	2
65 to 69 "													1	1									4	2
70 to 74 "																							1	1
75 to 79 "											1		1										5	1
80 to 84 "											1	1	1										3	2
85 to 89 "																							1	2
90 to 94 "																								
95 and over....																								
	3	6					1	8	1	2	1	2	1	18	10	5						1	99	62

TABLE XV. — DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	2	...	4	1	1	...	1	...	5	2	1	...	2	3	...	...	...	...	...	...	...	...	...	...
1 year.....	...	...	...	...	...	1	...	...	2	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...
2 to 4 years.....	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...
5 to 9 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	...	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 "	...	...	1	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
35 to 39 "	...	...	1	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
40 to 44 "	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	...
45 to 49 "	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
50 to 54 "	...	...	...	...	...	...	2	...	...	1	1	...	...	...	...	...	...	...	...	...	1	...	...	...
55 to 59 "	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
60 to 64 "	...	...	1	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...
65 to 69 "	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	1	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...
75 to 79 "	...	...	1	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	4	5	8	2	1	1	5	10	7	3	2	3	2	4	3	3	...	...	1	...	2	4	...	...

OF BOSTON. WARD XXV.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year....	3	8					11	3					4	9					1				35	26
1 year .....	1	3											1		1								4	7
2 to 4 years..													2		1								7	1
5 to 9 "														1										1
10 to 14 "																								1
15 to 19 "																								2
20 to 24 "														1									1	1
25 to 29 "									1				1				1						4	3
30 to 34 "															1								1	1
35 to 39 "															1								1	3
40 to 44 "													1		1								3	3
45 to 49 "																	1						3	
50 to 54 "																							1	4
55 to 59 "													2										4	
60 to 64 "									1														3	3
65 to 69 "																		1						2
70 to 74 "													1										2	2
75 to 79 "											1	1											3	2
80 to 84 "												1											1	1
85 to 89 "																								
90 to 94 "																								
95 and over....																								
	4	11					11	3	2		1	14	12	3	1	2	1	1					73	63

TABLE XV.—DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	1	...	1	...	...	...	...	...	1	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...
1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2 to 4 years.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5 to 9 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
40 to 44 "	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
50 to 54 "	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	1	...	1	...	...	...	1	1	1	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...

OF BOSTON. WARD UNKNOWN.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	7	1
1 year.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2 to 4 years....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5 to 9 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	9	2

TABLE XV.—DEATHS: NATIVES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year .....	1	...	1	...	...	...	...	2	...	1	...	5	1	1	...	...	...	...	...	...	...	...	...	...
1 year.....	1	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2 to 4 years .....	...	...	1	...	...	...	...	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5 to 9 "	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	2	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	...	1	2	...	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 "	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
35 to 39 "	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
40 to 44 "	...	2	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
45 to 49 "	...	2	2	...	...	...	...	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
50 to 54 "	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...
60 to 64 "	...	...	1	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...
65 to 69 "	...	...	...	...	...	1	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
75 to 79 "	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80 to 84 "	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	7	7	5	...	...	7	3	6	3	4	1	6	1	4	4	...	1	...	...	1	...	...	...	...

BY AGE-PERIODS. NON-RESIDENTS.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year....	4	1					6	3					3	7	1								25	12
1 year.....																							2	1
2 to 4 years...														1									1	4
5 to 9 "													1		1								2	1
10 to 14 "																							1	...
15 to 19 "																1							1	4
20 to 24 "																							2	1
25 to 29 "														1									3	4
30 to 34 "									1				2				1						5	1
35 to 39 "														2									2	2
40 to 44 "														2									3	2
45 to 49 "													1	1									4	5
50 to 54 "													2										4	1
55 to 59 "													1	1									2	2
60 to 64 "													1	2	1		1						4	4
65 to 69 "														1									3	2
70 to 74 "																							2	1
75 to 79 "													1										1	1
80 to 84 "																							1	...
85 to 89 "												1											...	1
90 to 94 "																								...
95 and over....																								...
	4	1					6	3	1			1	12	18	3	1	2						68	49



TABLE XV.—DEATHS: PRINCIPAL CAUSES

AGE-PERIOD.	Phthisis and Tuberculosis.		Pneumonia.		Bronchitis.		Heart Disease.		Cerebro Spinal Meningitis.		Apoplexy, Cerebral Hemorrhage.		Congenital Debility, Inanition, Marasmus.		Kidney Diseases.		Cancer (Uterine).		Cancer of Organs.		Cancer of Tissues.		Diphtheria.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year.....		2	6	4				4	1		1			19	22	1							2	4
1 year.....	3	1	2	1				1						4								1	1	
2 to 4 years.....		2																						
5 to 9 “																								
10 to 14 “																								
15 to 19 “																								
20 to 24 “																								
25 to 29 “																								
30 to 34 “			1																					
35 to 39 “																								
40 to 44 “																								
45 to 49 “		1						1													1			
50 to 54 “											1				1									
55 to 59 “				1																				
60 to 64 “																								
65 to 69 “																								
70 to 74 “																								
75 to 79 “																								
80 to 84 “					1							1												
85 to 89 “																								
90 to 94 “																								
95 and over.....																								
	4	6	9	6			6	1		1		2	23	22	2						1	3	5	

OF BOSTON. RESIDENCE UNKNOWN.

AGE-PERIOD.	Cholera Infantum.		Enteritis.		Scarlet Fever.		Premature Birth.		Typhoid Fever.		Senile Debility.		All Other Diseases.		Accidental.		Suicide.		Homicide.		Unknown.		Totals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Under 1 year ....	12	12	...	...	...	...	5	5	...	...	...	...	11	5	...	...	...	...	...	...	...	...	60	56
1 year .....	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	11	4
2 to 4 years....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
5 to 9 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10 to 14 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15 to 19 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20 to 24 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25 to 29 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30 to 34 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
35 to 39 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
40 to 44 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
45 to 49 "	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	3	1
50 to 54 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
55 to 59 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
60 to 64 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
65 to 69 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
70 to 74 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
75 to 79 "	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...
80 to 84 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
85 to 89 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
90 to 94 "	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
95 and over....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	12	13	...	...	...	...	5	5	...	...	1	...	12	5	...	...	...	...	...	...	...	...	77	67

## OBSERVATIONS ON THE MORTALITY OF THE CITY OF BOSTON.

---

*Color.* — Of the total tabulated mortality of eleven thousand, 10,711 were white and 289 were colored.

*Sex.* — There were 5,838 males and 5,164 females; of the colored decedents there were 160 males and 129 females.

*Age.* — There were 2,163 decedents under one year of age, or more than one-fifth of the total mortality; 448 between 1 and 2 years of age; and 416 between 2 and 5 years, making a total of 3,027 decedents under the age of 5 years, or more than 27.5 per cent. of the total mortality.

The number of deaths between 5 and 20 years was 628, or 5.7 per cent.

The number of deaths between 20 and 50 years of age was 3,234, or 29.4 per cent.

The number of deaths of all over 50 years of age was 4,111, or 37.3 per cent.

The greatest number of deaths for any 5 year age period (other than those under 1 year) was 677, in the 60–64 year period.

*Month and Season.* — The greatest number of deaths in one month is recorded in July, 1,006; the least number was 801, in June.

The greatest number of deaths of infants under 1 year of age in any month was in August.

The greatest number of deaths in any quarter of the year was in the first quarter, and the total number was 2,899; the least number for any quarter of the year was in the last quarter, 2,599.

*Nativity.* — Of the total mortality of 11,000 deaths 4,563 of the decedents were natives of Boston, or 41.4 per cent.; 2,381 were born in the United States outside of Boston; so that 6,944 decedents were native Americans, or 63.1 per cent. The greatest number of deaths of natives occurred in Ward 6, 394; this ward has the largest foreign population of any in the city, but there were 181 deaths of infants under 1 year of age in this ward which would account for the large mortality of natives.

The largest number of decedents of a foreign nativity were those born in Ireland; there were 1,989, or 18.08 per cent.; of these 930 were males and 1,059 females.

The British Provinces of North America was the birthplace of 773 decedents, or 7.2 per cent.

Natives of Great Britain numbered 333, of Germany 194, of Italy 203, of Russia 195, of Norway 17, of Sweden 72, of China 15, of France 21, of Turkey 17, of Austria 19, of Portu-

gal 13, of Holland 10, of Belgium 2, of Switzerland 5, of Greece 5, of Denmark 10, of Cuba and West Indies 13, of all other countries 23, of unknown birthplaces 140.

*Parentage.* — The parentage (both parents) of 2,418 decedents was American, or 21.9 per cent. of the total mortality.

There were 836 decedents of mixed (foreign and American) parentage, or 7.5 per cent.

There were 321 decedents the nativity of whose fathers was unknown, but the country of birth of the mothers has been given; of these 210 had native mothers.

There were 239 decedents the nativity of whose mothers was unknown, but the country of birth of the father was given; of these 109 had native fathers.

There were 6,379 decedents whose parents were both foreign, or 57.9 per cent.

There were 802 decedents whose parent nativity was unknown, or 7.2 per cent. of the total mortality.

Table XIII. shows the relative parent nativity of all the decedents in the city in 1905.

#### PRINCIPAL CAUSES OF DEATH.

*Pneumonia.* — As in every year since 1900, with one exception, 1901, pneumonia is the leading cause of death, there being 1,567 deaths from this cause; 534 of these decedents were less than five years of age, or more than one-third of the total mortality from this cause. The males numbered 850 and the females 717.

Pneumonia as a cause of death is increasing very rapidly; in 1875 there were 632 deaths from this cause as against 1,357 deaths from phthisis and tuberculosis, which was then and for many years afterward the leading cause; even as late as 1890 the deaths from tuberculosis and phthisis were 525 more than those from pneumonia; since that year, however, the disparity has been less marked, and, as has been said, for a number of years pneumonia has been the leading cause of death. There was an increase of 179 deaths from this cause over the number recorded for 1904.

*Phthisis and Tuberculosis.* — The number of deaths returned under this heading is 1,290, an increase of 17 over the number for 1904. The number of deaths from this cause is gradually decreasing; there is not always a steady decrease in each sequential year, but the number of deaths from this cause is not as great as it was in 1875, when the population was more than 250,000 less; in 1880 there were 1,371 deaths from this cause, in 1890 1,603 deaths, in 1900 1,392 deaths, with a steadily increasing population. This condition is due to several causes, the chief of which are the new modes of treatment of the disease, a preventive treatment of the surroundings of a tuberculosis patient, and the incorporation of new racial elements in our population, who are not so prone to the inception and trans-

mission of the disease. It may well be in future years that the "great white plague" will be a misnomer as applied to phthisis and tuberculosis.

The greatest number of deaths from this cause for any 5 year age period was 188 in the 30-34 year period; this number is closely followed, however, by the deaths in the 25-29 year period, which numbered 183; there were 88 deaths from this cause of children under 5 years of age.

*Diseases of the Heart.*—Under this head are also classified affections of the pericardium and aorta, as well as specific affections of the organ itself; there were 1,372 deaths from these causes in 1905. Deaths from these causes have increased with the growth of the city in greater ratio than have those from any other cause. In 1875 the number of deaths returned from this cause was 322; in 1885, 553; in 1890, 758; in 1895, 820; in 1900, 1,118. The greatest number of these deaths for any 5 year age period was 141 in the 65-69 year period.

There were 707 deaths, or more than 50 per cent. of these deaths of decedents between the ages of 50 and 75 years; there were 65 deaths of children under 5 years of age from these causes.

*Apoplexy, Cerebral Hemorrhage.*—These causes are classified together, as they were formerly held to be synonymous, and are still so held by many medical men, and the return of death in most cases is not specific enough to determine whether a different classification should be made. There were 594 deaths in this class in 1905, an increase of 104 over the record for 1904. More than 53 per cent. of these deaths were of persons between the ages of 45 and 70 years.

*Cancer.*—There were 524 deaths from cancer in 1905, an increase of 87 over the previous year; the increase in the number of deaths from this cause has been constant for the last five years, but the greatest yearly increase has been in this last year; a comprehensive tabulation of deaths by cancer with the location of the disease, from 1849 to 1903, was published in the department report for 1904.

#### PRINCIPAL CAUSES OF DEATH OF INFANTS AND CHILDREN UNDER 5 YEARS.

*Cholera.*—The leading cause of death among infants is cholera, which claimed 461 victims under 1 year of age, and a total of 535 of 4 years of age and under; an increase of 22 over the number for 1904.

*Congenital Debility and Inanition.*—Deaths returned as due to these causes were 461 in number; an increase of 73 over the record of 1904.

*Diphtheria.*—There were 87 deaths by diphtheria of children under 5 years of age; the total mortality of all ages from this cause is very much reduced from the record of 1904, which was 194 deaths against 120 in 1905.

*Meningitis.* — There were 274 deaths from meningitis of children under 5 years of age, and of these 117 were less than one year of age; the total mortality from this cause exceeds the total for 1904 by 118.

*Scarlet Fever.* — The number of deaths from this cause of children under 5 years of age was 25, and the total mortality from this cause, of all ages, was 46, or 5 more than in 1904.

*Old Age.* — There were 288 deaths due to advanced age in 1905; this is an increase of 45 over the record for 1904. The deaths due to this cause in some previous years have been as follows: In 1875, 257; in 1880, 215; in 1885, 247; in 1890, 257; the figures for 1895 and 1900 are not available.

#### DEATHS FROM EXTERNAL CAUSES.

*Accident.* — There were 517 accidental deaths recorded in 1905; of these, the greatest number given as due to any specific cause are those caused by "falls," of which there were 138; there were 75 deaths caused by railroad accidents; 56 by "burns and scalds"; 55 by "drowning"; 61 by "fractures, ruptures, etc."; "electric shocks" caused 2; "chemical poisoning," 10; "illuminating gas," 18; "run over by vehicle," 17; "run over (?)" 5; "elevator accidents," 11; "wound by firearms," 4; "starvation," 1; "strangulation," 1; "crushed by falling body," 7; "suffocation by overlaying," 8; by "fire smoke," 10; by "various causes," 11; by "explosion," 2; "succeeding a surgical operation," 8; nature of accident "not given," 17. There were 93 more "accidental" deaths than in 1904.

*Suicide.* — The whole number of deaths by suicide was 88, or 13 more than in 1905; the greater number of these deaths was by the use of poison; of these there were 36; there were 6 by drowning, 6 by hanging, 21 by the use of firearms, 8 by illuminating gas, 5 by cutting or stabbing, while in 3 cases the manner of self-destruction was unknown or not given.

*Homicide.* — The number of deaths by homicide was 14, or 10 less than in 1904; there were 7 deaths caused by the use of firearms, 4 by a violent blow or push, and in 3 cases the manner of death was unknown or not given.

#### THE CONJUGAL CONDITION OF THE DECEDENTS OF 1905.

Of the 11,002 deaths tabulated for 1905, 5,401 were of persons who had never been married; 3,509 were married at the time of their decease, 1,961 were widowed, 41 were divorced and of 90 the conjugal condition was unknown.

Of the unmarried decedents 3,095 were males and 2,306 were females; there were 2,013 married males and 1,496 married females; 639 males were widowers, and 1,322 females were widows; 21 males and 20 females were divorced; while of 70 males and 20 females the conjugal condition was unknown.

The greatest number of unmarried decedents in any 5 year period, above the age of 19 years, was 265 in the 20 to 24 year period.

The greatest number of married decedents in any 5 year age period was 346 in 35 to 39 year period; the greatest number of married males for any 5 year age period was 201, in the 50 to 54 year period; of females 175, in the 30 to 34 year period.

The greatest number of widowed decedents for any 5 year age period was 265 in the 70 to 74 year period; of widowers 77, in the 75 to 79 year period; and of widows 193, in the 70 to 74 year period.

#### DEATHS IN INSTITUTIONS IN 1905.

The total number of deaths in hospitals, etc., in 1905, was 3,834; of these, 2,228 were males, and 1,606 were females; 2,793 were residents of Boston, 1,616 males, 1,177 females; 828 were non-residents, 482 males, 346 females; and of 213 the residence was unknown, 130 males, 83 females.

The number of residents for each ward who died in the various institutions of the city is given below :

WARD.	Males.	Females.	Total.	WARD.	Males.	Females.	Total.
1 .....	47	26	73	14 .....	60	42	102
2 .....	64	45	109	15 .....	43	37	80
3 .....	37	29	66	16 .....	49	30	79
4 .....	39	29	68	17 .....	75	54	129
5 .....	44	22	66	18 .....	71	54	125
6 .....	127	67	294	19 .....	62	31	93
7 .....	90	62	152	20 .....	52	48	100
8 .....	109	67	176	21 .....	49	48	97
9 .....	187	88	275	22 .....	50	37	87
10 .....	50	41	91	23 .....	30	33	63
11 .....	32	45	77	24 .....	34	24	58
12 .....	77	55	132	25 .....	38	21	59
13 .....	84	57	141	Ward unknown	16	85	101

#### DECEDENTS OF GREATEST AGE.

The greatest age attained by any decedent in 1905 was 105 years; this was a female, born in Ireland of Irish parentage; he

next oldest decedent was a male whose age at time of death was 104 years, 7 days — he was also born in Ireland of Irish parentage; there was one male decedent of 100 years and 7 months also born in Ireland, parentage unknown; one male decedent of 99 years, 2 months, born in Ireland, nativity of parentage unknown; one of 99 years, born in England of English parentage; one of 97 years, 3 months, 9 days, born in Ireland, father born in Ireland, mother in Massachusetts; one of 95 years, 10 months, born in Ireland of Irish parents; one of 95 years, 1 month, born in the British Provinces, nativity of parents unknown; one of 95 years, born in Boston, both parents Russian.

Of aged female decedents, other than the one noted above, there were two of 98 years, one of whom was born in Poland, as were her parents; the other was born in Ireland of Irish parentage; one of 96 years and 7 months, born in Ireland of Irish parents; one of 96 years, 5 months, 19 days, born in the British Provinces, father in Ireland, mother unknown; one of 96 years, 4 months, 16 days, born in Massachusetts of Massachusetts parents; one of 95 years, 4 months, 16 days, born in Massachusetts of Massachusetts parents; one of 95 years, 8 months, 18 days, born in Maine, as were also her parents; one of 95 years, 2 months, 19 days, born in Boston of Boston parentage.

OCCUPATIONS OF MALE DECEDENTS IN 1905.

Professional . . . . .	122
Trade, commerce and finance . . . . .	754
Barbers and hairdressers . . . . .	24
Bakers and confectioners . . . . .	30
Blacksmiths . . . . .	37
Boot and shoe makers and operatives . . . . .	70
Butchers . . . . .	22
Bookbinders . . . . .	6
Brewers and distillers . . . . .	9
Boilermakers . . . . .	9
Cabinetmakers and upholsterers . . . . .	31
Carpenters, joiners and builders . . . . .	133
Cigar and tobacco workers . . . . .	20
Cooks . . . . .	16
Coopers . . . . .	9
Calkers, riggers and sailmakers . . . . .	21
Contractors (not specified) . . . . .	5
Contractors (building) . . . . .	10
Coachmen . . . . .	21
Draymen, hackmen, etc. . . . .	239
Engineers and firemen (stationary) . . . . .	73
Electricians . . . . .	15
Farmers and farm laborers . . . . .	35
Iron, steel and metal workers . . . . .	46
Janitors . . . . .	28
Jewellers, clocks and watches . . . . .	17



Laborers . . . . .	627
Letter-carriers . . . . .	9
Laundry workers . . . . .	15
Leather-workers (not boots and shoes) . . . . .	22
Musicians . . . . .	14
Mechanics (?) . . . . .	6
Machinists . . . . .	68
Marble and stone workers . . . . .	14
Masons (brick and stone) . . . . .	44
Mill and factory operatives . . . . .	32
Piano and organ builders . . . . .	17
Policemen, firemen and non-professional government employees . . . . .	56
Printers, compositors and pressmen . . . . .	54
Painters, glaziers and decorators . . . . .	87
Paperhangers . . . . .	8
Plasterers and whitewashers . . . . .	13
Photographers . . . . .	7
Plumbers, steam and gas fitters . . . . .	44
Railroad employees (steam and electric) . . . . .	76
Roofers . . . . .	13
Real estate and insurance . . . . .	38
Retired . . . . .	167
Rubber workers . . . . .	7
Students and scholars . . . . .	119
Sailors, soldiers, marines (U.S.) . . . . .	71
Servants . . . . .	73
Tailors . . . . .	59
Tinware-makers . . . . .	2
Telephone and telegraph operators . . . . .	12
Undertakers . . . . .	3
Woodworkers . . . . .	19
Watchmen . . . . .	27
None . . . . .	2,123
Unknown . . . . .	52

There were 4 each of lamplighters, stevedores and glass-workers; 3 electrotypers; 2 each of carriage trimmers, bridge builders and lodging-house keepers; 1 each of 15 miscellaneous trades and occupations not easily classified in the above list.

#### OCCUPATIONS OF FEMALE DECEDENTS IN 1905.

Professional . . . . .	48
Domestic . . . . .	375
Mercantile . . . . .	91
Dressmakers . . . . .	44
Milliners . . . . .	7
Mill and factory operatives . . . . .	36
Seamstresses . . . . .	12
Tailoresses . . . . .	13

Candymakers	.	.	.	.	.	.	.	.	1
At school	.	.	.	.	.	.	.	.	115
At home	.	.	.	.	.	.	.	.	524
Housewife	.	.	.	.	.	.	.	.	1,558
None	.	.	.	.	.	.	.	.	2,267
Waitresses	.	.	.	.	.	.	.	.	15
Retired	.	.	.	.	.	.	.	.	2
Bookbinder	.	.	.	.	.	.	.	.	2
Laundresses	.	.	.	.	.	.	.	.	19
Telephone operatives	.	.	.	.	.	.	.	.	2
Actresses	.	.	.	.	.	.	.	.	5
Religious	.	.	.	.	.	.	.	.	9
Unknown	.	.	.	.	.	.	.	.	7
Retired	.	.	.	.	.	.	.	.	5
Fortune-teller	.	.	.	.	.	.	.	.	2

And 1 each of the following trades or occupations : leather bag maker, lodging-house keeper, cigarmaker and rag-picker.

## MARRIAGES IN BOSTON IN 1905.

---

There were 6,775 marriages recorded as having taken place in Boston in 1905. This number is 39 more than in 1904.

In 6,571 cases both contracting parties were white; in 172 cases both parties were colored; in 28 cases the groom was colored and the bride white, and in 4 cases the bridegroom was white and the bride colored.

*Seasons.* — In June the greatest number of marriages for any month occurred, 916 being the record for the month; the least number was in March, 387.

The greatest number of marriages for any quarter-year period was 1,974, in the last quarter of the year; the least number was 1,329, in the first quarter of the year.

*Marriages by Religious and Civil Officials.* — There were 5,607 marriages solemnized by clergymen of the various denominations and rabbis, and 1,168 by justices of the peace.

### *Residents and Non-Residents.*

The number of persons who were recorded as having married in Boston in 1905 was 13,550; of these, 11,054 were residents of Boston, or one in each 53.86 of the population.

The marriage rate was 18.56 per 1,000 of population.

The non-residents married in Boston were 2,450 in number.

In 4,996 cases both parties were residents of Boston.

In 679 cases both parties were residents elsewhere in the United States.

In 279 cases the grooms were residents of Boston and the brides were residents elsewhere in the United States.

In 756 cases the grooms resided in the United States (exclusive of Boston) and their brides were residents of Boston.

In 10 cases the grooms were residents of Boston and the brides were foreign residents.

In 17 cases the grooms were foreign residents and the brides were residents of Boston.

In 18 cases the grooms were residents of the United States and the brides were foreign residents.

In 6 cases the grooms were foreign residents and the brides residents of the United States; and in 14 cases both parties were residents of a foreign country.

TABLE XVI. — MARRIAGES BY MONTHS AND QUARTERLY PERIODS. COLOR OF GROOM AND BRIDE.  
DIVISION OF RELIGIOUS AND CIVIL MARRIAGES.

	MARRIAGES.		WHITE.			COLORED.			COLORED GROOM, WHITE BRIDE.			WHITE GROOM, COLORED BRIDE.			TOTAL.	
	Per Month.	Per Quarter.	Clergyman.	Justice.	Total.	Clergyman.	Justice.	Total.	Clergyman.	Justice.	Total.	Clergyman.	Justice.	Total.	Clergyman.	Justice.
January.....	480	First Quarter,	{ 377	86	463	10	4	14	1	2	3	.....	.....	.....	388	92
February.....	492	1,359	{ 385	67	452	9	1	10	.....	2	2	.....	.....	.....	392	70
March.....	857		{ 287	86	373	11	2	13	.....	1	1	.....	.....	.....	298	89
April.....	497	Second Quarter,	{ 392	98	490	6	2	8	12	.....	2	1	1	2	401	96
May.....	421	1,354	{ 329	81	410	5	4	9	.....	.....	.....	.....	.....	.....	336	86
June.....	416		{ 784	110	894	16	5	21	.....	1	1	.....	.....	.....	800	116
July.....	509	Third Quarter,	{ 390	110	500	7	.....	7	.....	.....	.....	.....	.....	.....	397	111
August.....	431	1,358	{ 365	86	451	5	3	8	.....	1	1	.....	.....	.....	372	99
September.....	619		{ 521	114	635	18	2	20	.....	.....	.....	1	11	2	542	117
October.....	766	Fourth Quarter,	{ 641	105	746	16	1	17	2	1	3	.....	.....	.....	619	107
November.....	734	1,374	{ 628	84	712	19	2	21	.....	1	1	.....	.....	.....	617	97
December.....	414		{ 362	93	455	19	5	24	4	.....	5	.....	.....	.....	375	99
Totals..	6,775		5,447	1,124	6,571	141	31	172	17	11	28	2	2	4	5,607	1,168

\* Indian groom, white bride. † One Chinese groom, white bride. ‡ White groom, colored (creole) bride.

TABLE XVII.—MARRIAGES: AGES OF GROOMS AND BRIDES (RELATIVE).

AGES OF GROOMS.	Total Grooms of Each Age.	AGES OF BRIDES.																	
		14 Years.	15 Years.	16 Years.	17 Years.	18 Years.	19 Years.	20 Years.	21 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.
17 years.....	7				3	1	2	1											
18 "	26			2	7	10	2	4	1										
19 "	58			2	8	10	16	10	10	1	1								
20 "	97	1	1	4	5	24	13	20	27	2									
21 to 24 years.....	1,777		2	20	55	167	223	279	841	163	26	1							
25 to 29 "	2,266		2	10	31	89	135	166	877	787	139	29	1						
30 to 34 "	1,206		1	1	4	15	21	59	294	436	239	73	9	4					
35 to 39 "	637			2		1	6	13	81	203	166	117	27	5	1				
40 to 44 "	312					3	1		28	68	76	95	34	6		1			
45 to 49 "	193							1	12	29	33	42	43	28	4		1		
50 to 54 "	93								2	4	12	17	20	18	18	2			
55 to 59 "	55									3	6	7	12	13	10	2	1		1
60 to 64 "	35								1	1	1	6	5	6	5	5	5		
65 to 69 "	13										3		4	2	3	1			
70 to 74 "	6								1			1			3		1		
75 to 79 "	3											1		1	1				
80 to 84 "	1														1				
Total brides of each age .....	6,775	1	6	41	113	320	419	553	2,175	1,702	752	389	155	83	46	11	8		1

*Mixed (as to color) Marriages.* (TABLE XVI.)

There were 28 cases of marriage between colored men and white women, and 4 cases of marriage between white men and colored women.

In 19 of these marriages the officiating person was a clergyman, and 13 were performed by justices of the peace.

MARRIAGES: AGES OF GROOMS AND BRIDES. (TABLE XVII.)

In 2,170 marriages, or 32.03 per cent., the grooms and brides were of the same age, or of the same age-period. The number of grooms less than 25 years of age was 1,965, or 29 per cent.; the number of grooms between 25 and 35 years of age was 3,472, or 51.24 per cent.; so that over 80 per cent. of the grooms married in Boston in 1905 were less than 36 years of age. The number of grooms less than 21 years of age was 188, or 2.8 per cent.

The number of brides who had not reached the age of 25 years was 3,629, or 53.56 per cent.; the number of brides between the ages of 25 and 35 years was 2,454, or 36.22 per cent.; so that about 90 per cent. of the brides were married before reaching the age of 36 years.

The number of brides who were less than 18 years of age was 162, or almost 2.4 per cent.

MARRIAGES: NATIVITIES OF BOTH PARTIES. (TABLE XVIII.)

There were 1,195 grooms who were born in Boston, or 17.63 per cent. of the whole number of grooms; 637 married brides who were born in Boston, 299 married brides born in the United States outside of Boston, 88 of their brides were born in Ireland, 110 in the British-American Provinces, 35 in Great Britain, 6 in Germany, 6 in Italy, 2 in Russia, 5 in Sweden, 1 in Austria, 2 in Portugal, 1 in Holland, 1 in Cuba, and 2 in countries not specified in the table.

The grooms who were born in the United States (exclusive of those born in Boston) were 2,119, or 31.27 per cent. of the whole number of grooms; of their brides, 565 were born in Boston, 1,010 in the United States (exclusive of those born in Boston), 114 in Ireland, 325 in the British-American Provinces, 51 in Great Britain, 8 in Germany, 1 in Italy, 7 in Russia, 1 in Norway, 14 in Sweden, 1 (a white woman) in China, 5 in France, 2 in Austria, 2 in Belgium, 2 in Switzerland, 2 in Denmark, 4 in Cuba, 2 in countries not specified in the table, and of 3 the nativity was unknown.

TABLE XVIII.—MARRIAGES IN BOSTON, 1905. RELATIVE NATIVITY OF GROOMS AND BRIDES.

BIRTHPLACE OF GROOMS.	BIRTHPLACE OF BRIDES.																						
	Boston.	United States out of Boston.	Ireland.	British-American Provinces.	Great Britain.	Germany.	Italy.	Russia.	Norway.	Sweden.	China.	France.	Turkey.	Austria.	Portugal.	Holland.	Belgium.	Switzerland.	Greece.	Denmark.	Cuba and West Indies.	All Other Countries.	Unknown.
1,195	637	369	88	110	35	6	6	6	1	7	9	1	1	1	2	1	1	2	2	1	1	2	3
2,119	565	1,010	114	325	51	8	1	1	1	14	1	5	1	2	1	2	1	2	2	1	1	1	2
618	72	37	461	36	10	2	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
686	122	139	60	389	19	2	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
284	49	56	29	41	50	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
88	12	20	6	4	86	597	604	2	1	1	1	2	1	14	1	1	1	1	1	1	1	1	
679	24	28	6	13	3	8	9	604	2	3	2	1	1	1	1	1	1	1	1	1	1	1	
696	31	16	4	1	1	1	1	1	24	8	1	1	1	1	1	1	1	1	1	1	1	1	
37	1	1	1	1	1	1	1	1	1	148	1	1	1	1	1	1	1	1	1	1	1	1	
170	6	10	4	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
14	3	1	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
38	3	2	1	2	2	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
49	5	2	1	1	1	1	1	10	1	1	1	1	1	24	18	1	1	1	1	1	1	1	
31	7	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
6	1	2	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
5	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
7	1	1	2	2	1	1	1	1	1	7	1	1	1	1	1	1	1	1	1	1	1	1	
24	4	12	2	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
32	4	1	2	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
41	2	2	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
6,775	1,554	1,016	785	884	186	66	606	640	34	187	71	12	19	45	21	1	8	4	5	16	14	37	4

\* White woman born in China.

*American Brides and Foreign Grooms.*

There were 689 American-born (including Boston) brides whose grooms were of foreign birth; of these grooms 109 were born in Ireland, 261 in the British-American Provinces, 105 in Great Britain, 32 in Germany, 57 in Italy, 47 in Russia, 2 in Norway, 15 in Sweden, 2 in China, 4 in France, 5 in Turkey, 7 in Austria, 11 in Portugal, 1 in Holland, 1 in Belgium, 3 in Switzerland, 2 in Denmark, 16 in Cuba and West Indies, and 9 in countries not specified in the table.

There were in all 3,314 native-American grooms, or 48.89 per cent.; there were in all 3,200 American brides, or 47.23 per cent. The number of marriages in which both parties were American was 2,511, or 37.06 per cent.

*Marriages Between Natives of the Same (Foreign) Country.*

The figures in large type diagonally arranged across the table represent the marriages in which both parties were of the same nativity.

Six hundred and eighteen grooms were born in Ireland, and the brides of 461 were of the same nativity.

Six hundred and eighty-eight grooms were born in the British-American Provinces, and the brides of 339 were of the same nativity.

Two hundred and thirty-four grooms were born in Great Britain, and the brides of 50 were of the same nativity.

Eighty-three grooms were born in Germany, and the brides of 36 were of the same nativity.

Six hundred and seventy-nine grooms were born in Italy, and the brides of 597 were natives of the same country.

Six hundred and ninety-five grooms were born in Russia, and the brides of 604 were natives of the same country.

Thirty-seven grooms were born in Norway, as were also 24 of their brides.

One hundred and seventy grooms were born in Sweden, and 143 of their brides were natives of the same country.

The proportion of grooms and brides of other specified nationalities may be found in the table; those quoted above are the most numerous and important.

NUMBER OF MARRIAGE. (TABLE XIX.)

There were 5,936 grooms and 6,045 brides who had not been previously married; there were 610 widowed grooms and 501 widowed brides who were parties to a second marriage; there were 38 widowed grooms and 14 widowed brides who married for the third time; 2 widowed grooms and 1 widowed bride who married for the fourth time, and 1 widowed groom who contracted his fifth marriage.



There were 167 grooms and 193 brides who had been divorced and were married the second time; 5 divorced grooms and 5 divorced brides who married the third time.

Of the 5,936 grooms who had not been married previously, 5,538 had brides who had not been previously married, 273 married widows whose second marriage it was, 3 married widows who had been married twice before, 118 had divorced brides whose second marriage it was, and 4 had divorced brides who had been twice previously married.

Of the 610 widowed grooms marrying the second time, 383 had brides who had not previously married, 178 married widows who had married once previously, 8 married widows who had been twice married, and 41 married divorced women who were marrying for the second time.

**TABLE XIX.—NUMBER OF MARRIAGE (RELATIVE).**

GROOMS.	Total Grooms.	BRIDES.					
		First.	Second, Widowed.	Third, Widowed.	Fourth, Widowed.	Second, Divorced.	Third, Divorced.
First.....	5,936	5,538	273	3	.....	118	4
Second, widowed.....	610	383	178	8	.....	41	.....
Third, widowed....	38	21	13	2	.....	2	.....
Fourth, widowed.....	2	.....	1	.....	1	.....	.....
Fifth, widowed.....	1	.....	1	.....	.....	.....	.....
Second, divorced.....	167	100	34	1	.....	31	1
Third, divorced.....	5	3	1	.....	.....	1	.....
Miscellaneous*.....	16	.....	.....	.....	.....	.....	.....
Total Brides.....	6,775	6,045	501	14	1	193	5

\* See page 175.

Of the 38 widowed grooms who married the third time, 21 married brides who had not previously been married, 13 took for brides widows who had been once married, the brides of 2 had been twice married, and 2 had brides who had been divorced and whose second marriage it was.

Of the 2 widowed grooms marrying for the fourth time, 1 married a widow who had been married once, and 1 married a widow who had been married three times.

The widowed groom who married for the fifth time took a widowed bride whose second marriage it was.

The 167 divorced grooms whose second marriage was recorded had as brides 100 who had not been previously married, 34

widows who had been once married, 1 who had been twice married, 31 who had been married once and divorced, and 1 who had been married twice and divorced.

The 5 divorced grooms who married the third time had as brides 3 who had not been married, 1 widow and 1 divorced woman both of whom had been married once.

There were 16 marriages tabulated under the head of "Miscellaneous," the details as to "number" of which are as follows:

GROOM.	BRIDE.	Number of Cases.
Number of Marriage and Conjugal Condition.	Number of Marriage and Conjugal Condition.	
First .....	Second, divorced and widowed.....	2
First.....	Third, widowed and divorced.....	3
Second, divorced.....	Third, widowed and divorced.....	2
Second, divorced.....	Third, divorced and widowed.....	1
Second, divorced and widowed.....	First.....	1
Third, widowed and divorced.....	Second, divorced.....	1
Third, widowed and divorced.....	First.....	4
Third, widowed and divorced.....	Second, widowed.....	1
Third, widowed and divorced.....	Second, divorced.....	1

*Marriages of Divorced Persons.*

There were 183 divorced grooms and 209 divorced brides married in Boston in 1905; 171 divorced grooms were married the second time and 12 the third time; 198 divorced brides married the second time and 11 married the third time.

*Marriage of Divorced Persons — Percentage.*

The divorced persons of both sexes married in 1905 were 392, or 2.9 per cent. of the total number of persons married this year. There were 39 cases where both parties had been divorced, 145 cases where the groom only had been divorced and 170 cases where the bride only was divorced.

OCCUPATIONS OF GROOMS, 1905.

Artists, architects, teachers of art . . . . .	50
Clergymen . . . . .	17
Engineers and surveyors . . . . .	12
Journalists . . . . .	11
Lawyers . . . . .	36
Musicians and teachers of music . . . . .	38
Physicians, surgeons, dentists . . . . .	89
Teachers (school) . . . . .	10

Chemists and drug clerks . . . . .	35
Mercantile and commercial . . . . .	1,529
Bankers, brokers, financial business . . . . .	40
Real estate and insurance . . . . .	62
Hotel and boarding-house keepers . . . . .	20
Restaurant keepers and bartenders . . . . .	46
Hospital apprentices (nurses) . . . . .	14
Barbers and hairdressers . . . . .	126
Janitors, sextons, elevatormen . . . . .	54
Policemen, firemen, watchmen . . . . .	112
Soldiers, sailors and marines . . . . .	21
Photographers . . . . .	14
Laborers . . . . .	741
Servants . . . . .	183
Bakers and confectioners . . . . .	72
Blacksmiths . . . . .	63
Boot and shoemakers . . . . .	188
Brewers, distillers and rectifiers . . . . .	23
Butchers . . . . .	52
Bookbinders . . . . .	17
Boilermakers . . . . .	12
Boxmakers . . . . .	3
Cabinetmakers and upholsterers . . . . .	39
Carpenters and joiners . . . . .	186
Cigarmakers and tobacco workers . . . . .	45
Compositors, printers and pressmen . . . . .	92
Coopers . . . . .	5
Contractors (not specified) . . . . .	20
Coachmen . . . . .	70
Draymen, hackmen, teamsters . . . . .	362
Engineers, firemen (stationary) . . . . .	107
Farmers and planters (farm laborers) . . . . .	59
Gardeners, florists, nurserymen . . . . .	33
Jewellers, watch and clockmakers . . . . .	36
Livery stablekeepers, hostlers, etc. . . . .	37
Miners and quarrymen . . . . .	6
Paperhangers . . . . .	10
Railroad employees (steam and electric) . . . . .	292
Sailors, pilots and fishermen . . . . .	103
Telephone and telegraph linemen . . . . .	41
Students . . . . .	19
Riggers and calkers . . . . .	8
Patternmakers and woodworkers . . . . .	43
Postal clerks and other government employees . . . . .	44
Weavers . . . . .	7
Electricians . . . . .	30
Actors . . . . .	12
Cooks . . . . .	69
Moulders . . . . .	18
Roofers . . . . .	13

Retired . . . . .	9
None . . . . .	6
Pedlers . . . . .	10
Builders . . . . .	7
Ship carpenters . . . . .	6
Rubberworkers . . . . .	27
Hat and capmakers . . . . .	11
Chauffeurs . . . . .	19
Inspectors (?) . . . . .	7
Hotel stewards . . . . .	12
Machinists . . . . .	193
Dyers . . . . .	6
Glassworkers . . . . .	7
Undertakers . . . . .	6
Carriage builders . . . . .	8
Cornice makers . . . . .	5
Iron, steel and metal workers . . . . .	123
Laundry work . . . . .	11
Leather work (not boots and shoes) . . . . .	37
Mechanics (?) . . . . .	19
Marble and stone cutters . . . . .	9
Masons (brick and stone) . . . . .	84
Mill and factory operatives . . . . .	76
Pianomakers . . . . .	26
Painters, glaziers and decorators . . . . .	138
Plasterers and whitewashers . . . . .	15
Plumbers, steam and gasfitters . . . . .	81
Tailors . . . . .	180
Bridge builders . . . . .	5
Teachers (miscellaneous) . . . . .	8

Four each of the following : Telegraphers, tool-makers, assistant superintendents and lithographers; 3 each of stereotypers, saloon-keepers and electrotypers; 2 each of foresters, restaurateurs, sculptors, chair-seaters, ball-players and mosaic-workers; and one each of 31 miscellaneous trades and occupations not easily classified.

THE OCCUPATIONS OF BRIDES IN 1905.

Mercantile . . . . .	744
Professional, artists, musicians . . . . .	52
Leather workers . . . . .	22
Needle workers . . . . .	793
Telegraph and telephone operators . . . . .	36
Rubber workers . . . . .	21
Boxmakers and bookbinders . . . . .	67
Candy workers and confectioners . . . . .	80
Cigarmakers . . . . .	29
Brush and broom makers . . . . .	14
Mill and factory operatives . . . . .	291

Waitresses . . . . .	302
Gold and silver workers . . . . .	7
At school . . . . .	5
At home . . . . .	2,164
Domestic occupations . . . . .	1,395
Boarding and lodging-house keepers . . . . .	12
Printers and compositors . . . . .	17
None . . . . .	245
School teachers . . . . .	75
Housekeepers . . . . .	232
Nurses . . . . .	124
Hairdressers . . . . .	6
Actresses . . . . .	12
Laborers . . . . .	9
Assistant librarians . . . . .	3

Two each of the following: Coremakers, models and watch-makers, and one each of glassblower, medical gymnast, dental attendant, masseuse, elocutionist, electrician, designer, janitress, photographer and framemaker.

**TABLE XXIII.—AGE AND NATIVITY OF MALE APPLICANTS FOR MARRIAGE LICENSES WHO COULD NOT WRITE THEIR NAMES.**

	Total.	19 Years.	20 Years.	21 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.
Boston.....	1								1					
United States*.....	† 10			4	1		2		3					
Ireland.....	35			2	12	8	8		8		1	1		
Great Britain.....	2							1	1					
Germany.....	1					1								
Italy.....	239	1	10	67	85	33	13	7	12	6	1	4		
Russia.....	145	1	1	47	62	15	9	3	2	4	1			
Sweden.....	1								1					
Turkey.....	16			7	4	4			1					
Austria.....	2	1		1										
Portugal.....	6			2	1	2	1							
Cuba.....	2				2									
Br.-Amer. Provinces..	14			2	1	3	3		3			1		1
Total.....	474	3	11	132	168	66	36	11	26	11	3	6		1

\* Outside of Boston.

† Mostly colored persons.

TABLE XX.—MARRIAGES: AGE-PERIOD AND NATIVITY OF GROOMS.

AGE-PERIOD.	Boston.	United States, out of Boston.	Ireland.	British-Ameri- can Provinces.	Great Britain.	Germany.	Italy.	Russia.	Norway.	Sweden.	China.	France.	Turkey.	Austria.	Portugal.	Holland.	Belgium.	Switzerland.	Greece.	Denmark.	Cuba and West Indies.	All other Coun- tries.
17 years.....	3	3	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18 " .....	13	6	1	.....	1	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
19 " .....	21	20	.....	6	.....	.....	8	1	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
20 " .....	29	26	4	5	1	.....	23	7	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21 to 24 years.....	264	511	76	158	49	13	239	291	5	29	.....	4	3	14	7	2	1	2	1	6	9	14
25 to 29 " .....	399	630	218	228	69	23	241	274	16	72	.....	2	18	24	10	2	.....	3	.....	9	11	16
30 to 34 " .....	199	385	162	137	41	31	88	75	5	40	*2	3	6	3	7	2	3	2	4	6	8	8
35 to 39 " .....	83	241	88	70	29	12	34	23	7	15	.....	5	3	2	3	.....	.....	1	.....	6	2	1
40 to 44 " .....	38	122	42	34	22	4	17	11	2	7	.....	.....	2	4	1	.....	1	.....	2	.....	2	.....
45 to 49 " .....	33	74	14	27	13	4	13	9	.....	4	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....
50 to 54 " .....	13	38	4	13	4	4	8	6	.....	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
55 to 59 " .....	5	26	6	7	5	1	1	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
60 to 64 " .....	2	19	2	7	.....	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
65 to 69 " .....	2	10	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
70 to 74 " .....	.....	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
75 to 79 " .....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
80 to 84 " .....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Total.....	1,105	2,119	618	688	234	98	679	695	37	170	2	14	33	49	31	6	5	9	7	28	22	41

\* White men born in China.

TABLE XXI.—NATIVITY AND NUMBER OF MARRIAGE OF GROOMS AND BRIDES.

GROOM.	Boston.	United States out of Boston.	Ireland.	British-American Provinces.	Great Britain.	Germany.	Italy.	Russia.	Norway.	Sweden.	China.	France.	Turkey.	Austria.	Portugal.	Holland.	Belgium.	Switzerland.	Greece.	Denmark.	Cuba and West Indies.	All Other Countries.	Unknown.	Total.
First.....	1,069	1,763	544	588	193	70	622	643	30	156	* 2	11	31	45	27	6	4	8	7	26	29	37	....	5,941
Second, widowed.....	67	230	66	79	34	12	43	43	5	13	....	2	2	4	4	....	....	....	..	1	1	4	....	610
Third, widowed.....	7	17	5	9	2	....	1	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	45
Fourth, widowed.....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2
Fifth, widowed.....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
Second, divorced.....	19	106	3	12	5	1	12	5	1	1	....	1	....	....	....	1	1	1	1	1	2	....	....	171
Third, divorced.....	3	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	5
Total.....	1,195	2,119	618	688	234	83	679	695	37	170	2	14	33	49	31	6	5	9	7	28	32	41	....	6,775
BRIDE.																								
First.....	1,446	1,361	707	791	153	52	562	599	33	179	* 1	9	18	40	19	1	6	4	5	14	9	38	4	6,050
Second, widowed.....	80	159	70	66	28	8	39	30	1	7	....	1	1	2	2	....	2	....	....	2	4	....	....	562
Third, widowed.....	2	7	2	5	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	19
Fourth, widowed.....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
Second, divorced.....	25	113	6	22	6	4	5	10	....	1	....	2	....	3	....	....	....	....	....	....	....	....	....	197
Third, divorced.....	1	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	6
Total.....	1,554	1,646	785	884	186	66	606	640	34	187	1	12	19	45	21	1	8	4	5	16	13	38	4	6,775

\* White people born in China.

TABLE XXII.—MARRIAGES: AGE-PERIOD AND NATIVITY OF BRIDES, 1905.

AGE-PERIOD.	Boston.	United States out of Boston.	Ireland.	British-Ameri- can Provinces.	Great Britain.	Germany.	Italy.	Russia.	Norway.	Sweden.	China.	France.	Turkey.	Austria.	Portugal.	Holland.	Belgium.	Switzerland.	Greece.	Denmark.	Cuba and West Indies.	All Other Countries.	Unknown.
14 years.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15 ".....	5	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16 ".....	11	5	.....	3	.....	.....	20	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17 ".....	39	27	.....	3	.....	.....	88	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
18 ".....	76	74	3	25	6	2	72	42	.....	.....	.....	1	5	4	.....	2	1	.....	.....	.....	.....	.....	.....
19 ".....	99	96	10	29	9	4	70	80	4	6	.....	.....	.....	7	1	.....	.....	.....	.....	.....	.....	.....	.....
20 ".....	109	112	18	49	12	2	72	140	8	12	.....	1	5	1	5	.....	.....	.....	.....	.....	.....	.....	.....
21 to 24 years.....	518	436	209	258	70	23	191	275	9	69	.....	3	6	20	7	1	3	1	4	6	6	8	3
25 to 29 ".....	410	392	326	269	47	17	79	55	13	58	.....	2	1	7	5	.....	1	1	1	7	5	5	1
30 to 34 ".....	167	206	110	147	19	7	31	26	2	25	* 1	2	1	2	1	.....	.....	1	.....	2	.....	.....	.....
35 to 39 ".....	66	140	69	56	13	5	14	9	2	10	.....	1	.....	3	.....	.....	.....	.....	.....	1	.....	.....	.....
40 to 44 ".....	32	52	20	25	3	3	7	5	1	4	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
45 to 49 ".....	10	26	16	13	6	1	7	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50 to 54 ".....	10	21	3	5	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
55 to 59 ".....	1	4	1	.....	1	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
60 to 64 ".....	.....	5	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
65 to 69 ".....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
70 to 74 ".....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Total.....	1,554	1,046	755	884	186	66	606	640	84	137	1	12	19	45	21	1	8	4	5	16	13	38	4

\* White woman born in China.



# OUT-OF-TOWN MARRIAGES RECORDED IN BOSTON IN 1905.

There were 1,242 marriages recorded in this office that were solemnized in other places than Boston; there were 113 more than in 1904. In all but one case one or both parties were residents of Boston; in 361 cases, or 29.06 per cent., both parties resided in Boston; in 172 cases, or 13.84 per cent., the bride was a resident of Boston.

TABLE XXIV.—OUT-OF-TOWN MARRIAGES: BY MONTHS, COLOR, RELIGIOUS AND CIVIL.

MONTH.	Number per Month.	WHITE.			COLORED.			COLORED GROOM, WHITE BRIDE.		
		Clergyman.	Justice.	Total.	Clergyman.	Justice.	Total.	Clergyman.	Justice.	Total.
January .....	75	72	3	75	.....	.....	.....	.....	.....	.....
February .....	69	66	2	68	1	.....	1	.....	.....	.....
March .....	60	58	2	60	.....	.....	.....	.....	.....	.....
April .....	108	99	6	105	3	.....	3	.....	.....	.....
May .....	51	48	3	51	.....	.....	.....	.....	.....	.....
June .....	212	201	8	209	1	.....	1	* 2	.....	2
July .....	89	85	1	86	3	.....	3	.....	.....	.....
August .....	94	79	12	91	.....	.....	.....	* 3	.....	3
September .....	113	106	4	110	2	.....	2	1	.....	1
October .....	161	152	5	157	4	.....	4	.....	.....	.....
November .....	118	111	6	117	1	.....	1	.....	.....	.....
December .....	92	83	4	87	4	.....	4	1	.....	1
Total .....	1,242	1,160	56	1,216	19	.....	19	7	.....	7

\* Chinese groom, white bride.

*Months and Seasons.* — The greatest number of these marriages for any month was in June, 212; the least number for any month was in May, 51; the greatest number for any quarter-year period was 371; this number was recorded in the second and last

quarters of the year; the least number for any quarter-year period was 204, in the first quarter of the year.

*Color.* — There were 19 cases where both parties were colored; 7 cases of mixed marriages, and of these, in five cases the groom was Chinese.

**TABLE XXV.—OUT-OF-TOWN MARRIAGES RECORDED IN BOSTON, 1905.**

*By Months and Residence (General).*

MONTH.	Total Marriages.	Both parties residents of Boston.	Groom resident of Boston, Bride resident of United States.*	Groom resident of United States,* Bride resident of Boston.	Groom resident of Boston, Bride foreign resident.	Groom foreign resident, Bride resident of Boston.	Groom resident of United States,* Bride foreign resident.
January.....	75	26	37	11	1	.....	.....
February.....	69	16	37	15	1	.....	.....
March.....	60	19	28	12	.....	.....	1
April.....	108	29	64	15	.....	.....	.....
May.....	51	18	26	7	.....	.....	.....
June.....	212	49	141	21	.....	1	.....
July.....	89	34	45	9	1	.....	.....
August.....	94	34	39	19	1	1	.....
September.....	113	40	62	11	.....	.....	.....
October.....	161	34	106	21	.....	.....	.....
November.....	118	30	71	13	2	2	.....
December.....	92	32	46	14	.....	.....	.....
Total.....	1,242	361	702	168	6	4	1

\*Outside of Boston.

*Whether by Clergymen or Civil Officials.*

Of the cases in which both parties were white, 1,160 marriages were solemnized by clergymen and 56 by justices; of the marriages of colored persons and mixed marriages all were performed by clergymen.

*Ages of Grooms and Brides (Relative).*

The greatest number of grooms of any age period was 398, or 32.04 per cent., in the 25-29 year period. The greatest number of brides of any 5 year age period was 386, or 31.07 per cent. of the whole number of brides, in the 21-24 year age period. The table shows the relative ages of the grooms and brides.

The number of grooms who married at less than 25 years of age was 345, or 27.77 per cent.; at less than 30 years of age, 743, or 59.82 per cent; at 30 years and more, 498, or 40.09 per cent.

The number of brides under 20 years of age was 124, or 9.9 per cent.; the number of brides between 20 and 30 years of age was 821, or 66.99 per cent.; the number of brides 30 years and more was 297, or 23.91 per cent.

**TABLE XXVI. — OUT-OF-TOWN MARRIAGES: AGES OF GROOMS AND BRIDES (RELATIVE).**

AGES OF GROOMS.	Total Grooms of Each Age.	AGES OF BRIDES.													
		16 Years.	17 Years.	18 Years.	19 Years.	20 Years.	21 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.
18 years.....	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...
19 " .....	15	...	...	3	6	1	4	1	...	...	...	...	...	...	...
20 " .....	15	...	1	2	4	6	2	...	...	...	...	...	...	...	...
21 to 24 years....	314	2	6	28	37	40	142	51	7	1	...	...	...	...	...
25 to 29 " ....	398	...	1	12	16	18	148	168	35	5	...	...	...	...	...
30 to 34 " ....	210	...	...	1	2	7	54	71	65	6	3	1	...	...	...
35 to 39 " ....	140	...	...	1	...	2	29	51	30	24	2	1	...	...	...
40 to 44 " ....	63	...	...	...	...	...	3	15	20	16	7	1	1	...	...
45 to 49 " ....	40	...	...	1	...	...	1	5	5	5	18	4	1	...	...
50 to 54 " ....	24	...	...	...	...	...	1	3	1	5	6	2	5	...	1
55 to 59 " ....	5	...	...	...	...	...	1	...	...	1	2	1	...	...	...
60 to 64 " ....	10	...	...	...	...	...	...	...	...	1	4	2	3	...	...
65 to 69 " ....	4	...	...	...	...	...	...	...	...	...	...	3	1	...	...
70 to 74 " ....	2	...	...	...	...	...	1	...	...	...	...	1	...	...	...
Age unknown.....	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...
Total brides of each age.....	1,242	2	8	49	65	75	386	360	163	64	42	16	11	...	1

The greatest number of marriages in which both parties were in the same division of age was 163, in the 25-29 year period; the number of grooms whose brides were of greater age was 124.

*Number of Marriage.*

In 1,000 cases neither party had been previously married.

There were 66 cases in which the groom's first marriage was with brides who had previously married; of these brides 41 were widows and 25 were *divorcees*; all but 2 of the widows were making their second marriage.

In 115 cases of widowers marrying the second time 80 had brides who were not previously married; 17 married widows whose second marriage it was, and 17 married *divorcees* who were marrying the second time; one bride was divorced and marrying the third time.

**TABLE XXVII. — OUT-OF-TOWN MARRIAGES.**

*Number of Marriage (Relative).*

GROOMS.	Total Grooms.	BRIDES.				
		First.	Second, Widowed.	Third, Widowed.	Second, Divorced.	Third, Divorced.
First.....	1,066	1,000	39	2	25	.....
Second .....	1	1	.....	.....	.....	.....
Second, widowed.....	115	80	17	.....	17	1
Third, widowed.....	9	8	1	.....	.....	.....
Fourth, widowed .....	1	1	.....	.....	.....	.....
Second, divorced .....	43	29	9	.....	5	.....
Fourth, divorced .....	1	.....	.....	.....	1	.....
Miscellaneous .....	6	.....	.....	.....	.....	.....
Total brides.....	1,242	1,119	66	2	48	1

Of the 9 widowed grooms marrying the third time 8 married brides who had not previously been married, and 1 married a widow who had been once married; the bride of the widower of the fourth marriage had not previously been married.

The divorced grooms who had been once married were 43 in number, 29 of their brides had not been previously married, 9 married widows and 5 married brides who had been divorced; these 14 brides had been once married.

The divorced groom marrying the fourth time had for a bride a divorced woman who had been once married.

TABLE XXVIII. — OUT-OF-TOWN MARRIAGES: RELATIVE NATIVITY OF GROOMS AND BRIDES.

BIRTHPLACE OF GROOMS.	BIRTHPLACE OF BRIDES.																						
	Boston.	United States out of Boston.	Ireland.	British-American Provinces.	Great Britain.	Germany.	Italy.	Russia.	Norway.	Sweden.	China.	France.	Turkey.	Austria.	Portugal.	Holland.	Belgium.	Switzerland.	Greece.	Denmark.	Cuba and West Indies.	All other Countries.	Unknown.
Boston .....	60	142	14	18	8	2	2	1	1	1	*1	1	1	1	1	1	1	1	1	1	1	1	1
United States out of Boston .....	92	349	16	79	19	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1
Ireland .....	102	5	80	3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
British-American Provinces .....	148	13	6	61	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Great Britain .....	46	9	18	6	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Germany .....	10	2	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Italy .....	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Russia .....	40	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Norway .....	28	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Sweden .....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
China .....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
France .....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Turkey .....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Austria .....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Portugal .....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Holland .....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Belgium .....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Switzerland .....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Greece .....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Denmark .....	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cuba and West Indies .....	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
All others .....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Unknown .....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Total .....	1,343	597	123	181	39	7	5	42	2	28	1	1	6	2	2	1	1	2	6	1	1	2	2

\* White woman born in China.

TABLE XXIX.—OUT-OF-TOWN MARRIAGES: NATIVITY OF GROOMS AND BRIDES, AND NUMBER OF MARRIAGE.

GROOM.	Boston.	United States, out of Boston.	Ireland.	British-Ameri- can Provinces.	Great Britain.	Germany.	Italy.	Russia.	Norway.	Sweden.	China.	France.	Turkey.	Austria.	Portugal.	Holland.	Belgium.	Switzerland.	Greece.	Denmark.	Cuba and West Indies.	All other Countries.	Unknown.	Total.
	First.....	222	469	84	135	39	9	7	33	2	25	3	1	8	4	1	1	4	...	9	4	5	1	1,066
Second *	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Second, widowed.....	.....	18	53	17	12	5	1	1	7	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	116
Third, widowed.....	.....	3	7	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
Fourth, widowed.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Second, divorced.....	.....	6	33	.....	.....	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	43
Third, divorced.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
Fourth, divorced.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Total.....	249	567	102	148	46	10	8	40	3	28	3	1	8	4	1	1	4	4	...	9	4	5	1	1,342
BRIDE.																								
First.....	173	627	119	164	36	7	4	38	1	27	11	.....	5	2	2	1	2	.....	6	1	3	3	1,122	
Second, widowed...	10	36	3	8	3	.....	1	2	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	66
Third, widowed.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
Second, divorced.....	8	31	1	9	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
Third, divorced.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Total.....	191	597	123	181	39	7	5	42	2	28	1	.....	6	2	2	1	2	...	6	1	3	3	1,242	

\* No statement as to whether divorced or widowed.

† White woman born in China.

*Nativity of Grooms and Brides.*

There were 248 grooms born in Boston, or 19.96 per cent., and 568, or 45.73 per cent., were born elsewhere in the United States.

The grooms born in Ireland were 102, or 8.2 per cent.

The grooms born in the British-American Provinces were 148, or 11.91 per cent.

Of the brides, 189 were born in Boston, or 15.21 per cent., and 599 were born elsewhere in the United States, or 48.22 per cent.

The brides born in Ireland were 123, or 9.9 per cent.

The brides born in the British-American Provinces were 181, or 14.5 per cent.

The whole number of grooms of American birth was 816, or 65.7 per cent.; the whole number of American brides was 788, or 63.4 per cent.

The number of marriages in which both parties were natives of Boston was 59, or 4.7 per cent.

The number of cases in which both parties were natives of the United States was 643, or 51.7 per cent.

The number of American-born grooms who married foreign-born brides was 153, or 12.2 per cent.; the number of American-born brides who married foreign-born grooms was 145, or 11.6 per cent.

*Place of Marriage.*

The out-of-town marriages recorded by this department were distributed by states as follows:

Massachusetts (outside of Boston)	948	Connecticut	15
Rhode Island	198	British-American Prov- inces	6
Maine	26	Pennsylvania	3
New Hampshire	20	Washington, D. C.	1
New York	14	Tennessee	1
Vermont	6	Texas	1
New Jersey	1	Illinois	2

The marriages in the "greater Boston district" (included in the number for Massachusetts) were as follows: Cambridge 125, Malden 52, Chelsea 50, Somerville 95, Winchester 3, Brookline 87, Newton 36, Medford 30, Melrose 15, Everett 41, Hyde Park 10, Revere 12, Quincy 20, Lexington 4, Arlington 8, Hingham 8, Winthrop 5, Milton 3.

TABLE XXX. — OUT-OF-TOWN MARRIAGES: AGE-PERIOD AND NATIVITY OF GROOMS.

AGE-PERIOD.	Boston.	United States out of Boston.	Ireland.	British-Ameri- can Provinces.	Great Britain.	Germany.	Italy.	Russia.	Norway.	Sweden.	China.	France.	Turkey.	Austria.	Portugal.	Holland.	Belgium.	Switzerland.	Greece.	Denmark.	Cuba and West Indies.	All other Countries.	Unknown.
18 years.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
19 ".....	4	5	.....	2	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
20 ".....	6	7	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21 to 24 years.....	74	150	9	33	10	3	3	15	.....	2	.....	1	2	2	1	.....	.....	1	.....	4	2	3	.....
25 to 29 ".....	77	166	36	57	11	2	2	15	2	15	1	.....	4	.....	.....	.....	.....	3	.....	3	1	1	.....
30 to 34 ".....	36	93	30	27	6	2	2	3	.....	16	.....	.....	2	1	.....	.....	.....	.....	.....	.....	1	.....	1
35 to 39 ".....	23	61	17	15	13	3	.....	5	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	1	.....
40 to 44 ".....	11	35	5	6	3	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
45 to 49 ".....	8	20	3	4	2	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50 to 54 ".....	5	15	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
55 to 59 ".....	1	2	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
60 to 64 ".....	3	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
65 to 69 ".....	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
70 to 74 ".....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Age unknown.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Total.....	219	567	102	148	46	10	8	40	3	28	3	1	8	4	1	.....	1	4	.....	9	4	5	1



## OUT-OF-TOWN MARRIAGES: OCCUPATIONS OF GROOMS.

Artists, architects, teachers of art . . . . .	14
Engineers and surveyors . . . . .	15
Journalists . . . . .	3
Lawyers . . . . .	23
Musicians and teachers of music . . . . .	9
Physicians, surgeons, dentists . . . . .	28
Teachers (school) . . . . .	6
Mercantile and commercial . . . . .	436
Bankers, brokers, financial business . . . . .	14
Real estate and insurance . . . . .	15
Barbers and hairdressers . . . . .	7
Janitors, sextons, and elevatormen . . . . .	5
Policemen, firemen, watchmen . . . . .	11
Soldiers, sailors (U. S.), and marines . . . . .	7
Laborers . . . . .	44
Servants . . . . .	20
Bakers and confectioners . . . . .	11
Boot and shoe makers . . . . .	27
Butchers . . . . .	7
Carpenters and joiners . . . . .	44
Compositors, printers and pressmen . . . . .	17
Engineers and firemen . . . . .	31
Iron, steel and metal workers . . . . .	22
Laundry workers . . . . .	2
Leather workers . . . . .	7
Machinists . . . . .	43
Masons (brick and stone) . . . . .	11
Painters, glaziers, and varnishers . . . . .	27
Plumbers, steam and gasfitters . . . . .	20
Tailors . . . . .	11
Draymen, hackmen, etc. . . . .	48
Coachmen . . . . .	9
Railroad employees (steam and electric) . . . . .	70
Sailors, pilots, and fishermen . . . . .	9
Telephone and telegraph linemen . . . . .	10
Students . . . . .	6
Postal clerks . . . . .	11
Electricians . . . . .	16
Cooks . . . . .	5
Mechanics . . . . .	3
Farmers . . . . .	12
Bookfinishers . . . . .	8
Clergymen . . . . .	6
Photographers . . . . .	7
None . . . . .	4

Three each of the following trades and occupations: Chemist, nurse, cigarmaker, boilermaker, United States government

officials and upholsterers; 2 each of soapmakers, paperhangers, boxmakers, millwrights, inspectors, bridge builders, chauffeurs, riggers, actors, rubber workers, and moulders, and 1 each of 25 trades or occupations not easily classified.

OUT-OF-TOWN MARRIAGES: OCCUPATIONS OF BRIDES.

Mercantile and commercial . . . . .	141
Needle workers . . . . .	99
Telegraph and telephone operators . . . . .	6
Mill and factory operatives . . . . .	81
Waitresses . . . . .	27
At home . . . . .	396
Domestic occupations . . . . .	156
Printers and compositors . . . . .	5
None . . . . .	245
School teachers . . . . .	23
Housekeepers . . . . .	29
Nurses . . . . .	24
Musicians . . . . .	13
Shoemakers . . . . .	7
Candymakers . . . . .	5
Laundry workers . . . . .	6

Of the following trades and occupations there were 4 each of bookbinders and leather workers, 3 each of rubber workers, students, and actresses; 2 companions; and 1 each of the following: theatrical costumer, stencil cutter, hairdresser, embosser, boxmaker, gold leaf layer, Sunday school worker, electrician, and Salvation Army officer.

TABLE XXXI.—OUT-OF-TOWN MARRIAGES: AGE-PERIOD AND NATIVITY OF BRIDES, 1905.

AGE-PERIOD.	Boston.	United States out of Boston.	Ireland.	British-American Provinces.	Great Britain.	Germany.	Italy.	Russia.	Norway.	Sweden.	China.	France.	Turkey.	Austria.	Portugal.	Holland.	Belgium.	Switzerland.	Greece.	Denmark.	Cuba and West Indies.	All other Countries.	Unknown.
16 years.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17 ".....	2	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
18 ".....	22	20	.....	3	.....	.....	1	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
19 ".....	19	29	3	4	3	.....	.....	6	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20 ".....	19	37	3	7	2	1	.....	4	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21 to 24 years.....	53	181	31	51	13	2	3	26	1	9	.....	.....	4	2	1	.....	1	2	.....	4	.....	.....	2
25 to 29 ".....	49	159	54	70	12	1	6	2	.....	8	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	1	1
30 to 34 ".....	12	90	24	22	5	3	.....	.....	1	5	*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35 to 39 ".....	6	35	3	13	2	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....
40 to 44 ".....	6	23	3	8	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
45 to 49 ".....	2	9	2	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50 to 54 ".....	.....	8	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
55 to 59 ".....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
60 to 64 ".....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Total.....	191	597	123	181	39	7	10	42	2	28	1	.....	6	2	2	.....	1	2	.....	6	1	3	3

\* White woman born in China.

## BIRTHS IN BOSTON IN 1905. (TABLE XXXIII.)

There were 15,702 births registered in this office in the year 1905; there were 8,193 males and 7,509 females.

The number of births recorded was 67 less than in 1904.

These may be classified generally, as regards the residence of the parents, as follows: Parents residing in Boston, ward residence known, 14,902 — males, 7,764, females, 7,138; ward residence unknown, 9, all males; born in Boston of non-resident parents, 602 — males, 326, females, 276; born in Boston, parents' residence unknown, 198 — males, 103, females, 95.

Total number of children born in Boston, and recorded, 15,681 — males, 8,184, females, 7,497.

There were 664 stillbirths which are not included in the above total.

The birth-rate for 1905 was 26.45 per thousand of population, or 1 in every 37.9.

The ward from which the greatest number of births was returned was Ward 6, 1,521; this number was 26 less than the number for 1904; the number of births in this ward was 9.7 per cent. of the whole number of births in the city. The least number of births returned from any ward was in Ward 10, 266; or 1.6 per cent. of the total number of births.

The male births were in excess in all wards except Wards 12, 13, 15, 19 and 20.

The greatest number of births, parents residing in Boston, for any month was in August, 1,382; the least number was 1,158, in June.

The greatest number of male births in any month was 728, in August; the least number was 547, in June.

The greatest number of female births in any month was 673, in March; the least number was 537, in May.

The greatest number of births for any season or quarter-year period was 4,226, in the third quarter of the year; the least number for any quarter-year period was 3,735, in the second quarter of the year.

The greatest number of male births for any quarter-year period was 2,225, in the third quarter of the year; the greatest number of female births for any quarter-year period was 2,001, in the third quarter of the year.

The ward which returned the greatest number of births was Ward 6, 1,521, or 9.7 per cent. of the total number of births, about 5 per cent. on the ward population, or one birth to each 19 of the population. The ward having the least number of births was Ward 10, with 266, or 1.6 per cent. of the population, or one in every 89.

**TABLE XXXII.—PERCENTAGE OF BIRTHS IN EACH WARD TO WHOLE NUMBER OF BIRTHS AND OF WARD POPULATION AND RATIO.**

WARD.	Population.	Births, 1905.	Per cent. of whole Number of Births.	Percent. of Ward Population.	One in every
1.....	25,405	705	4.4	2.7	36
2.....	25,929	717	4.5	2.7	36
3.....	14,831	454	2.8	3.1	32
4.....	12,499	348	2.2	2.7	35
5.....	12,653	300	1.9	2.3	42
6.....	29,987	1,521	9.7	5.0	19
7.....	15,579	361	2.3	2.3	43
8.....	30,810	913	5.8	2.9	33
9.....	22,120	570	3.6	2.5	38
10.....	23,841	266	1.6	1.1	89
11.....	22,353	294	1.8	1.3	76
12.....	21,738	317	2.0	1.4	68
13.....	21,654	761	4.8	3.5	28
14.....	22,127	587	3.7	2.6	37
15.....	20,310	493	3.1	2.4	41
16.....	21,924	506	3.2	2.3	43
17.....	24,313	653	4.1	2.6	37
18.....	22,121	585	3.7	2.6	37
19.....	29,213	812	5.1	2.7	36
20.....	41,805	828	5.2	1.9	50
21.....	26,533	448	2.7	1.6	59
22.....	27,789	689	4.3	2.4	40
23.....	26,410	519	3.2	1.9	50
24.....	31,650	671	4.2	2.1	47
25.....	21,806	557	3.5	2.5	39

**COLORED BIRTHS: ALL OTHER THAN WHITE. (TABLE XXXIV.)**

There were 278 births of colored children recorded in Boston in 1905, or 6 less than in 1904; of these, 251 were of parents residing in Boston; of 21 the parents were non-residents, and of 6 the parents' residence was unknown or not given.

The births of colored children were 1.7 per cent. of the total number of births in the city.

Of these births, 142 were males and 136 females. Three were recorded as yellow, or Chinese, and were females.

The greatest number of these births was in February, 29; the least number was 18, in January and May.

Ward 18 is credited with the greatest number of colored births; there were 90, or 7 more than in 1904; there were 45 of each sex.

In Wards 2, 3, 5, 6, 15, 16, 19, 20, 24 there were no colored births. The yellow, or Chinese, births were all in Ward 7.

BIRTHS. — NATIVITY OF FATHERS AND MOTHERS. (TABLES XXXV. AND XXXVI.)

*Fathers.* — Of the children born in Boston in 1905, 2,823 had fathers who were also born in Boston, and 2,591 had fathers who were born in the United States outside of Boston, making a total of 5,414 fathers of native birth, or 34.5 per cent. of the whole number of fathers.

There were 2,701 fathers born in Ireland, 1,652 in the British Provinces of North America, 562 in Great Britain, 251 in Germany, 1,893 in Italy, 1,765 in Russia, 73 in Norway, 254 in Sweden, 3 in China, 27 in France, 101 in Turkey, 119 in Austria, 54 in Portugal, 12 in Holland, 13 in Belgium, 15 in Switzerland, 17 in Greece, 41 in Denmark, 36 in Cuba and the West Indies, 41 in all other countries not specified in the table, while of 637 fathers the nativity was unknown, or not given.

*Proportion of the Sexes to the Nativity of Parents.*

The children of American fathers were 2,805 males and 2,609 females; excess of males, 196.

The children of American mothers were 3,189 males and 2,761 females; excess of males, 428.

The children of American parentage (both parents) were 2,040 males and 1,962 females; excess of males, 78.

The children whose fathers were foreign born were 5,048 males and 4,582 females; excess of males, 466.

The children of foreign-born mothers were 5,276 males and 4,712 females; excess of males, 564.

The children of parents who were both foreign born were 4,380 males and 3,957 females; excess of males, 423.

The children of native fathers and foreign mothers were 765 males and 647 females; excess of males, 118.

The children of native mothers and foreign fathers were 849 males and 799 females; excess of males, 50.

The children of parents both born in Boston were 760 males and 818 females; excess of females, 58.

Table XXXVII. shows the relative nativity of the parents of the children born in Boston in 1905.

**TABLE XXXIII.—BIRTHS RECORDED IN BOSTON, 1905:  
BY WARDS, SEX AND MONTHS.**

WARD RESIDENCE OF PARENTS.	TOTAL BIRTHS.	Each Sex.		January.		February.		March.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1.....	705	377	328	45	31	22	27	22	29
2.....	717	381	336	40	23	28	21	25	31
3.....	454	239	215	16	17	17	12	17	23
4.....	348	189	159	18	9	15	15	17	10
5.....	300	164	136	13	14	13	9	8	11
6.....	1,521	820	701	63	49	68	51	69	72
7.....	361	182	179	22	12	18	12	16	19
8.....	913	459	454	35	48	32	30	44	51
9.....	570	300	270	26	23	22	20	26	21
10.....	266	147	119	21	14	14	14	14	12
11.....	294	159	135	18	15	9	14	15	15
12.....	317	149	168	15	18	14	18	10	22
13.....	761	378	383	31	27	36	29	25	32
14.....	587	302	285	25	21	24	15	25	30
15.....	493	246	247	18	22	24	19	26	16
16.....	506	281	225	20	17	23	14	32	19
17.....	653	368	285	37	23	29	22	31	30
18.....	585	299	286	20	42	36	27	28	22
19.....	812	392	420	28	36	39	36	45	46
20.....	828	414	414	37	35	37	23	37	34
21.....	448	230	218	19	13	22	16	19	26
22.....	689	352	337	25	24	30	30	42	25
23.....	519	277	242	20	26	24	23	20	28
24.....	671	348	323	28	37	34	22	36	28
25.....	557	296	261	31	20	20	18	20	21
Ward unknown.....	6	6	6	1	.....	.....	.....	.....	.....
Totals, each sex.....	.....	7,755	7,126	672	616	650	537	669	673
Totals, both sexes.....	14,881	14,881	.....	1,288	.....	1,187	.....	1,342	.....
Non-residents.....	602	326	276	18	27	21	18	35	23
Residence unknown.....	198	103	95	12	7	9	7	21	8
Totals, each sex.....	.....	8,184	7,497	702	650	680	562	725	704
Totals, both sexes.....	15,681	15,681	.....	1,352	.....	1,242	.....	1,429	.....

**TABLE XXXIII., Continued.—BIRTHS RECORDED IN BOSTON, 1905: BY WARDS, SEX, MONTHS AND SEASONS.**

WARD RESIDENCE OF PARENTS.	April.		May.		June.		July.		August.		September.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1.....	32	30	29	23	20	33	44	31	30	31	27	24
2.....	23	28	31	23	29	30	31	19	34	37	27	34
3.....	18	18	13	15	18	15	22	21	31	13	21	18
4.....	7	16	14	18	9	15	12	21	28	12	15	11
5.....	12	9	13	14	14	9	9	17	19	10	20	12
6.....	60	57	62	50	55	50	66	64	91	62	81	55
7.....	14	15	16	13	12	17	15	20	14	15	9	18
8.....	33	39	36	38	33	45	49	28	43	27	26	33
9.....	27	23	37	24	26	32	27	30	22	25	27	22
10.....	8	6	10	10	16	9	18	11	16	9	12	11
11.....	15	7	6	10	13	10	19	8	17	12	21	22
12.....	11	11	14	13	11	16	16	14	13	14	11	12
13.....	22	40	29	27	24	31	34	29	37	43	36	26
14.....	19	25	21	17	20	21	22	28	36	24	34	26
15.....	12	22	16	21	17	18	20	24	16	23	22	25
16.....	25	19	18	21	30	23	28	24	28	18	20	15
17.....	30	18	33	25	18	19	34	24	39	30	35	31
18.....	30	25	24	20	25	34	38	22	24	31	20	21
19.....	36	39	24	37	31	31	36	32	33	41	34	38
20.....	40	28	35	36	25	45	40	42	30	39	46	38
21.....	17	22	17	14	13	20	19	16	25	23	16	17
22.....	25	26	31	24	26	29	33	33	28	34	28	33
23.....	25	16	26	17	13	24	29	24	14	19	30	21
24.....	31	24	28	25	27	18	29	35	31	36	25	23
25.....	37	25	26	21	22	15	21	32	29	26	20	23
Ward unknown.....	1										1	
Totals, each sex.....	610	588	609	556	547	611	711	649	728	654	664	609
Totals, both sexes...	1,198		1,165		1,158		1,360		1,382		1,273	
Non-residents.....	31	28	53	24	22	22	36	27	30	25	31	16
Residence unknown	12	15	7	9	4	7	6	12	11	6	8	3
Totals, each sex.....	653	631	649	589	573	640	753	688	769	685	703	628
Totals, both sexes...	1,284		1,238		1,213		1,441		1,454		1,331	



**TABLE XXXIII., Continued. — BIRTHS RECORDED IN BOSTON, 1905: BY WARDS, SEX, MONTHS AND SEASONS.**

WARD RESIDENCE OF PARENTS.	October.		November.		December.		First Quarter, Jan., Feb., Mar.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1.....	39	24	30	18	38	27	89	87
2.....	37	31	36	32	40	27	93	75
3.....	24	19	20	22	22	22	50	52
4.....	23	7	17	12	17	13	50	34
5.....	14	8	15	8	14	15	34	34
6.....	67	65	60	56	78	70	200	172
7.....	18	17	16	18	15	8	56	43
8.....	48	41	34	38	52	38	111	129
9.....	23	18	23	19	23	20	74	64
10.....	14	12	11	12	8	17	49	40
11.....	16	14	10	10	9	9	42	44
12.....	10	15	20	17	14	14	39	58
13.....	27	28	37	37	40	34	92	88
14.....	20	23	32	27	25	29	74	66
15.....	22	19	29	15	24	23	68	57
16.....	16	20	16	17	25	18	75	50
17.....	26	28	31	17	34	27	97	75
18.....	32	29	29	35	38	23	84	91
19.....	31	30	22	21	33	33	112	118
20.....	29	36	26	30	32	28	111	92
21.....	21	17	18	23	24	13	60	55
22.....	33	24	30	26	29	36	97	79
23.....	24	12	22	15	31	18	64	77
24.....	22	21	27	27	30	27	98	87
25.....	26	16	28	19	18	28	71	59
Ward unknown.....	.....	.....	1	.....	2	.....	1	.....
Totals, each sex .....	662	574	640	571	715	661	1,991	1,826
Totals, both sexes. ....	1,236		1,211		1,376		3,817	
Non-residents.....	32	18	28	28	25	25	74	68
Residence unknown.....	8	8	2	7	7	8	42	22
Totals, each sex .....	702	600	670	606	747	650	2,107	1,916
Totals, both sexes .....	1,302		1,276		1,397		4,023	

**TABLE XXXIII., *Concluded.*—BIRTHS RECORDED IN BOSTON, 1905: BY WARDS, SEX, MONTHS AND SEASONS.**

WARD RESIDENCE OF PARENTS.	Second Quarter, Apr., May, June.		Third Quarter, July, Aug., Sept.		Fourth Quarter, Oct., Nov., Dec.	
	Males.	Females.	Males.	Females.	Males.	Females.
1.....	81	86	101	86	107	69
2.....	83	81	92	90	113	90
3.....	49	48	74	52	66	63
4.....	30	49	55	44	57	32
5.....	39	32	48	39	43	31
6.....	177	157	238	181	206	191
7.....	43	45	38	53	49	43
8.....	102	122	118	88	134	117
9.....	90	79	76	77	69	57
10.....	34	25	46	31	33	41
11.....	34	30	57	42	35	33
12.....	63	39	40	40	44	46
13.....	75	98	107	98	104	99
14.....	60	63	92	78	77	79
15.....	45	61	53	72	75	57
16.....	73	63	76	57	57	55
17.....	81	62	108	85	91	72
18.....	79	79	82	74	99	37
19.....	91	107	103	111	86	84
20.....	100	109	116	119	87	94
21.....	47	56	60	56	63	53
22.....	82	79	89	100	92	86
23.....	64	57	73	64	77	45
24.....	86	67	85	94	79	75
25.....	85	61	70	81	72	63
Ward unknown.....	1	.....	1	.....	3	.....
Totals, each sex.....	1,766	1,755	2,103	1,912	2,017	1,762
Totals, both sexes.....	3,521		4,015		3,779	
Non-residents.....	86	74	97	68	85	71
Residence unknown.....	23	31	25	21	17	23
Totals, each sex.....	1,875	1,860	2,225	2,001	2,119	1,856
Totals, both sexes.....	3,735		4,226		3,975	

**TABLE XXXIV.—COLORED BIRTHS IN BOSTON, 1905: BY WARDS, MONTHS AND SEX.**

WARD.	TOTAL BIRTHS.	Each Sex.		January.		February.		March.		April.		May.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1.....	1	1											
2.....													
3.....													
4.....	3	3						1					
5.....													
6.....													
7.....	8	3	*5					1		1		1	
8.....	8	6	2	1	1			1		1	2		
9.....	16	9	7	1	1	1	1	3		1	1	1	3
10.....	33	15	18	1	1	1	4	2	2			1	2
11.....	23	9	14		2	1	2			3	1		
12.....	25	10	15		2	2	1	1	3	1		1	1
13.....	1	1											
14.....	1		1										
15.....													
16.....													
17.....	18	9	9	1		1		1		1			
18.....	90	45	45	1	5	6	4	4	2	6	3	4	1
19.....													
20.....													
21.....	2		2					1					
22.....	15	8	7					1					1
23.....	2	1	1										
24.....													
25.....	5	2	3				1			1			
Totals, each sex.....		122	129	5	12	12	13	14	9	13	7	10	8
Totals, both sexes.....	251	251		17		25		23		20		18	
Non-residents.....	21	16	5	1		3		2	1	1			
Residence unknown ..	6	4	2			1				1			
Totals, each sex.....		142	136	6	12	16	13	16	10	14	8	10	8
Totals, both sexes.....	278	278		18		29		26		22		18	

\* Three Chinese.

TABLE XXXIV., *Concluded.*—COLORED BIRTHS IN BOSTON, 1905 :  
BY WARDS, MONTHS and SEX.

WARDS.	June.		July.		August.		September.		October.		November.		December.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1.....	1													
2.....														
3.....														
4.....					2									
5.....														
6.....														
7.....			*1		1		*1				*1			
8.....	1												1	
9.....							1				1		1	
10.....	1	2	1		2		2		1	2	3	2		3
11.....	1	2	1		1	1		4	2	1				1
12.....			2	1		1		1	1	2	1	1	1	2
13.....													1	
14.....		1												
15.....														
16.....														
17.....				1	3	4	2			1	1		1	1
18.....	4	10	4	1	1	5	3	2	4	4	2	6	6	2
19.....														
20.....														
21.....								1						
22.....			1	2		1	1	1	1		2	1	2	1
23.....						1	1							
24.....														
25.....				1	1			1						
Totals, each sex.....	8	15	9	7	10	14	10	11	9	10	9	13	13	10
Totals, both sexes..														
Non-residents... ..	1		4	1	3				1					3
Residence unknown							2		1					1
Totals, each sex....	9	15	13	8	13	14	12	11	11	10	9	13	13	14
Totals, both sexes..	24		21		27		23		21		22		27	

\* Chinese.

**TABLE XXXV.—BIRTHS IN BOSTON, 1905: NATIVITY OF FATHERS BY COUNTRY OF BIRTH. BIRTHS BY WARDS AND SEX.**

BIRTHPLACES.	TOTAL FATHERS.	Total Children of Each Sex.		WARDS.							
				1		2		3		4	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston.....	2,823	1,425	1,398	90	75	65	63	65	66	45	49
United States, other than Boston.....	2,591	1,380	1,211	43	53	27	27	37	33	36	15
Ireland .....	2,701	1,407	1,294	33	23	44	29	83	66	68	52
British-American Provinces..	1,652	847	805	78	63	49	60	36	30	20	19
Great Britain .....	562	310	252	23	17	14	10	5	7	8	7
Germany .....	251	125	126	2	4	1	3	.....	.....	1	1
Italy .....	1,893	1,020	873	42	25	84	66	5	5	3	7
Russia .....	1,765	921	844	37	28	68	42	3	4	7	1
Norway.....	73	43	30	5	2	10	8	1	.....	.....	1
Sweden .....	254	134	120	6	7	9	12	1	1	2	.....
China .....	3	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
France.....	27	12	15	1	1	1	2	.....	.....	.....	.....
Turkey .....	101	58	43	.....	1	.....	.....	.....	.....	.....	.....
Austria .....	119	63	56	1	2	2	1	.....	.....	.....	1
Portugal.....	54	17	37	8	12	1	7	1	1	1	.....
Holland.....	12	8	4	.....	.....	1	.....	.....	.....	.....	.....
Belgium .....	13	8	5	2	1	.....	1	.....	.....	.....	.....
Switzerland .....	15	9	6	.....	1	.....	.....	.....	.....	.....	.....
Greece .....	17	9	8	.....	.....	.....	.....	.....	.....	.....	.....
Denmark .....	41	18	23	1	5	1	.....	.....	.....	1	.....
Cuba and West Indies. ....	36	20	16	1	1	.....	.....	.....	.....	.....	.....
All other countries.....	41	19	22	.....	.....	1	1	.....	.....	.....	.....
Unknown.....	687	331	306	4	7	3	4	2	2	2	4
Total children, each sex.....	.....	8,184	7,497	377	328	361	336	239	215	189	159
Total fathers .....	15,681	15,681	.....	705	717	454	.....	848	.....	.....	.....

TABLE XXXV., *Continued.*—BIRTHS IN BOSTON, 1905: NATIVITY OF FATHERS BY COUNTRY OF BIRTH. BIRTHS BY WARDS AND SEX.

BIRTHPLACES.	WARDS.											
	5		6		7		8		9		10	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston.....	38	32	21	14	14	24	24	19	39	42	10	11
United States, other than Boston,	28	21	9	8	15	21	20	15	37	34	46	39
Ireland.....	65	53	17	9	25	15	26	14	34	27	31	25
British-American Provinces.....	15	14	7	8	8	12	13	7	16	13	14	10
Great Britain.....	7	3	1	5	8	10	8	6	10	4	12	9
Germany.....	.....	.....	3	1	1	.....	2	2	6	4	1	3
Italy.....	6	3	636	541	41	35	57	54	32	25	7	4
Russia.....	.....	3	104	95	12	19	278	297	98	104	3	2
Norway.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
Sweden.....	1	.....	1	1	.....	.....	2	.....	2	1	2	1
China.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
France.....	.....	.....	.....	.....	3	.....	.....	1	.....	1	.....	3
Turkey.....	.....	.....	.....	.....	40	27	1	.....	1	4	.....	1
Austria.....	1	.....	6	7	3	.....	18	18	5	3	1	2
Portugal.....	.....	1	1	5	1	1	.....	.....	.....	.....	.....	.....
Holland.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Belgium.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Switzerland.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1
Greece.....	.....	.....	2	1	2	4	.....	.....	2	.....	1	1
Denmark.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....
Cuba and West Indies.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	4
All other countries.....	.....	.....	1	1	.....	1	8	8	.....	.....	2	.....
Unknown.....	3	6	11	5	6	5	7	11	16	2	13	7
Total children, each sex.....	164	136	820	701	182	179	459	454	300	270	147	119
Total fathers.....each sex.....	300		1,521		361		913		570		266	

**TABLE XXXV., Continued. — BIRTHS IN BOSTON, 1905: NATIVITY OF FATHERS BY COUNTRY OF BIRTH. BIRTHS BY WARD AND SEX.**

BIRTHPLACES.	WARDS.											
	11		12		13		14		15		16	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston.....	16	29	30	28	54	68	78	74	63	82	81	78
United States, other than Boston,	44	50	46	46	24	20	54	46	39	24	60	40
Ireland.....	13	7	17	23	170	180	68	70	67	66	34	32
British-American Provinces.....	14	5	28	26	27	28	45	36	26	29	40	25
Great Britain.....	6	7	8	6	7	5	19	14	8	10	14	6
Germany.....	2	1	1	4	1	4	2	3	14	6	6	5
Italy.....	1	6	4	6	5	12	6	8	9	8	10	9
Russia.....	45	19	4	7	75	49	12	10	4	8	14	9
Norway.....	1	...	...	...	...	...	2	2	...	...	5	5
Sweden.....	2	1	4	2	4	3	4	5	7	4	4	3
China.....	...	...	...	...	...	...	...	...	...	...	...	...
France.....	1	...	...	1	...	...	...	1	...	...	1	...
Turkey.....	1	1	...	1	...	1	...	...	...	...	...	...
Austria.....	...	2	...	...	1	1	...	1	2	1	4	5
Portugal.....	...	...	...	...	...	...	1	3	...	1	...	...
Holland.....	...	...	...	...	...	...	2	1	1	1	2	1
Belgium.....	...	...	...	...	...	...	1	...	3	2	...	...
Switzerland.....	1	...	...	...	...	1	...	...	...	...	2	...
Greece.....	...	...	...	1	...	...	...	...	...	...	...	...
Denmark.....	...	...	...	1	...	...	...	2	...	...	2	1
Cuba and West Indies.....	...	2	1	3	3	...	2	...	...	...	...	...
All other countries.....	2	...	...	1	...	1	...	2	...	1	...	1
Unknown.....	10	5	11	12	7	10	6	7	3	4	2	5
Total children, each sex.....	159	135	149	168	378	383	292	255	246	247	281	225
Total fathers.....	294		317		761		577		493		506	

**TABLE XXXV., Continued.—BIRTHS IN BOSTON, 1905: NATIVITY OF FATHERS BY COUNTRY OF BIRTH. BIRTHS BY WARD AND SEX.**

BIRTHPLACES.	WARDS.											
	17		18		19		20		21		22	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston .....	95	81	56	61	73	82	123	103	44	43	63	68
United States, other than Boston.	45	39	78	66	62	64	115	108	56	59	92	73
Ireland.....	97	75	52	45	139	157	49	63	37	25	60	59
British-American Provinces.....	61	46	27	40	37	43	63	63	41	31	34	41
Great Britain.....	16	7	12	13	22	15	16	13	14	16	17	18
Germany.....	5	2	4	3	18	22	5	3	4	6	25	29
Italy.....	13	9	6	4	6	5	3	6	7	1	9	3
Russia.....	16	11	38	28	11	13	4	19	15	24	19	21
Norway.....	4	1	1	1	1	...	3	3	...	...	1	...
Sweden .....	6	5	9	9	4	5	15	16	3	4	16	7
China.....	...	...	...	...	...	...	...	...	...	...	...	...
France .....	...	1	...	...	1	2	...	2	...	...	1	...
Turkey.....	2	...	2	1	1	...	1	1	...	...	1	...
Austria.....	1	...	3	1	2	1	...	2	2	3	5	3
Portugal .....	...	...	...	...	...	...	1	2	...	...	...	1
Holland .....	...	...	...	...	...	...	...	...	1	...	1	...
Belgium.....	...	...	...	...	...	...	...	...	...	...	...	1
Switzerland.....	...	...	...	...	1	1	1	...	1	...	2	...
Greece .....	...	...	...	...	1	...	1	...	...	...	...	...
Denmark .....	...	...	1	1	1	...	1	3	1	...	2	3
Cuba and West Indies.....	1	2	1	2	...	...	...	1	...	...	...	...
All other countries.....	2	...	2	...	...	1	2	...	1	1	1	...
Unknown.....	4	6	7	11	12	9	6	6	4	4	3	10
Total children, each sex .....	368	285	299	286	392	420	414	414	230	218	352	337
Total fathers.....	653		585		812		828		448		689	



**TABLE XXXV., Concluded. — BIRTHS IN BOSTON, 1905: NATIVITY OF FATHERS BY COUNTRY OF BIRTH. BIRTHS BY WARDS AND SEX.**

BIRTHPLACES.	WARDS.						Ward Unknown.	Non- Residents.		Parents' Residence Unknown.		
	23		24		25							
	Males.	Females.	Males.	Females.	Males.	Females.		Males.	Females.	Males.	Females.	Males.
Boston.....	74	70	87	70	43	44	2	.....	27	20	.....	2
United States, other than Bos- ton.....	66	54	85	86	97	71	1	.....	114	92	4	7
Ireland.....	52	43	60	62	61	61	2	.....	8	13	.....	.....
British-American Provinces..	26	17	54	58	39	45	.....	.....	26	27	3	4
Great Britain.....	18	13	15	11	16	12	.....	.....	10	7	1	1
Germany.....	16	13	2	2	1	2	.....	.....	2	3	.....	.....
Italy.....	4	7	10	8	4	7	1	.....	8	8	1	1
Russia.....	3	1	10	1	21	13	.....	.....	20	14	.....	2
Norway.....	1	.....	4	3	1	.....	.....	.....	1	4	.....	.....
Sweden.....	8	12	12	14	7	2	.....	.....	3	4	.....	1
China.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
France.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....
Turkey.....	.....	.....	2	.....	2	1	.....	.....	6	4	.....	.....
Austria.....	2	.....	1	1	.....	1	.....	.....	2	1	.....	.....
Portugal.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Holland.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Belgium.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Switzerland.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Greece.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Denmark.....	3	2	3	1	.....	.....	.....	.....	1	1	.....	.....
Cuba and West Indies.....	.....	.....	.....	.....	1	.....	.....	.....	5	3	.....	.....
All other countries.....	1	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Unknown.....	1	6	2	5	3	2	.....	.....	89	74	94	77
Total children, each sex.....	277	242	348	323	296	261	6	.....	326	276	103	95
Total fathers.....	519		671		557		6	.....	602		198	

**TABLE XXXVI.—BIRTHS IN BOSTON, 1905: NATIVITY OF MOTHERS BY COUNTRY OF BIRTH. BIRTHS BY WARD AND SEX.**

BIRTHPLACES.	TOTAL MOTHERS.	Total Children of Each Sex.		WARDS.							
				1		2		3		4	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston.....	3,121	1,549	1,572	104	87	63	67	70	79	54	44
United States, out of Boston...	2,491	1,302	1,189	41	44	26	20	30	28	28	26
Ireland .....	3,171	1,686	1,485	36	33	53	34	84	74	69	57
British-American Provinces..	1,847	965	882	86	70	59	75	40	21	22	20
Great Britain.....	524	292	232	16	14	8	11	6	3	4	1
Germany.....	223	111	112	2	1	....	1	....	1	....	....
Italy.....	1,801	982	819	38	20	77	59	5	3	2	6
Russia .....	1,689	869	820	36	20	66	40	2	3	7	1
Norway.....	66	35	31	3	1	12	5	....	1	....	....
Sweden .....	291	158	133	7	7	7	14	1	1	2	2
China .....	....	....	....	....	....	....	....	....	....	....	....
France.....	17	8	9	....	1	....	....	....	....	....	....
Turkey.....	97	56	41	....	....	....	....	....	....	....	....
Austria .....	133	77	56	2	2	2	1	....	....	....	1
Portugal.....	43	12	31	4	11	3	6	....	1	....	....
Holland.....	10	6	4	....	1	....	....	....	....	....	....
Belgium.....	9	4	5	....	....	....	....	....	....	....	....
Switzerland.....	9	6	3	....	....	....	....	....	....	....	....
Greece .....	14	7	7	....	....	....	....	....	....	....	....
Denmark.....	26	13	13	1	3	....	....	....	....	....	....
Cuba and West Indies.....	20	9	11	....	....	....	....	....	....	....	1
All others.....	36	18	18	1	1	2	1	....	....	....	....
Unknown .....	43	19	24	....	2	2	2	1	....	1	....
Total children, each sex.....	....	8,184	7,497	377	328	381	336	239	215	189	159
Total mothers.....	15,681	15,681	....	705	717	454	....	....	....	348	....

**TABLE XXXV., Concluded. — BIRTHS IN BOSTON, 1905: NATIVITY OF FATHERS BY COUNTRY OF BIRTH. BIRTHS BY WARDS AND SEX.**

BIRTHPLACES.	WARDS.						Ward Unknown.	Non- Residents.		Parents' Residence Unknown.		
	23		24		25							
	Males.	Females.	Males.	Females.	Males.	Females.		Males.	Females.	Males.	Females.	
Boston.....	74	70	87	70	43	44	2	.....	27	20	.....	2
United States, other than Bos- ton.....	66	54	85	86	97	71	1	.....	114	92	4	7
Ireland.....	52	43	60	62	61	61	2	.....	8	13	.....	.....
British-American Provinces..	26	17	54	58	39	45	.....	.....	26	27	3	4
Great Britain.....	18	13	15	11	16	12	.....	.....	10	7	1	1
Germany.....	16	13	2	2	1	2	.....	.....	2	3	.....	.....
Italy.....	4	7	10	8	4	7	1	.....	8	8	1	1
Russia.....	3	1	10	1	21	13	.....	.....	20	14	.....	2
Norway.....	1	.....	4	3	1	.....	.....	.....	1	4	.....	.....
Sweden.....	8	12	12	14	7	2	.....	.....	3	4	.....	1
China.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
France.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....
Turkey.....	.....	.....	2	.....	2	1	.....	.....	6	4	.....	.....
Austria.....	2	.....	1	1	.....	1	.....	.....	2	1	.....	.....
Portugal.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Holland.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Belgium.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Switzerland.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Greece.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Denmark.....	3	2	3	1	.....	.....	.....	.....	1	1	.....	.....
Cuba and West Indies.....	.....	.....	.....	.....	1	.....	.....	.....	5	3	.....	.....
All other countries.....	1	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Unknown.....	1	6	2	5	3	2	.....	.....	89	74	94	77
Total children, each sex.....	277	242	348	323	296	261	6	.....	326	276	103	95
Total fathers.....	519	.....	671	.....	557	.....	6	.....	602	.....	198	.....

**TABLE XXXVI.—BIRTHS IN BOSTON, 1905: NATIVITY OF MOTHERS BY COUNTRY OF BIRTH. BIRTHS BY WARD AND SEX.**

BIRTHPLACES.	TOTAL MOTHERS.	Total Children of Each Sex.		WARDS.							
		Males.	Females.	1		2		3		4	
				Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston.....	3,121	1,549	1,572	104	87	63	67	70	79	54	44
United States, out of Boston...	2,491	1,302	1,189	41	44	26	20	30	28	28	26
Ireland .....	3,171	1,686	1,485	36	33	53	34	84	74	69	57
British-American Provinces..	1,847	965	882	86	70	59	75	40	21	22	20
Great Britain.....	524	292	232	16	14	8	11	6	3	4	1
Germany.....	223	111	112	2	1	....	1	....	1	....	....
Italy.....	1,801	982	819	38	20	77	59	5	3	2	6
Russia .....	1,689	869	820	36	20	66	40	2	3	7	1
Norway.....	66	35	31	3	1	12	5	....	1	....	....
Sweden.....	291	158	133	7	7	7	14	1	1	2	2
China .....	....	....	....	....	....	....	....	....	....	....	....
France.....	17	8	9	....	1	....	....	....	....	....	....
Turkey.....	97	56	41	....	....	....	....	....	....	....	....
Austria .....	133	77	56	2	2	2	1	....	....	....	1
Portugal.....	43	12	31	4	11	3	6	....	1	....	....
Holland.....	10	6	4	....	1	....	....	....	....	....	....
Belgium.....	9	4	5	....	....	....	....	....	....	....	....
Switzerland.....	9	6	3	....	....	....	....	....	....	....	....
Greece .....	14	7	7	....	....	....	....	....	....	....	....
Denmark.....	26	13	13	1	3	....	....	....	....	....	....
Cuba and West Indies.....	20	9	11	....	....	....	....	....	....	....	1
All others.....	36	18	18	1	1	2	1	....	....	....	....
Unknown .....	43	19	24	....	2	2	2	1	....	1	....
Total children, each sex.....	....	8,184	7,497	377	328	381	336	239	215	189	159
Total mothers.....	15,681	15,681	....	705	....	717	....	454	....	348	....

**TABLE XXXVI., Continued.—BIRTHS IN BOSTON, 1905: NATIVITY OF MOTHERS BY COUNTRY OF BIRTH. BIRTHS BY WARDS AND SEX.**

BIRTHPLACES.	WARDS.											
	5		6		7		8		9		10	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston .....	39	42	33	28	21	24	29	32	39	41	13	10
United States, other than Boston,	23	18	15	8	16	20	25	15	33	34	43	42
Ireland .....	70	52	15	11	31	30	26	21	49	37	39	29
British-American Provinces .....	19	13	8	9	5	10	20	5	26	19	25	15
Great Britain .....	6	3	2	3	5	6	6	6	10	7	6	3
Germany .....	2	...	1	2	1	1	3	2	7	1	2	3
Italy .....	4	3	628	523	41	33	56	51	29	22	7	3
Russia .....	...	3	101	96	10	19	270	301	96	96	4	3
Norway .....	...	...	...	...	1	...	...	...	...	...	...	...
Sweden .....	1	...	2	...	2	3	2	1	4	1	3	3
China .....	...	...	...	...	...	...	...	...	...	...	...	...
France .....	...	...	...	...	2	...	...	...	...	...	...	4
Turkey .....	...	...	...	...	39	27	1	...	1	4	...	1
Austria .....	...	...	8	8	4	...	21	14	5	6	...	1
Portugal .....	...	1	3	5	...	...	...	...	...	...	...	...
Holland .....	...	...	...	...	...	...	...	...	...	...	...	...
Belgium .....	...	...	...	...	1	...	...	...	...	...	...	1
Switzerland .....	...	...	...	...	...	...	...	...	...	...	...	...
Greece .....	...	...	2	1	3	3	...	...	...	...	1	1
Denmark .....	...	...	...	...	...	...	...	...	...	1	...	...
Cuba and West Indies .....	...	...	...	...	...	1	...	...	...	...	4	...
All other countries .....	...	...	2	...	...	1	...	6	1	1	...	...
Unknown .....	...	1	...	1	...	1	...	...	...	...	...	...
Total children, each sex .....	164	136	820	701	182	179	459	454	300	270	147	119
Total mothers .....	300	...	1,521	...	361	...	913	...	570	...	266	...

TABLE XXXVI., *Continued.* — BIRTHS IN BOSTON, 1905: NATIVITY OF MOTHERS BY COUNTRY OF BIRTH. BIRTHS BY WARDS AND SEX.

BIRTHPLACES.	WARDS.											
	11		12		13		14		15		16	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston .....	30	32	25	31	61	75	89	82	71	85	88	74
United States, other than Boston,	40	42	43	46	18	23	41	49	31	21	53	33
Ireland.....	18	11	20	37	191	187	77	73	73	76	48	43
British-American Provinces.....	15	16	36	25	19	22	51	41	21	27	33	33
Great Britain.....	6	5	8	6	6	6	20	6	10	10	16	12
Germany.....	...	1	1	2	...	4	...	4	14	4	4	5
Italy .....	1	3	4	5	5	12	5	6	8	7	10	6
Russia.....	41	21	6	7	73	47	11	8	4	7	12	7
Norway .....	...	...	...	...	...	...	...	2	1	1	3	4
Sweden.....	2	1	4	3	2	2	4	5	6	3	5	3
China.....	...	...	...	...	...	...	...	...	...	...	...	...
France.....	1	1	...	...	...	...	...	1	1	...	...	...
Turkey.....	1	1	...	1	...	1	...	...	...	...	...	...
Austria.....	1	...	...	...	1	2	...	1	2	2	5	5
Portugal.....	...	...	...	...	...	...	...	2	...	1	...	...
Holland.....	...	...	...	...	...	...	2	1	1	...	2	...
Belgium.....	...	...	...	...	...	1	1	2	2	1	...	...
Switzerland.....	...	...	...	...	...	...	...	...	...	...	1	...
Greece.....	...	...	...	1	...	...	...	...	...	...	...	...
Denmark.....	...	...	...	...	...	...	...	1	...	1	...	...
Cuba and West Indies.....	...	...	...	2	1	...	1	...	...	...	...	...
All other countries.....	2	...	...	...	...	1	...	1	...	1	1	...
Unknown .....	1	...	2	2	1	...	...	...	1	...	...	...
Total children, each sex.....	159	135	149	168	378	383	302	285	246	247	281	225
Total mothers.....	294	...	317	...	761	...	587	...	493	...	506	...

**TABLE XXXVI., Continued.—BIRTHS IN BOSTON, 1905: NATIVITY OF MOTHERS BY COUNTRY OF BIRTH. BIRTHS BY WARDS AND SEX.**

BIRTHPLACES.	WARDS.											
	17		18		19		20		21		22	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston .....	94	78	61	70	67	94	121	115	54	61	66	80
United States, other than Boston.	41	35	58	68	37	54	127	95	46	53	65	72
Ireland.....	124	85	70	59	169	163	60	65	39	28	70	58
British-American Provinces.....	60	47	37	39	48	50	59	78	47	39	43	50
Great Britain.....	8	7	11	8	23	16	18	11	11	8	27	20
Germany.....	1	2	5	3	20	21	3	3	3	3	24	20
Italy.....	13	7	5	4	4	3	2	6	6	2	8	3
Russia.....	12	13	34	26	9	10	2	12	12	16	16	18
Norway.....	2	1	1	...	1	...	1	3	1	1	...	...
Sweden.....	6	8	9	7	7	4	16	19	5	3	16	8
China.....	...	...	...	...	...	...	...	...	...	...	...	...
France.....	1	...	...	...	1	...	1	1	1	...	1	...
Turkey.....	...	...	2	1	1	...	1	1	...	...	1	...
Austria.....	3	...	3	2	2	2	1	4	4	3	7	1
Portugal.....	2	...	...	...	...	...	...	1	...	...	...	1
Holland.....	...	...	...	...	...	...	...	...	...	...	1	1
Belgium.....	...	...	...	...	...	...	...	...	...	...	...	...
Switzerland.....	...	...	...	...	1	2	1	...	...	...	1	1
Greece.....	...	...	...	...	1	...	...	...	...	...	...	...
Denmark.....	...	...	1	1	1	...	1	...	...	...	2	2
Cuba and West Indies.....	1	1	...	2	...	...	...	...	...	...	...	...
All other countries.....	1	...	2	...	...	1	...	...	1	...	3	...
Unknown.....	...	...	...	1	...	...	1	...	...	1	1	2
Total children, each sex.....	365	285	299	286	392	420	414	414	230	218	352	337
Total mothers.....	653	...	585	...	812	...	828	...	448	...	639	...

**TABLE XXXVI., *Concluded.*—BIRTHS IN BOSTON, 1905: NATIVITY OF MOTHERS BY COUNTRY OF BIRTH. BIRTHS BY WARDS AND SEX.**

BIRTHPLACES.	WARDS.						Ward Unknown.	Non- Residents.	Parents' Residence Unknown.			
	23		24		25							
	Males.	Females.	Males.	Females.	Males.	Females.					Males.	Females.
Boston.....	70	70	81	85	55	45	3	.....	31	24	17	19
United States, other than Boston .....	63	52	78	80	82	61	1	.....	159	122	39	33
Ireland .....	66	49	74	71	78	71	2	.....	22	25	13	6
British-American Provinces..	30	15	55	49	34	43	.....	.....	45	39	22	12
Great Britain.....	18	15	15	13	13	13	.....	.....	15	13	3	6
Germany .....	12	14	3	1	2	4	.....	.....	1	9	.....	.....
Italy.....	3	6	9	5	3	7	.....	.....	9	7	.....	1
Russia.....	2	3	4	2	21	14	.....	.....	18	14	.....	3
Norway .....	1	1	5	3	1	1	.....	.....	2	6	.....	1
Sweden.....	9	14	15	10	6	2	.....	.....	9	5	6	4
China .....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
France.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Turkey.....	.....	.....	2	.....	1	.....	.....	.....	5	4	1	.....
Austria .....	2	.....	2	1	.....	.....	.....	.....	2	.....	.....	.....
Portugal.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....
Holland .....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Belgium .....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Switzerland.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Greece .....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Denmark.....	2	2	3	.....	.....	.....	.....	.....	1	1	.....	1
Cuba and West Indies .....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	1
All other countries.....	1	.....	1	1	.....	.....	.....	.....	.....	1	.....	2
Unknown.....	1	.....	1	1	.....	.....	.....	.....	4	2	2	6
Total children, each sex .....	277	242	348	323	296	261	6	.....	326	276	103	95
Total mothers .....	519		671		557		6		602		198	



**TABLE XXXVII.—NATIVITY OF FATHERS AND MOTHERS OF CHILDREN BORN IN BOSTON IN 1905 (RELATIVE).**

BIRTHPLACES OF FATHERS.	TOTAL FATHERS.	BIRTHPLACES OF MOTHERS.							
		Number of Children, Each Sex.		Boston.		United States, other than Boston.		Ireland.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston .....	2,823	1,425	1,398	760	818	302	252	170	132
United States, other than Boston .....	2,591	1,380	1,211	356	307	622	585	124	99
Ireland .....	2,701	1,407	1,294	103	110	87	49	1,150	1,074
British-American Provinces .....	1,652	847	805	132	126	97	102	80	84
Great Britain .....	562	310	252	55	41	49	34	56	43
Germany .....	251	125	126	16	21	12	11	7	7
Italy .....	1,893	1,020	873	26	32	11	12	4	4
Russia .....	1,765	921	844	10	18	19	9	2	2
Norway .....	73	43	30	1	.....	3	.....	3	1
Sweden .....	254	134	120	2	4	4	9	3	2
China .....	3	.....	3	.....	.....	.....	3	.....	.....
France .....	27	12	15	1	1	3	1	2	.....
Turkey .....	101	58	43	1	.....	.....	.....	.....	.....
Austria .....	119	63	56	2	1	2	.....	.....	.....
Portugal .....	54	17	37	7	7	2	2	.....	.....
Holland .....	12	8	4	.....	.....	.....	.....	.....	.....
Belgium .....	13	8	5	2	.....	.....	2	2	1
Switzerland .....	15	9	6	.....	3	2	.....	1	1
Greece .....	17	9	8	2	.....	.....	.....	1	.....
Denmark .....	41	18	23	1	1	1	4	.....	3
Cuba and West Indies .....	36	20	16	2	3	9	5	2	.....
All other countries .....	41	19	22	1	1	6	3	2	.....
Unknown .....	637	331	306	68	78	110	106	40	25
Total number of children, each sex .....		3,184	7,497	1,548	1,572	1,341	1,189	1,650	1,483
Total mothers .....	15,681	15,681		3,120		2,530		3,133	

**TABLE XXXVII., Continued.—NATIVITY OF FATHERS AND MOTHERS OF CHILDREN BORN IN BOSTON IN 1905 (RELATIVE).**

BIRTHPLACES OF FATHERS.	BIRTHPLACES OF MOTHERS.									
	British-American Provinces.		Great Britain.		Germany.		Italy.		Russia.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston .....	112	112	49	46	7	17	5	6	3	3
United States, other than Boston.....	179	160	64	35	11	7	2	2	4	3
Ireland.....	40	37	24	23	1	.....	1	.....	1	.....
British-American Provinces.....	507	468	25	16	2	2	1	.....	1	.....
Great Britain.....	39	42	99	79	2	1	.....	.....	5	1
Germany .....	5	5	2	3	75	63	.....	.....	6	6
Italy.....	5	3	1	5	.....	.....	966	810	1	2
Russia .....	4	2	9	11	11	12	.....	.....	836	770
Norway.....	2	1	1	1	1	.....	.....	.....	1	1
Sweden.....	3	3	.....	1	.....	.....	.....	.....	2	4
China .....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
France .....	2	1	1	3	.....	.....	1	.....	.....	3
Turkey .....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Austria.....	.....	.....	.....	.....	1	3	.....	1	7	15
Portugal .....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
Holland .....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Belgium.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Switzerland .....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Greece.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Denmark .....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Cuba and West Indies..	1	2	.....	.....	.....	.....	.....	.....	.....	.....
All other countries....	2	3	1	.....	.....	.....	.....	.....	.....	6
Unknown.....	61	46	11	7	1	5	6	.....	2	7
Total number of children, each sex.....	965	882	289	232	112	112	982	819	869	821
Total mothers.....	1,847		521		224		1,801		1,690	

**TABLE XXXVII., Continued.—NATIVITY OF FATHERS AND MOTHERS OF CHILDREN BORN IN BOSTON IN 1905 (RELATIVE).**

BIRTHPLACES OF FATHERS.	BIRTHPLACES OF MOTHERS.									
	Norway.		Sweden.		China.		France.		Turkey.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston .....		2	6	5				1		
United States, other than Boston .....		4	6	4			1	1		
Ireland .....				1						
British-American Provinces .....		1	1	6			1			
Great Britain .....			3	3			1			
Germany .....				4			1	1		
Italy .....			1				1			
Russia .....	1	1	5	1						
Norway .....	25	19	4	7						
Sweden .....	6	3	114	91						
China .....										
France .....							2	6		
Turkey .....									55	42
Austria .....										
Portugal .....										
Holland .....			1							
Belgium .....										
Switzerland .....							1			
Greece .....										
Denmark .....	2	1	2	5						
Cuba and West Indies .....				1						
All other countries .....										
Unknown .....	1		15	6					1	
Total number of children, each sex .....	35	31	168	134			8	9	56	42
Total mothers .....	66		292				17		98	

**TABLE XXXVII., *Continued.*—NATIVITY OF FATHERS AND MOTHERS OF CHILDREN BORN IN BOSTON IN 1905 (RELATIVE).**

BIRTHPLACES OF FATHERS.	BIRTHPLACES OF MOTHERS.									
	Austria.		Portugal.		Holland.		Belgium.		Switzer-land.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston.....	1	2	4					2		
United States, other than Boston.....	2		1						1	
Ireland.....										
British-American Prov- inces.....				1				1		
Great Britain.....								1		
Germany.....		1							1	3
Italy.....			2	2						
Russia.....	22	16				1				
Norway.....	1									
Sweden.....										
China.....										
France.....										
Turkey.....										
Austria.....	51	36								
Portugal.....			5	28						
Holland.....					6	2				
Belgium.....							4	2		
Switzerland.....		1							4	
Greece.....									1	
Denmark.....										
Cuba and West Indies.....										
All other countries.....										
Unknown.....										
Total number of chil- dren, each sex.....	77	56	12	31	6	3	4	6	7	3
Total mothers.....	133		43		9		10		10	

**TABLE XXXVII., *Concluded.*—NATIVITY OF FATHERS AND MOTHERS OF CHILDREN BORN IN BOSTON IN 1905 (RELATIVE).**

BIRTHPLACES OF FATHERS.	BIRTHPLACES OF MOTHERS.									
	Greece.		Denmark.		Cuba and West Indies.		All Other Countries.		Unknown.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Boston .....			1				2		3	
United States, other than Boston.....				1	2	1	5	2		
Ireland .....										
British-American Provinces .....						1			1	3
Great Britain.....						2	1			
Germany.....				1						
Italy.....							2	2		
Russia.....							1	1		
Norway .....			1							
Sweden.....				1				2		
China.....										
France.....										
Turkey.....	1									
Austria.....										
Portugal.....										
Holland .....										
Belgium.....										
Switzerland.....							1			
Greece.....	5	7								
Denmark.....			11	8						
Cuba and West Indies.....					6	5				
All other countries.....					1		6	9		
Unknown.....				1		2		2	15	21
Total number of children, each sex.....	6	7	13	12	9	11	18	18	19	24
Total mothers.....	13		25		20		36		48	

OCCUPATIONS OF FATHERS OF CHILDREN BORN IN BOSTON IN 1905.

OCCUPATIONS.	Number and Sex of Children.	
	Male.	Female.
Artists, architects, art teachers, authors . . .	24	28
Actors . . . . .	2	8
Clergymen . . . . .	21	15
Engineers and surveyors . . . . .	17	14
Journalists . . . . .	12	12
Lawyers . . . . .	26	33
Musicians and teachers of music . . . . .	29	23
Physicians, surgeons and dentists . . . . .	51	41
Teachers (school) . . . . .	18	23
Chemists and drug clerks . . . . .	28	19
Students . . . . .	7	5
Sculptor . . . . .	2	2
Merchants and dealers . . . . .	438	386
Hucksters and pedlers . . . . .	70	96
Foremen . . . . .	65	50
Managers . . . . .	31	26
Bookkeepers, clerks, etc. . . . .	405	410
Bankers, brokers, officials of companies . . . . .	21	34
Collectors, auctioneers, real estate and insurance agents . . . . .	76	65
Salesmen, commercial travellers . . . . .	206	183
Shippers and packers . . . . .	65	61
Inspectors (?) . . . . .	21	32
Hotel and boarding-house keepers . . . . .	4	5
Saloon keepers, liquor dealers . . . . .	25	26
Restaurant keepers, bartenders . . . . .	70	79
Janitors, elevator men . . . . .	83	88
Servants . . . . .	162	150
Cooks . . . . .	67	67
Policemen, firemen . . . . .	115	89
Letter-carriers . . . . .	21	23
Postal clerks . . . . .	21	21
Laborers . . . . .	1,271	1,100
Barbers and hairdressers . . . . .	149	169
Builders . . . . .	18	16
Bakers and confectioners . . . . .	43	98
Blacksmiths and boilermakers . . . . .	116	98
Boot and shoe makers . . . . .	150	118
Brewers and distillers . . . . .	9	20
Bootblacks . . . . .	18	12
Brushmakers . . . . .	6	4
Butchers . . . . .	37	53
Bookbinders . . . . .	20	18
Boxmakers . . . . .	4	5
Boat and ship builders, riggers, calkers . . . . .	22	21
Cabinet makers and upholsterers . . . . .	42	43

OCCUPATIONS.	Number and Sex of Children.	
	Male.	Female.
Carpenters and joiners . . . . .	229	206
Cigar and tobacco workers . . . . .	45	47
Coppersmiths . . . . .	6	2
Clock and watchmakers, jewellers . . . . .	19	24
Compositors, printers, pressmen . . . . .	98	99
Coopers . . . . .	6	7
Contractors (not specified) . . . . .	16	20
Coremakers . . . . .	8	6
Draymen, teamsters, hackmen . . . . .	625	574
Engineers and firemen (stationary) . . . . .	91	39
Electricians . . . . .	78	73
Farmers, gardeners and florists . . . . .	40	38
Furniture polishers . . . . .	1	5
Glass blowers and workers . . . . .	6	2
Hat and cap makers . . . . .	16	15
Laundry workers . . . . .	—	5
Leather workers . . . . .	19	11
Lamplighters . . . . .	3	2
Lithographers . . . . .	2	2
Locksmiths . . . . .	4	5
Machinists . . . . .	195	170
Marble and stone workers . . . . .	51	24
Masons (brick and stone) . . . . .	79	60
Mill and factory operatives . . . . .	49	49
Mechanics . . . . .	21	13
Metal workers . . . . .	79	84
Photographers . . . . .	9	10
Piano and organ makers . . . . .	19	19
Painters, glaziers . . . . .	183	173
Plasterers . . . . .	24	35
Plumbers, steam and gasfitters . . . . .	113	99
Paper cutters . . . . .	1	3
Paperhangers . . . . .	10	12
Railroad employees (steam and electric) . . . . .	338	309
Roofers . . . . .	24	17
Rubber workers . . . . .	32	28
Sailors, pilots, fishermen . . . . .	64	67
Tailors . . . . .	381	338
Tinsmiths . . . . .	23	25
Telephone and telegraph operators . . . . .	25	19
Undertakers . . . . .	8	8
Woodworkers . . . . .	21	18
Weighers . . . . .	5	3
Picture framers . . . . .	2	6
Harnessmakers . . . . .	10	10
Unknown . . . . .	347	318
Moulders (?) . . . . .	37	46
Stable-keepers . . . . .	10	5
Government employees . . . . .	44	43

OCCUPATIONS.	Number and Sex of Children	
	Male.	Female.
Hostlers, stablemen . . . . .	62	60
Engineers (not specified) . . . . .	65	85
Bottlers . . . . .	18	12
Wheelwrights . . . . .	7	5
Stevedores . . . . .	6	5
Dye mixers . . . . .	6	—
Superintendents . . . . .	12	12
Fish curers . . . . .	7	3
Stewards . . . . .	10	18
Ice-men . . . . .	9	8
Decorators . . . . .	12	—
Wireworkers . . . . .	6	—
Chauffeurs . . . . .	8	5
Piano polishers . . . . .	11	6
Cutters (?) . . . . .	11	8
Furriers . . . . .	5	3
Ropemakers . . . . .	5	—
Electrotypers . . . . .	5	5
Meat cutters . . . . .	10	—
Opticians . . . . .	6	—
Stereotypers . . . . .	—	5
Mattressmakers . . . . .	3	5
Billiard and pool-room keepers . . . . .	4	5

Of fathers of male children other than those classified above there were: Four each of athletic teachers, lumber handlers, asbestos workers; 3 each of engravers(?), piledrivers, interpreters, miners, tileworkers, stereotypers and express agents; 2 each of wharfingers, masseurs, automobile repairers, baseball players, typecasters, divers, plastic workers, dredgers, drillers, egg testers, bridge workers, chandelier makers, ship fitters, hose-men, sausagemakers, nurses, paper rulers, building movers, electroplaters, paymasters, carriagemakers, and cable splicers; and 1 each of 69 trades or occupations not easily classified in the above list.

Of fathers of female children other than those classified above there were: Four each of mosaic workers, pawnbrokers and dyers; 3 each of potters, sailmakers, helpers, engravers, draw-tenders, physical instructors, carpet layers and building contractors; 2 each of lumber surveyors, mixers (laborers), scissors grinders, polishers, wireworkers, tileworkers, nurses, electroplaters, sawyers, billposters, miners, opticians and piledrivers; and 1 each of 52 trades and occupations not easily classified in the above list.

#### BIRTHS IN INSTITUTIONS.

There were 1,914 children recorded as having been born in various institutions in the city in 1905; of these 1,006 were



males and 908 females; 1,829 were white and 85 colored. The ward residence of the parents is given in the following table:

Ward 1	.	.	.	21	Ward 15	.	.	.	10
2	.	.	.	22	16	.	.	.	28
3	.	.	.	26	17	.	.	.	50
4	.	.	.	23	18	.	.	.	87
5	.	.	.	17	19	.	.	.	52
6	.	.	.	43	20	.	.	.	73
7	.	.	.	61	21	.	.	.	72
8	.	.	.	88	22	.	.	.	83
9	.	.	.	83	23	.	.	.	57
10	.	.	.	76	24	.	.	.	53
11	.	.	.	52	25	.	.	.	24
12	.	.	.	100	Ward unknown	.	.	.	4
13	.	.	.	27	Non-resident	.	.	.	494
14	.	.	.	17	Unknown residence	.	.	.	170

#### PLURALITY BIRTHS.

The number of cases of plurality births recorded in Boston in 1905 (including all cases of plural birth whether still-born or viable) was 177, including three cases of triplets. There were 68 pairs of male twins, 44 pairs of female twins, and 62 cases of one child of each sex; there were 11 still-births included among these plurality births; of these, 9 were males, 2 females; in one case both were still-born males, colored. The triplets were one case of all males, one case of all females, and one case of 2 males and 1 female.

*Locality.* — Births of twins by wards (pairs):

Ward 1	.	.	.	14	Ward 15	.	.	.	5
2	.	.	.	6	16	.	.	.	5
3	.	.	.	7	17	.	.	.	9
4	.	.	.	9	18	.	.	.	7
5	.	.	.	2	19	.	.	.	9
6	.	.	.	17	20	.	.	.	5
7	.	.	.	2	21	.	.	.	6
8	.	.	.	6	22	.	.	.	8
9	.	.	.	10	23	.	.	.	8
10	.	.	.	2	24	.	.	.	9
11	.	.	.	5	25	.	.	.	7
12	.	.	.	1	Non-residents	.	.	.	1
13	.	.	.	7	Unknown	.	.	.	1
14	.	.	.	6					

One set of triplets were born in Ward 6, and two sets in Ward 20.

*Seasons.* — Birth of twins (pairs) by months and quarter-year periods:

January . . . . .	20	July . . . . .	13
February . . . . .	16	August . . . . .	22
March . . . . .	16	September . . . . .	16
<hr/>		<hr/>	
First quarter . . . . .	52	Third quarter . . . . .	51
April . . . . .	11	October . . . . .	10
May . . . . .	15	November . . . . .	9
June . . . . .	7	December . . . . .	18
<hr/>		<hr/>	
Second quarter . . . . .	33	Fourth quarter . . . . .	37

*Color.* — There were two pairs of colored twins included in the plurality births.

NATIVITY OF PARENTS.	PAIRS.		One of each Sex.
	Males.	Females.	
Both parents born in Boston.....	13	5	7
“ “ “ United States other than Boston..	.....	3	1
Father born in Boston, mother in United States other than Boston..	2	3	.....
“ “ United States, mother in Boston.....	2	.....	3
“ “ Boston, mother in Ireland.....	1	.....	1
“ “ “ “ British-American Provinces....	.....	2	3
“ “ “ “ Great Britain.....	.....	1	.....
“ “ “ “ Sweden.....	1	.....	1
“ “ United States, mother in Br.-American Provinces..	1	1	1
“ “ “ “ Ireland.....	1	.....	3
“ “ “ “ Russia.....	1	.....	1
“ “ “ “ country not specified.....	1	.....	.....
“ “ Ireland, mother in Boston.....	.....	1	.....
“ “ Germany, mother in Boston.....	.....	1	.....
“ “ Br.-American Provinces, mother in Boston.....	1	.....	1
“ “ “ “ “ United States.....	.....	.....	1
“ “ Ireland, mother in United States other than Boston..	1	.....	.....
“ “ Great Britain, mother in Boston.....	1	.....	.....
“ “ Italy, mother in Boston.....	.....	.....	1
Both parents born in Ireland.....	11	8	8
“ “ “ British-American Provinces.....	5	3	4
“ “ “ Italy.....	8	5	5
“ “ “ Russia.....	6	6	11

NATIVITY OF PARENTS.	PAIRS.		One of each Sex.
	Males.	Females.	
Both parents born in Sweden .....	1	.....	.....
“ “ “ Austria.....	.....	.....	1
“ “ “ Great Britain .....	1	.....	1
“ “ “ Germany .....	3	.....	2
Father born in Great Britain, mother in Br.-American Provinces.....	.....	1	.....
“ “ Norway, mother in Germany.....	.....	.....	1
“ “ Belgium, mother in Ireland.....	1	.....	.....
“ “ British-American Provinces, mother in Ireland. ....	.....	1	2
“ “ Italy, mother in Ireland .....	.....	.....	1
“ “ Great Britain, mother in Ireland.....	1	.....	1
“ “ Norway, mother in Sweden .....	.....	1	.....
“ “ Sweden, mother in Russia.....	1	.....	.....
“ “ Russia, mother in Austria.....	1	.....	.....
“ “ Great Britain, mother in Sweden.....	1	.....	.....
“ “ Russia, mother in Sweden.....	1	.....	.....
“ nativity unknown, mother in Italy.....	1	.....	.....
“ “ “ “ British-American Provinces.....	.....	1	.....
“ “ “ “ Great Britain.....	.....	1	.....

### *Still-births among Plurality Births.*

In 9 cases of plurality births, one of the infants was still-born, and in 1 case both were still-born; in the latter case both were males; of the other cases 7 were males and 2 females. In 3 cases the parents were both born in Ireland, in 1 case each both parents were born in Boston, Austria, Italy, Germany, and the United States outside of Boston. In 1 case the father was American, born outside of Boston, and the mother was born in Boston; in 1 case the father was born in Germany, and the mother in Boston.

### STILL-BIRTHS IN BOSTON, 1905.

There were 664 still-born infants registered in this office in 1905, or three more than in 1904.

*Sex.* — There were 385 males, 273 females, sex unknown 6.

*Color.* — There were 641 white: 376 males, 265 females; and 20 colored: 11 males, 9 females; color unknown, 3; males, 2; females, 1.

*Season. —*

Month.	Males.	Females.	Unknown.	Total.
January . . . . .	32	26	—	58
February . . . . .	29	26	—	55
March . . . . .	35	18	—	53
First quarter . . . . .	96	70	—	166
April . . . . .	39	20	—	59
May . . . . .	34	13	—	47
June . . . . .	33	30	—	63
Second quarter . . . . .	106	63	—	169
July . . . . .	29	23	2	54
August . . . . .	23	34	1	58
September . . . . .	30	12	—	42
Third quarter . . . . .	82	69	3	154
October . . . . .	31	26	2	59
November . . . . .	36	21	1	58
December . . . . .	29	21	—	50
Fourth quarter . . . . .	96	68	3	167
Month unknown . . . . .	5	3	—	8

*One or Both Parents Boston or American Born.\**

NATIVITY.	Males.	Females.	Total.	NATIVITY.	Males.	Females.	Total.
Both Boston .....	32	29	61	Both American .....	28	28	56
Boston and American .....	10	6	16	American and Boston .....	9	10	19
“ “ Ireland .....	5	5	10	“ “ Ireland .....	6	4	10
“ “ Br.-Am. Prov. ....	6	4	10	“ “ Br.-Am. Prov. ....	12	5	17
“ “ Gt. Britain .....	1	....	1	“ “ Great Britain ..	2	3	5
“ “ Unknown .....	....	1	1	“ “ Sweden .....	1	....	1
Ireland and Boston ...	8	4	12	“ “ France .....	1	....	1
Br.-Am. Prov. and Boston ...	9	5	14	Ireland and American ....	3	1	4
Great Britain and Boston ....	2	1	3	Br.-Am. Prov. and American ..	7	3	10
Germany and Boston .....	2	3	5	Gt. Britain and American ...	4	1	5
Italy and Boston .....	1	....	1	Germany and American .....	1	....	1
Sweden and Boston .....	1	....	1	Italy and American .....	2	....	2
Unknown and Boston ....	16	3	19	Unknown and American .....	5	6	11
	93	61	154		81	61	142

\* First mentioned nativity in these tables is that of the father.

*Both Parents Foreign and Born in the Same Country.*

COUNTRY.	Males.	Females.	Total.
Ireland . . . . .	47	40	87
British-American Provinces . . . . .	25	10	35
Great Britain . . . . .	5	2	7
Germany . . . . .	3	3	6
Italy . . . . .	33	27	60
Russia . . . . .	34	26	60
Sweden . . . . .	4	2	6
Turkey . . . . .	—	1	1
Austria . . . . .	—	2	2
Portugal . . . . .	2	—	2
Denmark . . . . .	2	—	2
Cuba . . . . .	1	2	3
	156	115	271

*Both Parents Foreign and Born in Different Countries.*

COUNTRY.	Males.	Females.	Total.
Ireland and British-American Provinces . . . . .	2	—	2
“ “ Great Britain . . . . .	1	1	2
“ “ West Indies . . . . .	1	—	1
British-American Provinces and Ireland . . . . .	2	2	4
Great Britain and Ireland . . . . .	4	2	6
“ “ British-American Provinces, . . . . .	1	4	5
Germany and Ireland . . . . .	1	—	1
“ “ Russia . . . . .	—	1	1
“ “ Denmark . . . . .	1	—	1
Russia and Great Britain . . . . .	2	—	2
“ “ Austria . . . . .	2	1	3
Norway and Sweden . . . . .	1	—	1
Turkey and Russia . . . . .	1	—	1
Switzerland and Ireland . . . . .	1	—	1
Denmark “ “ . . . . .	1	—	1
	21	11	32

*One or Both Parents of Unknown Nativity.*

	Males.	Females.	Total.
Both unknown . . . . .	26	15	41
Unknown and Boston . . . . .	16	3	19
“ “ American . . . . .	5	6	11
“ “ Ireland . . . . .	3	1	4
“ “ British-American Provinces . . . . .	4	4	8
“ “ Russia . . . . .	1	—	1
“ “ Sweden . . . . .	1	—	1
“ “ Great Britain . . . . .	—	1	1
Boston and unknown . . . . .	—	1	1
British-American Provinces and unknown . . . . .	—	1	1
Germany and unknown . . . . .	1	—	—
	57	32	89

The number and proportion of children born by mothers of the following nationalities in 1905 were as follows :

	Number of Children.	Per cent. of Total Births.
Of American mothers . . . . .	5,612	35.78
Irish " . . . . .	3,171	20.22
Russian " . . . . .	1,689	10.77
Italian " . . . . .	1,801	11.41
British-American mothers . . . . .	1,847	11.41

The next table gives the same information regarding the mothers of the 664 still-born infants in 1905 :

	Still-born.	Per cent. of Still-born.
Of American mothers . . . . .	270	41.9
Irish " . . . . .	114	17.8
Russian " . . . . .	62	9.6
Italian " . . . . .	60	9.6
British-American mothers . . . . .	77	11.9
All other foreign " . . . . .	40	6.2

The proportion of still-born infants to the whole number of children born of mothers of each of the above specified nationalities in 1905 is shown by the following table :

	Whole Number of Children.	Still-born.	Per cent. of Still- born to Living Births.	Or one in every
Of American mothers . . . . .	5,612	270	4.8	21
Irish mothers . . . . .	3,171	114	3.5	27
Russian mothers . . . . .	1,689	62	3.6	27
Italian mothers . . . . .	1,801	60	3.3	30
British-American mothers . . . . .	1,847	77	4.1	24
All other foreign-born mothers . . . . .	1,518	40	2.6	37



## APPENDICES.

---

**APPENDIX A. WARD STATISTICS, 1905, AND VITAL STATISTICS  
OF BOSTON, 1850-1905.**

**APPENDIX B. POPULATION STATISTICS SHOWING GROWTH OF  
BOSTON PROPER AND ANNEXATIONS, 1630-1905.**

**APPENDIX C. MISCELLANEOUS STATISTICS.**





## APPENDIX A.

---

WARD STATISTICS, 1905, AND VITAL STATISTICS OF  
BOSTON, 1850-1905.



## WARD STATISTICS, 1905.

---

The following pages give the more important vital statistics and population, also a comparative analysis for the years 1901, 1902, 1903, 1904, 1905, together with the area, number of dwellings to the acre, number of persons to a dwelling (the facts as to families and persons to a family and to a dwelling being the same as in the report for 1901, no figures being available for this year), and number of persons to the acre, or density of population, for each of the wards in the city; also the principal causes of death in each, the chief cause being first in order.

The figures for population are those of the census of 1905 (Massachusetts State) and are furnished by the State Bureau of Labor and Statistics. The areas are from the report of the City Engineer for 1896, or directly following the establishment of the present ward lines, and the figures regarding the dwelling-houses are taken from the report of the Assessing Department for the year 1905, and is a statement of the number of dwellings in existence on May 1 of that year.

The ward areas in the statistics are land areas only, flats and water not included; neither are parks or cemeteries or other large tracts not devoted to residential purposes excluded; the density is reckoned on the total land area.

The statistics regarding families and dwellings are from the United States Census reports for 1900, but the ratios will probably hold good for 1905 for all general purposes. In some cases the census reports have differed materially with the report of the Assessing Department regarding the number of dwellings in the ward, as the definition of the word "dwelling" has evidently a different sense as used by the census authorities from that used by the assessors.

### Ward I. (East Boston.)

AREA (land), 1,188 acres.  
 Dwelling-houses, 3,156.  
 Families, 5,567.  
     " to a dwelling, 1.7.  
 Persons to a dwelling, 8.  
     " " family, 4.5.  
 Density of population, 21.3.  
 Dwellings to the acre, 2.6.

POPULATION, 25,405.  
 Males, 12,553; females, 12,852.  
 Native-born, 16,900.  
 Foreign-born, 8,505.  
 Per cent. of native-born to ward  
 population, 66.52.  
 Per cent. of foreign-born to  
 ward population, 33.48.

#### Ward Statistics of Deaths and Births.

Deaths, 385. { Males, 203.  
                   { Females, 182.  
 Per cent. of total mortality of  
 the city, 3.9.  
 Per cent. of ward population,  
 1.5.  
 Death rate, 15.1 per 1,000 of  
 population.  
 Deaths under 1 year, 79.  
 Per cent. of total mortality of  
 the city under 1 year, 4.1.

Births, 705. { Males, 377.  
                   { Females, 328.  
 Birth rate, 27.7 per 1,000.  
 Per cent. of ward population,  
 2.7.  
 One in every 36.

Principal causes of death: Pneumonia, diseases of the heart,  
 phthisis.

Principal foreign nationalities represented among deaths: Ireland,  
 British-American Provinces.

*Topography.* — The East Boston portion of the ward is generally of good elevation, consisting of two hills, one rising to 85 feet, on which is located the reservoir; another at the south-eastern extremity, rising to about 50 feet. A depression almost to tide-water exists southeast of the tracks of the Boston & Albany Railroad.

The section known as Breed's Island consists of practically one large hill, whose maximum height is above 160 feet, sloping abruptly westwardly, and gradually eastwardly to the water.

Almost one-half of this section of the ward is low, being little above marsh level.

This is very largely a residential section, with the exception of the shore front, and contains 86 acres of park land and 10 acres of cemetery area.

*Comparative Vital Statistics, 1901-1905.*

WARD 1.	1901	1902	1903	1904	1905
Deaths .....	342	381	385	366	385
Per cent. of total mortality of the city .....	3.02	3.46	4.08	3.87	3.9
Per cent. of ward population ....	1.46	1.59	1.56	1.45	1.5
One in every .....	68	63	64	68	66
Death rate per 1,000 of population .....	14.62	15.90	15.6	14.5	15.1
Deaths under 1 year .....	88	85	102	80	79
Per cent. of total mortality of the city under 1 year .....	4.24	3.74	5.41	4.29	4.1
Principal causes of death:					
Phthisis .....	19	36	33	50	49
Pneumonia .....	29	40	50	41	56
Diseases of the heart .....	32	40	43	43	55
Apoplexy .....	27	15	23	14	27
Cancer .....	5	11	15	11	17
Typhoid fever .....	2	4	2	6	1
Diphtheria .....	19	5	4	4	9
Meningitis .....	12	13	17	17	15
Principal foreign nativities represented among deaths	Ireland. B.-A. Prov.	B.-A. Prov. Ireland.	Ireland. B.-A. Prov.	Ireland. B.-A. Prov.	Ireland. B.-A. Prov.
Age-period in which occurred } greatest number of deaths } other than under 1 year .... }	55-60 yrs.	{ 50-55 yrs. 75-80 yrs.	{ 60-64 yrs.	30-34 years.	65-69 years.
Births .....	642	615	672	624	705
Birth rate per 1,000 .....	27.4	25.6	27.3	28.1	27.7
Per cent. of ward population ....	2.7	2.5	2.7	2.4	2.7
One in every .....	36	38	36	40	36
Excess of births over deaths .....	300	234	287	258	320
Excess of births over deaths under 1 year .....	642	530	570	544	626
Nativity of greatest number of fathers .....	B.-A. Prov.	B.-A. Prov.	Boston.	Boston.	Boston.
Nativity of greatest number of mothers .....	B.-A. Prov.	Boston.	Boston.	Boston.	Boston.
Per cent. of whole number of births in the city .....	4.1	4.1	4.2	3.9	4.4

## Ward II. (East Boston.)

AREA (land), 357 acres.

Dwelling-houses, 2,271.

Families, 4,724.

“ to a dwelling, 2.08.

Persons to a dwelling, 11.4.

“ “ family, 5.4.

Density of population, 72.6.

Dwellings to the acre, 6.3.

POPULATION, 25,929.

Males, 14,076; females, 11,853.

Native-born, 14,368.

Foreign-born, 11,561.

Per cent. of native-born to ward population, 55.41.

Per cent. of foreign-born to ward population, 44.59.

### *Ward Statistics of Deaths and Births.*

Deaths, 390. { Males, 201.  
                  { Females, 189.

Per cent. of total mortality of the city, 4.1.

Per cent. of ward population, 1.5.

Death rate, 15.04 per 1,000 of population.

Deaths under 1 year, 87.

Per cent. of total mortality of the city under 1 year, 4.5.

Births; 717. { Males, 381.  
                  { Females, 336.

Birth rate, 27.6 per 1,000.

Per cent. of ward population, 2.7.

One in every 36.

Principal causes of death: Pneumonia, phthisis, diseases of the heart.

Principal foreign nationalities represented among deaths: Ireland, British-American Provinces.

*Topography.* — The portion of the ward east of Lewis street is generally well elevated from about 65 feet at its centre, sloping gradually northeasterly and abruptly southwesterly to the water.

The portion west of Lewis street is generally low, lying little above high water.

The greater portion of this ward is low filled land. It contains many stores, warehouses and wharves, and is a mixed business and residential section of the city. There are 2 acres of park area within the ward limits.

*Comparative Vital Statistics, 1901-1905.*

WARD II.	1901	1902	1903	1904	1905
Deaths.....	442	409	348	418	390
Per cent. of total mortality of the city.....	3.91	3.72	3.69	4.42	4.1
Per cent. of ward population.....	1.88	1.69	1.41	1.65	1.5
One in every.....	53	58	71	60	36
Death rate per 1,000 of population.....	18.80	16.90	14.1	16.5	27.6
Deaths under 1 year.....	108	110	80	123	87
Per cent. of total mortality of the city under 1 year.....	5.21	4.85	4.24	6.61	4.5
Principal causes of death:					
Phthisis.....	50	38	38	57	49
Pneumonia.....	40	62	50	48	57
Diseases of the heart.....	43	42	43	41	41
Apoplexy.....	13	19	14	19	18
Cancer.....	12	5	15	15	17
Typhoid fever.....	7	3	5	2	4
Diphtheria.....	8	5	1	8	5
Meningitis.....	15	20	12	19	23
Principal foreign nationalities represented among deaths, }	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
	B.-A. Prov.	B.-A. Prov.	B.-A. Prov.	B.-A. Prov.	B.-A. Prov.
Age-period in which occurred greatest number of deaths, other than under 1 year.....	30-35 yrs.	1-2 yrs.	60-64 yrs.	1-2 yrs.	40-44 yrs.
Births.....	724	662	659	698	717
Birth rate per 1,000.....	30.80	27.4	26.7	27.6	27.6
Per cent. of ward population.....	3.1	2.7	2.6	2.7	2.7
One in every.....	32	36	37	36	36
Excess of births over deaths.....	315	253	311	280	327
Excess of births over deaths under 1 year.....	616	552	579	575	630
Nativity of greatest number of fathers.....	Boston.	B.-A. Prov.	Boston.	B.-A. Prov.	Italy.
Nativity of greatest number of mothers.....	Boston.	B.-A. Prov.	Boston.	B.-A. Prov.	Italy.
Per cent. of whole number of births in the city.....	4.60	4.4	4.1	4.4	4.5



### Ward III. (Charlestown.)

AREA (land), 332 acres.  
 Dwelling-houses, 1,657.  
 Families, 3,204.  
 " to a dwelling, 1.9.  
 Persons to a dwelling, 8.9.  
 " " family, 4.6.  
 Density of population, 44.6.  
 Dwellings to the acre, 4.9.

POPULATION, 14,831.  
 Males, 7,441; females, 7,390.  
 Native-born, 10,626.  
 Foreign-born, 4,205.  
 Per cent. of native-born to ward population, 71.64.  
 Per cent. of foreign-born to ward population, 28.36.

#### *Ward Statistics of Deaths and Births.*

Deaths, 291. { Males, 155.  
                   { Females, 136.  
 Per cent. of total mortality of  
 the city, 2.9.  
 Per cent. of ward population,  
 1.9.  
 Death rate, 19.6 per 1,000 of  
 population.  
 Deaths under 1 year, 50.  
 Per cent. of total mortality of  
 the city under 1 year, 2.6.

Births, 454. { Males, 239.  
                   { Females, 215.  
 Birth rate, 30.6 per 1,000.  
 Per cent. of ward population,  
 3.1.  
 One in every 32.

Principal causes of death: Phthisis, diseases of the heart, pneumonia.

Principal foreign nationalities represented among deaths: Ireland, British-American Provinces.

*Topography.* — Land well elevated. Within its limits is located Bunker Hill Monument. The hill at the base of the monument is 86 feet above low water. That portion of the ward north of Medford street has been reclaimed from tide-water, and is but 4 feet above it.

The district bounded by the Mystic and Charles rivers and Mt. Vernon, Chelsea, Vine, Bunker Hill and Lexington streets is principally low land, and densely populated. It contains the Navy Yard, which includes 87 acres of the ward territory; there is 5 acres of park land and 6 acres of cemetery area within the ward limits.

*Comparative Vital Statistics, 1901-1905.*

WARD III.	1901	1902	1903	1904	1905
Deaths .....	298	268	256	263	291
Per cent. of total mortality of the city.....	2.63	2.44	2.71	2.78	2.9
Per cent. of ward population....	1.99	1.74	1.63	1.63	1.9
One in every.....	50	57	61	61	50
Death rate per 1,000 of population .....	19.94	17.51	16.3	16.3	19.6
Deaths under 1 year.....	52	59	54	63	50
Per cent. of total mortality of the city under one year.....	2.51	2.60	2.86	3.38	2.6
Principal causes of death:					
Phthisis.....	33	42	37	30	44
Pneumonia .....	34	32	26	38	27
Diseases of the heart .....	33	28	28	28	36
Apoplexy .....	17	13	18	17	15
Cancer .....	6	11	10	6	11
Typhoid Fever.....	1	2	3		
Diphtheria.....	20	4	1	2	7
Meningitis .....	12	10	11	8	14
Principal foreign nationalities represented among deaths, {	Ireland.	Ireland.	Ireland.	Ireland.	Ireland. B.-A. Prov.
Age-period in which occurred greatest number of deaths, other than under 1 year.....	2-5 yrs.	40-45 yrs.	55-60 yrs.	35-39 yrs.	65-69 yrs.
Births .....	378	402	407	424	454
Birth rate per 1,000.....	25.30	26.2	25.9	26.3	30.6
Per cent. of ward population....	2.5	2.6	2.5	2.63	3.1
One in every.....	39	33	38	30	32
Excess of births over deaths.....	80	134	151	161	163
Excess of births over deaths under 1 year.....	326	343	353	361	404
Nativity of greatest number of fathers.....	Ireland.	Boston.	Ireland.	Ireland.	Ireland.
Nativity of greatest number of mothers.....	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Per cent. of whole number of births in the city.....	2.4	2.7	2.5	2.6	2.8

### Ward IV. (Charlestown.)

AREA (land), 301 acres.	POPULATION, 12,499.
Dwelling-houses, 1,841.	Males, 6,313; females, 6,186.
Families, 2,658.	Native-born, 8,731.
“ to a dwelling, 1.4.	Foreign-born, 3,768.
Persons to a dwelling, 6.7.	Per cent. of native-born to ward population, 69.94.
“ “ family, 4.7.	Per cent. of foreign-born to ward population, 30.06.
Density of population, 41.5.	
Dwellings to the acre, 6.1.	

#### *Ward Statistics of Deaths and Births.*

Deaths, 255. { Males, 132, Females, 123.	Births, 348. { Males, 189, Females, 159.
Per cent. of total mortality of the city, 2.6.	Birth-rate, 27.8 per 1,000.
Per cent of ward population, 2.05.	Per cent. of ward population, 2.7.
Death rate, 20.4 per 1,000 of population.	One in every 35.
Deaths under 1 year, 62.	
Per cent of total mortality of the city under 1 year, 3.2.	

Principal causes of death: Phthisis, pneumonia, diseases of the heart.

Principal foreign nationality represented among deaths: Ireland.

*Topography.*—The portion of the ward north of Main street is generally well elevated; on Bunker Hill street, near North Mead street, the elevation is 108 feet above mean low water. This is the highest point in the Charlestown district.

The territory lying south of Main street is low, being about grade 17. From Sullivan square westerly towards the Somerville line the land rises.

*Comparative Vital Statistics, 1901-1905.*

WARD IV.	1901	1902	1903	1904	1905
Deaths .....	263	240	244	222	255
Per cent. of total mortality of the city.....	2.32	2.18	2.59	2.35	2.6
Per cent. of ward population ....	1.93	1.72	1.71	1.52	2.05
One in every.....	51	57	58	65	49
Death rate per 1,000 of population .....	19.46	17.27	17.1	15.2	20.4
Deaths under 1 year.....	50	55	47	52	62
Per cent. of total mortality of the city under 1 year.....	2.41	2.42	2.49	2.79	3.2
Principal causes of death:					
Phthisis.....	20	28	25	24	41
Pneumonia.....	21	32	24	21	37
Diseases of the heart.....	33	34	39	33	26
Apoplexy.....	22	10	15	4	10
Cancer.....	5	10	8	7	11
Typhoid Fever .....	4	3	—	3	2
Diphtheria.....	11	2	7	5	1
Meningitis.....	10	5	9	8	15
Principal foreign nativity represented among deaths.....	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Age period in which occurred greatest number of deaths other than under 1 year.....	50-55 yrs.	30-35 yrs.	70-74 yrs.	35-39 yrs.	50-54 yrs.
Births.....	361	331	339	361	348
Birth rate per 1,000 .....	26.60	23.8	23.8	24.7	27.8
Per cent. of ward population ....	2.6	2.3	2.3	2.4	2.7
One in every .....	37	42	41	40	35
Excess of births over deaths.....	78	91	95	139	93
Excess of births over deaths under 1 year.....	291	276	292	309	266
Nativity of greatest number of fathers.....	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Nativity of greatest number of mothers.....	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Per cent. of whole number of births in the city.....	2.3	2.2	2.1	2.2	2.2

### Ward V. (Charlestown.)

AREA (land), 205 acres.	POPULATION, 12,653.
Dwelling-houses, 1,264.	Males, 6,911; females, 5,742.
Families, 2,527.	Native-born, 8,277.
“ to a dwelling, 2.	Foreign-born, 4,376.
Persons to a dwelling, 10.	Per cent. of native-born to
“ “ family, 5.	ward population, 65.41.
Density of population, 67.7.	Per cent. of foreign-born to
Dwellings to the acre, 6.1.	ward population, 34.59.

#### *Ward Statistics of Deaths and Births.*

Deaths, 245. { Males, 137. Females, 108.	Births, 300. { Males, 164. Females, 136.
Per cent. of total mortality of the city, 2.5.	Birth rate, 23.7 per 1,000.
Per cent. of ward population, 1.9.	Per cent. of ward population, 2.3.
Death rate, 19.3 per 1,000 of population.	One in every 42.
Deaths under 1 year, 53.	
Per cent. of total mortality of the city under 1 year, 2.7.	

Principal causes of death: Phthisis, diseases of the heart, pneumonia.

Principal foreign nationality represented among deaths: Ireland.

*Topography.*—All of the ward lying north of Rutherford avenue and Bow street is of fair elevation; the portion south of these streets falls to a height little above high water, and may be considered low.

On the low land the density of population is less than the average for the ward; on the high land it is about 67 per cent. greater than the average for the ward. There are 2 acres of cemetery area in this district.

*Comparative Vital Statistics, 1901-1905.*

WARD V.	1901	1902	1903	1904	1905
Deaths .....	285	247	243	219	245
Per cent. of total mortality of the city .....	2.52	2.25	2.59	2.32	2.5
Per cent. of ward population ....	2.16	1.83	1.76	1.54	1.9
One in every .....	46	54	56	64	51
Death rate per 1,000 of population .....	21.65	22.47	17.6	15.4	19.3
Deaths under 1 year .....	50	48	52	46	53
Per cent. of total mortality of the city under 1 year .....	2.41	2.11	2.86	2.47	2.7
Principal causes of death:					
Phthisis .....	37	33	34	26	35
Pneumonia .....	29	37	32	32	30
Diseases of the heart .....	32	22	26	25	32
Apoplexy .....	13	9	11	13	15
Cancer .....	6	6	4	7	9
Typhoid fever .....	.....	2	1	7	1
Diphtheria .....	17	8	3	2	3
Meningitis .....	13	9	14	6	12
Principal foreign nativity represented among deaths .....	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Age-period in which occurred greatest number of deaths other than under 1 year .....	35-40 yrs.	{ 1-2 yrs. 60-65 yrs.	{ 65-69 yrs.	60-64 yrs.	55-59 yrs.
Births .....	292	291	287	305	300
Birth rate per 1,000 .....	22.19	21.5	20.8	21.6	23.7
Per cent. of ward population ....	2.2	2.1	2.1	2.1	2.3
One in every .....	45	46	48	46	42
Excess of births over deaths .....	7	4	44	86	55
Excess of births over deaths under 1 year .....	242	243	235	259	247
Nativity of greatest number of fathers .....	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Nativity of greatest number of mothers .....	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Per cent. of whole number of births in the city .....	1.8	1.9	1.8	1.9	1.9

### Ward V. (Charlestown.)

AREA (land), 205 acres.

Dwelling-houses, 1,264.

Families, 2,527.

“ to a dwelling, 2.

Persons to a dwelling, 10.

“ “ family, 5.

Density of population, 67.7.

Dwellings to the acre, 6.1.

POPULATION, 12,653.

Males, 6,911; females, 5,742.

Native-born, 8,277.

Foreign-born, 4,376.

Per cent. of native-born to ward population, 65.41.

Per cent. of foreign-born to ward population, 34.59.

#### *Ward Statistics of Deaths and Births.*

Deaths, 245. { Males, 137.  
                              Females, 108.

Per cent. of total mortality of the city, 2.5.

Per cent. of ward population, 1.9.

Death rate, 19.3 per 1,000 of population.

Deaths under 1 year, 53.

Per cent. of total mortality of the city under 1 year, 2.7.

Births, 300. { Males, 164.  
                              Females, 136.

Birth rate, 23.7 per 1,000.

Per cent. of ward population, 2.3.

One in every 42.

Principal causes of death: Phthisis, diseases of the heart, pneumonia.

Principal foreign nationality represented among deaths: Ireland.

*Topography.*—All of the ward lying north of Rutherford avenue and Bow street is of fair elevation; the portion south of these streets falls to a height little above high water, and may be considered low.

On the low land the density of population is less than the average for the ward; on the high land it is about 67 per cent. greater than the average for the ward. There are 2 acres of cemetery area in this district.

*Comparative Vital Statistics, 1901-1905.*

WARD V.	1901	1902	1903	1904	1905
Deaths .....	285	247	243	219	245
Per cent. of total mortality of the city .....	2.52	2.25	2.59	2.32	2.5
Per cent. of ward population .....	2.16	1.83	1.76	1.54	1.9
One in every .....	46	54	56	64	51
Death rate per 1,000 of population .....	21.65	22.47	17.6	15.4	19.3
Deaths under 1 year .....	50	48	52	46	53
Per cent. of total mortality of the city under 1 year .....	2.41	2.11	2.86	2.47	2.7
Principal causes of death:					
Phthisis .....	37	33	34	26	35
Pneumonia .....	29	37	32	32	30
Diseases of the heart .....	32	22	26	25	32
Apoplexy .....	13	9	11	13	15
Cancer .....	6	6	4	7	9
Typhoid fever .....	.....	2	1	7	1
Diphtheria .....	17	8	3	2	3
Meningitis .....	13	9	14	6	12
Principal foreign nativity represented among deaths .....	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Age-period in which occurred greatest number of deaths other than under 1 year....	35-40 yrs.	{ 1-2 yrs. 60-65 yrs.	{ 65-69 yrs.	60-64 yrs.	55-59 yrs.
Births .....	292	291	287	305	300
Birth rate per 1,000 .....	22.19	21.5	20.8	21.6	23.7
Per cent. of ward population .....	2.3	2.1	2.1	2.1	2.3
One in every .....	45	46	48	46	42
Excess of births over deaths .....	7	4	44	86	55
Excess of births over deaths under 1 year .....	242	243	235	259	247
Nativity of greatest number of fathers .....	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Nativity of greatest number of mothers .....	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Per cent. of whole number of births in the city .....	1.8	1.9	1.3	1.9	1.9



### Ward VI. (Old Boston.)

AREA (land), 293 acres.

Dwelling-houses 1,487.

Families, 5,543.

“ to a dwelling, 3.7.

Persons to a dwelling, 20.1.

“ “ family, 5.4.

Density of population, 102.3.

Dwellings to the acre, 5.07.

POPULATION, 29,987.

Males, 16,563; females, 13,424.

Native-born, 11,671.

Foreign-born, 18,316.

Per cent. of native-born to ward population, 38.92.

Per cent. of foreign-born to ward population, 61.08.

#### *Ward Statistics of Deaths and Births.*

Deaths, 642. { Males, 338.  
Females, 249.

Per cent. of total mortality of the city, 6.6.

Per cent. of ward population, 2.1.

Death rate, 21.4 per 1,000 of of population.

Deaths under 1 year, 181.

Per cent. of total mortality of the city under 1 year, 9.5.

Births, 1,521. { Males, 820.  
Females, 701.

Birth rate, 50.7 per 1,000.

Per cent. of ward population, 5+.

One in every 19.

Principal causes of death: Pneumonia, diseases of the heart, meningitis, cholera infantum.

Principal foreign nationalities represented among deaths: Italy, Ireland.

*Topography.*—The land is of good general elevation, with the exception of the water front and a small portion reclaimed from the Old Mill Pond, where the elevation is from 16 to 20 feet above mean low water. East of the location of the Old Mill pond is Copp's Hill, whose maximum elevation is about 60 feet—that is, on the street grade; in the burying-ground the elevation reaches 65 feet.

The southwesterly extremity of the ward (Precinct 6) is marked by a considerable rise, which includes Pemberton square and the easterly brow of Beacon Hill, the extreme elevation of which, in this ward, being about 93 feet (at Bowdoin street).

This ward is in the oldest part of the city, and has the largest foreign population of any of the wards; it is also the second largest ward in total population, being exceeded only by Ward 20, which has about 2,000 more in population, but is nearly six times as great in area; although densely populated, it still has a very large portion of its area given over to business purposes; it contains 3 acres of cemetery area and 1 acre of playground.

The infant mortality is the greatest of any of the wards.

*Comparative Vital Statistics, 1901-1905.*

WARD VI.	1901	1902	1903	1904	1905
Deaths.....	635	628	615	588	642
Per cent. of total mortality of the city.....	5.61	5.72	6.53	6.23	6.6
Per cent. of ward population....	2.02	1.95	1.87	1.74	2.1
One in every.....	49	51	53	57	46
Death rate per 1,000 of population.....	20.27	19.57	18.7	17.4	21.4
Deaths under 1 year.....	157	192	189	173	181
Per cent. of total mortality of the city under 1 year.....	7.57	8.46	10.0	9.29	9.5
Principal causes of death:					
Phthisis.....	74	59	42	62	39
Pneumonia.....	137	116	140	133	187
Diseases of the heart.....	41	42	53	47	52
Apoplexy.....	15	19	21	13	16
Cancer.....	8	9	14	4	16
Typhoid fever.....	8	10	11		11
Diphtheria.....	17	2	8	21	8
Meningitis.....	42	61	41	43	51
Principal foreign nationalities represented among deaths.....	Italy. Ireland. Russia.	Italy. Ireland. Russia.	Italy. Ireland. Russia.	Italy. Ireland.	Italy. Ireland.
Age-period in which occurred greatest number of deaths other than under 1 year.....	1-2 yrs.	1-2 yrs.	{ 35-39 yrs. 55-59 yrs.	1-2 yrs.	60-64 yrs.
Births.....	1,436	1,507	1,534	1,547	1,521
Birth rate per 1,000.....	45.85	46.9	46.6	45.9	50.7
Per cent. of ward population....	4.5	4.6	4.6	4.6	5+
One in every.....	21	21	21	21	19
Excess of births over deaths.....	801	879	919	959	879
Excess of births over deaths under 1 year.....	1,279	1,315	1,345	1,374	1,340
Nativity of greatest number of fathers.....	Italy.	Italy.	Italy.	Italy.	Italy.
Nativity of greatest number of mothers.....	Italy.	Italy.	Italy.	Italy.	Italy.
Per cent. of whole number of births in the city.....	9.2	10.1	9.7	9.8	9.7

### Ward VII. (Old Boston.)

AREA (land), 394 acres.

Dwelling-houses, 1,223.

Families, 2,711.

“ to a dwelling, 2.2.

Persons to a dwelling, 12.7.

“ “ family, 5.7.

Density of population, 39.5.

Dwellings to the acre, 3.1.

POPULATION, 15,579.

Males, 8,996; females, 6,583.

Native-born, 8,480.

Foreign-born, 7,099.

Per cent. of native-born to ward population, 54.43.

Per cent. of foreign-born to ward population, 45.57.

#### *Ward Statistics of Deaths and Births.*

Deaths, 315. { Males, 164.

Females, 151.

Per cent. of total mortality of the city, 3.2.

Per cent. of ward population, 2.2.

Death rate, 22.1 per 1,000 of population.

Deaths under 1 year, 52.

Per cent. of total mortality of the city under 1 year, 2.6.

Births, 361. { Males, 182.

Females, 179.

Birth rate, 23.1 per 1,000.

Per cent. of ward population, 2.3.

One in every 43.

Principal causes of death: Phthisis, pneumonia, diseases of the heart.

Principal foreign nationality represented among deaths: Ireland.

*Topography.* — The northerly half of this ward is well elevated. It includes the Common, and reaches east, including what is known as the “Burnt District”; also the old Fort Hill District. The part of the ward lying between Beach street and Castle street, and from Pleasant street to the water, is generally low. It includes the old South Cove territory, which was reclaimed from tide-water, and is about 6 feet above it. The highest point in the ward is at the junction of Beacon and Park streets, being there about 86 feet above mean low water.

*Comparative Vital Statistics, 1901-1905.*

WARD VII.	1901	1902	1903	1904	1905
Deaths .....	389	404	330	395	315
Per cent. of total mortality of the city.....	3.44	3.67	3.5	4.18	3.2
Per cent. of ward population.....	2.56	2.59	2.07	2.42	2.2
One in every.....	39	38	48	55	48
Death rate per 1,000 of population,	25.64	25.99	20.7	24.2	22.1
Deaths under 1 year.....	70	70	45	55	52
Per cent. of total mortality of the city under 1 year.....	3.37	3.08	2.38	2.95	2.6
Principal causes of death:					
Phthisis.....	52	64	69	61	58
Pneumonia.....	44	54	42	70	50
Diseases of the heart.....	33	47	36	54	40
Apoplexy.....	11	10	9	16	11
Cancer.....	6	11	7	10	9
Typhoid fever.....	7	4	4	3	1
Diphtheria.....	4	12	2	2	5
Meningitis.....	8	16	13	7	12
Principal foreign nativities represented among deaths.....	Ireland. {	Ireland. B.-A. Prov. Gt. B. {	Ireland. Br.-A. Prov. {	Ireland. {	Ireland. {
Age-period in which occurred greatest number of deaths, other than under 1 year.....	45-49 yrs. } 50-55 yrs. {	30-35 yrs.	35-39 yrs.	35-39 yrs.	35-39 yrs.
Births.....	380	402	336	367	361
Birth rate per 1,000.....	25.05	25.8	21.1	22.4	23.1
Per cent. of ward population.....	2.5	2.5	2.1	2.2	2.3
One in every.....	39	38	47	44	43
Excess of births over deaths.....	-9*	-2*	6	-23*	46
Excess of births over deaths under 1 year.....	300	332	291	312	309
Nativity of greatest number of fathers.....	Ireland.	Ireland.	Ireland.	Ireland.	Italy.
Nativity of greatest number of mothers.....	Ireland.	Ireland.	Ireland.	Ireland.	Italy.
Per cent. of whole number of births in the city.....	2.4	2.7	2.1	2.2	2.3

\* More deaths than births.

### Ward VIII. (Old Boston.)

AREA (land), 166 acres.	POPULATION, 30,810.
Dwelling-houses, 1,909.	Males, 16,820; females, 13,990.
Families, 5,269.	Native-born, 13,196.
“ to a dwelling, 2.7.	Foreign-born, 17,614.
Persons to a dwelling, 16.1.	Per cent. of native-born to ward population, 42.83.
“ “ family, 5.8.	Per cent. of foreign-born to ward population, 57.17.
Density of population, 185.6.	
Dwellings to the acre, 11.5.	

#### *Ward Statistics of Deaths and Births.*

Deaths, 434. { Males, 247. Females, 187.	Births, 913. { Males, 459. Females, 454.
Per cent. of total mortality of the city, 4.4.	Birth rate, 29.6 per 1,000.
Per cent. of ward population, 1.4.	Per cent. of ward population, 2.9.
Death rate, 14.08 per 1,000 of population.	One in every 33.
Deaths under 1 year, 94.	
Per cent. of total mortality of the city under 1 year, 4.9.	
Principal causes of death: Pneumonia, diseases of the heart, phthisis.	
Principal foreign nationalities represented among deaths: Ireland, Russia.	

*Topography.* — The land may be considered generally quite low. A very small portion of the ward (Precinct 3) lies upon the northerly slope of Beacon Hill, from Beacon street directly north, including the State House. The elevation here is of course high, being between 90 and 100 feet at the summit, and sloping gradually. A large part of the ward was reclaimed from the Old Mill Pond. The land in the vicinity of the Massachusetts General Hospital is low, the grade being anywhere from 16 to 20.

*Comparative Vital Statistics, 1901-1905.*

WARD VIII.	1901	1902	1903	1904	1905
Deaths.....	490	442	409	389	434
Per cent. of total mortality of the city.....	4.33	4.01	4.34	4.12	4.4
Per cent. of ward population .....	1.65	1.45	1.31	1.22	1.4
One in every. ....	60	68	75	81	71
Death rate per 1,000 of population..	16.59	14.60	13.1	12.2	14.08
Deaths under 1 year.....	125	89	104	75	94
Per cent. of total mortality of the city under one year.....	6.05	3.92	5.52	4.02	4.9
Principal causes of death:					
Phthisis.....	59	44	56	59	33
Pneumonia.....	81	60	60	53	82
Diseases of the heart.....	42	51	47	43	58
Apoplexy.....	18	25	12	12	33
Cancer.....	6	15	15	15	18
Typhoid fever.....	4	5	2	5	3
Diphtheria.....	16	9	5	10	2
Meningitis.....	17	17	10	8	33
Principal foreign nativities represented among deaths.....	Ireland. Russia.	Ireland. Russia. Br.-A.Prov.	Ireland. Russia.	Ireland. Russia.	Ireland. Russia.
Age-period in which occurred greatest number of deaths other than under 1 year.....	2-5 yrs.	50-55 yrs.	30-34 yrs.	40-44 yrs. 45-49 yrs.	35-39 yrs.
Births.....	1,006	959	974	1,028	913
Birth rate per 1,000 .....	34.06	31.6	31.4	32.3	29.6
Per cent. of ward population .....	3.4	3.1	3.1	3.2	2.9
One in every.....	29	31	31	30	33
Excess of births over deaths.....	516	517	565	639	479
Excess of births over deaths under 1 year.....	881	870	870	953	819
Nativity of greatest number of fathers.....	Russia.	Russia.	Russia.	Russia.	Russia.
Nativity of greatest number of mothers.....	Russia.	Russia.	Russia.	Russia.	Russia.
Per cent. of whole number of births in the city.....	6.4	6.4	6.2	6.5	5.8

## Ward IX.

AREA (land), 186 acres.	POPULATION, 22,120.
Dwelling-houses, 1,842.	Males, 11,428; females, 10,692.
Families, 4,068.	Native-born, 12,860.
“ to a dwelling, 2.2.	Foreign-born, 9,260.
Persons to a dwelling, 12.	Per cent. of native-born to ward population, 58.13.
“ “ family, 5.4.	Per cent. of foreign-born to ward population, 41.87.
Density of population, 118.9.	
Dwellings to the acre, 9.9.	

### *Ward Statistics of Deaths and Births.*

Deaths, 481. { Males, 254. Females, 227.	Births, 570. { Males, 300. Females, 270.
Per cent. of total mortality of the city, 4.9.	Birth rate 25.7 per 1,000.
Per cent. of ward population, 2.1.	Per cent. of ward population, 2.5.
Death rate, 21.7 per 1,000 of population.	One in every 38.
Deaths under 1 year, 82.	
Per cent. of total mortality of the city under 1 year, 4.3.	

Principal causes of death; Pneumonia, phthisis, diseases of the heart.

Principal foreign nationality represented among deaths: Ireland.

*Topography.* — This ward includes what was formerly Boston Neck, and most of the ward is made land. The average elevation of the ward is the lowest in the city, being about grade 16. Almost the entire territory is little above tide-water, a portion of it — “Suffolk-street District” — being filled from marsh level to its present grade, 18.

The corner of Shawmut avenue and Dwight street is at grade 12; and is one of the lowest grades in the city for a main thoroughfare.

*Comparative Vital Statistics, 1901-1905.*

WARD IX.	1901	1902	1903	1904	1905
Deaths .....	456	476	432	456	481
Per cent. of total mortality of the city .....	4.03	4.32	4.58	4.83	4.9
Per cent. of ward population....	1.81	1.84	1.63	1.68	2.1
One in every .....	55	54	61	59	46
Death rate per 1,000 of population,	18.08	18.45	16.3	16.8	21.7
Deaths under 1 year. ....	78	68	71	71	82
Per cent. of total mortality of the city under 1 year.....	3.76	2.99	3.76	3.81	4.3
Principal causes of death:					
Phthisis.....	67	71	59	54	67
Pneumonia .....	52	54	71	71	82
Diseases of the heart.....	44	57	52	58	57
Apoplexy.....	19	21	15	21	31
Cancer .....	8	16	10	11	19
Typhoid fever.....	7	7	5	2	1
Diphtheria.....	15	6	7	9	2
Meningitis .....	12	17	17	13	12
Principal foreign nationalities represented among deaths. }	Ireland. B.-A. Prov.	{ Ireland. B.-A. Prov. Russia.	{ Ireland. B.-A. Prov.	Ireland. B.-A. Prov.	{ Ireland.
Age-period in which occurred greatest number of deaths other than under 1 year.... }	35-40 yrs. } 40-45 yrs. }	40-45 yrs.	45-49 yrs.	40-44 yrs.	60-64 yrs.
Births.....	619	588	582	580	570
Birth rate per 1,000.....	24.59	22.8	22.0	21.4	25.7
Per cent. of ward population....	2.4	2.2	2.2	2.1	2.5
One in every .....	40	43	45	46	38
Excess of births over deaths....	163	112	150	124	89
Excess of births over deaths under 1 year....	541	520	511	509	488
Nativity of greatest number of fathers.....	Russia.	Russia.	Russia.	Russia.	Russia.
Nativity of greatest number of mothers.....	Russia.	Russia.	Russia.	Russia.	Russia.
Per cent. of whole number of births in the city.....	3.9	3.9	3.7	3.6	3.6



## Ward X.

AREA (land), 394 acres.  
 Dwelling-houses, 2,191.  
 Families, 5,142.  
     " to a dwelling, 2.3.  
 Persons to a dwelling, 10.8.  
     " " family, 4.6.  
 Density of population, 60.5.  
 Dwellings to the acre, 5.5.

POPULATION, 23,841.  
 Males, 10,734; females, 13,107.  
 Native-born, 17,069.  
 Foreign-born, 6,772.  
 Per cent. of native-born to  
     ward population, 71.59.  
 Per cent. of foreign-born to  
     ward population, 28.41.

### *Ward Statistics of Deaths and Births.*

Deaths, 283.    { Males, 133.  
                   { Females, 150.  
 Per cent. of total mortality of  
     the city, 2.9.  
 Per cent. of ward population,  
     1.1.  
 Death rate, 11.8 per 1,000 of  
     population.  
 Deaths under 1 year, 26.  
 Per cent. of total mortality of  
     the city under 1 year, 1.7.

Births, 266.    { Males, 147.  
                   { Females, 119.  
 Birth rate, 11.1 per 1,000.  
 Per cent. of ward population,  
     1.1.  
 One in every 89.

Principal causes of death: Pneumonia, disease of the heart,  
 phthisis.

Principal foreign nationalities represented among deaths: Ireland,  
 British-American Provinces.

*Topography.* — This ward was originally a marshy tract of  
 land. It has been well filled, and is a fine residential section,  
 with very little of it devoted to business purposes. The entire  
 ward can be considered low, the territory being practically level  
 at grade of 18.

*Comparative Vital Statistics, 1901-1905.*

WARD X.	1901	1902	1903	1904	1905
Deaths.....	349	309	321	303	283
Per cent. of total mortality of the city.....	3.08	2.81	3.40	3.21	2.9
Per cent. of ward population.....	1.53	1.32	1.26	1.24	1.1
One in every.....	65	75	74	80	84
Death rate per 1,000 of population.....	15.37	13.28	12.6	12.4	11.8
Deaths under 1 year.....	46	36	40	39	26
Per cent. of total mortality of the city under 1 year.....	3.13	1.58	2.12	2.09	1.7
Principal cause of death:					
Phthisis.....	31	32	24	34	26
Pneumonia.....	52	40	35	42	43
Diseases of the heart.....	35	53	51	39	43
Apoplexy.....	31	21	20	15	16
Cancer.....	14	17	19	5	16
Typhoid fever.....	6	2	4	1	2
Diphtheria.....	10	3	1	1	6
Meningitis.....	10	6	9	6	8
Principal foreign nativities represented among deaths, {	Ireland. B.-A. Prov.	Ireland. B.-A. Prov.	Ireland. B.-A. Prov.	B.-A. Prov. Ireland.	Ireland. B.-A. Prov.
Age-period in which occurred greater number of deaths other than 1 year.....	45-50 yrs.	70-75 yrs.	35-39 yrs.	50-55 yrs.	50-54 yrs.
Births.....	303	263	284	316	266
Birth rate per 1,000.....	13.3	11.3	11.9	12.9	11.1
Per cent. of ward population.....	1.3	1.1	1.2	1.2	1.1
One in every.....	74	88	83	74	89
Excess of births over deaths.....	-46*	-46*	-37*	13	-17*
Excess of births over deaths under 1 year.....	303	227	244	277	240
Nativity of greatest number of fathers.....	U. S.†	U. S.†	U. S.†	U. S.†	U. S.†
Nativity of greatest number of mothers.....	U. S.†	U. S.†	U. S.†	U. S.†	U. S.†
Per cent. of whole number of births in the city.....	1.9	1.7	1.8	1.9	1.6

\* More deaths than births.

† Outside of Boston.

## Ward XI.

AREA (land), 638 acres.	POPULATION, 22,353.
Dwelling-houses, 3,054.	Males, 8,444; females, 13,909.
Families, 4,504.	Native-born, 14,860.
“ to a dwelling, 1.4.	Foreign-born, 7,493.
Persons to a dwelling, 7.3.	Per cent. of native-born to
“ “ family, 4.9.	ward population, 66.47.
Density of population, 35.03.	Per cent. of foreign-born to
Dwellings to the acre, 4.7.	ward population, 33.53.

### *Ward Statistics of Deaths and Births.*

Deaths, 287. { Males, 131. Females, 156.	Births, 294. { Males, 159. Females, 135.
Per cent. of total mortality of the city, 2.9.	Birth rate, 13.1 per 1,000.
Per cent. of ward population, 1.2.	Per cent. of ward population, 1.3.
Death rate, 12.8 per 1,000 of population.	One in every 76.
Deaths under 1 year, 34.	
Per cent. of total mortality of the city under 1 year, 1.7.	

Principal causes of death: Diseases of the heart, pneumonia, phthisis and kidney diseases.

Principal foreign nationality represented among deaths: Ireland.

*Topography.*—This district includes the westerly slope of Beacon Hill, the grade ranging from 108 to 17 at Charles street. The entire Back Bay District is within its limits, and may be called low, the grades along Beacon street being 17, while the remainder of the district is 18. The remainder of the ward, lying between Massachusetts avenue and St. Mary's street, ranges from a grade of 19 to about 30; its average, however, will be about 20.

*Comparative Vital Statistics, 1901-1905.*

WARD XI.	1901	1902	1903	1904	1905
Deaths .....	297	291	292	286	287
Per cent. of total mortality of the city .....	2.62	2.64	3.10	3.08	2.9
Per cent. of ward population....	1.50	1.43	1.47	1.34	1.2
One in every .....	66	69	71	74	77
Death rate per 1,000 of population,	15.02	14.36	14.7	13.4	12.8
Deaths under 1 year .....	30	27	35	27	34
Per cent. of total mortality of the city under 1 year.....	1.44	1.19	1.85	1.45	1.7
Principal causes of death:					
Phthisis .....	32	25	20	26	27
Pneumonia .....	36	28	37	39	44
Diseases of the heart.....	46	49	47	36	55
Apoplexy.....	20	30	16	21	21
Cancer .....	7	13	12	15	18
Typhoid fever.....	3	3	5	7	3
Diphtheria.....	5	3	1	2	2
Meningitis.....	5	3	8	8	4
Principal foreign nationalities represented among deaths. ....	Ireland. {	Ireland. {	Ireland. {	Ireland. {	Ireland. {
		B.-A. Prov.		B.-A. Prov.	
Age-period in which occurred greatest number of deaths other than under 1 year....	63-70 yrs.	75-80 yrs.	{ 55-59 yrs. 70-74 yrs.	{ 55-59 yrs.	65-69 yrs.
Births .....	253	270	296	267	294
Birth rate per 1,000.....	12.7	13.3	14.2	12.5	13.1
Per cent. of ward population....	1.2	1.3	1.4	1.2	1.3
One in every.....	78	75	69	79	76
Excess of births over deaths.....	-44*	-21*	4	-19*	7
Excess of births over deaths under 1 year .....	223	243	261	240	260
Nativity of greatest number of fathers.....	U. S.†	U. S.†	U. S.†	U. S.†	U. S.†
Nativity of greatest number of mothers.....	U. S.†	U. S.†	U. S.†	U. S.†	U. S.†
Per cent. of whole number of births in the city.....	1.6	1.7	1.6	1.6	1.8

\* Less births than deaths.

† Outside of Boston.

## Ward XII.

AREA (land), 235 acres.

Dwelling-houses, 2,352.

Families, 3,529.

“ to a dwelling, 1.5.

Persons to a dwelling, 9.2.

“ “ family, 6.1.

Density of population, 92.5.

Dwellings to the acre, 10.

POPULATION, 21,738.

Males, 9,598; females, 12,140.

Native-born, 14,916.

Foreign-born, 6,822.

Per cent. of native-born to ward population, 68.61.

Per cent. of foreign-born to ward population, 31.39.

### *Ward Statistics of Deaths and Births.*

Deaths, 396. { Males, 190.  
                              Females, 206.

Per cent. of total mortality of the city, 4.0.

Per cent. of ward population, 1.8.

Death rate, 18.2 per 1,000 of population.

Deaths under 1 year, 49.

Per cent. of total mortality of the city under 1 year, 2.6.

Births, 317. { Males, 149.  
                              Females, 168.

Birth rate, 14.5 per 1,000.

Per cent. of ward population, 1.4.

One in every 68.

Principal causes of death: Diseases of the heart, pneumonia, phthisis.

Principal foreign nationalities represented among deaths: Ireland, British-American Provinces.

*Topography.* — This ward is generally low land; it includes 7 acres of park area, and is a residential section. The maximum grade is about 18, the minimum about 16.

*Comparative Vital Statistics, 1901-1905.*

WARD XII.	1901	1902	1903	1904	1905
Deaths.....	409	395	355	370	396
Per cent. of total mortality of the city .....	3.61	3.59	3.77	3.92	4.0
Per cent. of ward population.....	1.69	1.59	1.39	1.42	1.8
One in every.....	59	62	71	70	54
Death rate per 1,000 of population .....	16.91	15.93	13.9	14.2	18.2
Deaths under 1 year.....	51	42	47	54	49
Per cent. of total mortality of the city under 1 year.....	2.46	1.85	2.49	2.90	2.6
Principal causes of death:					
Phthisis .....	66	42	36	47	46
Pneumonia.....	38	41	38	45	50
Diseases of the heart.....	42	55	47	54	64
Apoplexy.....	31	27	17	17	28
Cancer... ..	14	19	18	10	15
Typhoid fever.....	3	7	4	10	5
Diphtheria. ....	18	3	9	4	.....
Meningitis.....	9	11	8	10	12
Principal foreign nativities represented among deaths.....	Ireland. B.-A. Prov.	Ireland. B.-A. Prov.	Ireland. {	Ireland. {	Ireland. B.-A. Prov.
Age-period in which occurred greatest number of deaths other than under 1 year.....	60-65 yrs.	65-70 yrs.	70-74 yrs.	60-64 yrs.	65-69 yrs.
Births.....	284	303	302	288	317
Birth rate per 1,000.....	11.7	12.2	11.8	11.07	14.5
Per cent. of ward population.....	1.2	1.2	1.9	1.1	1.4
One in every .....	85	81	88	90	68
Excess of births over deaths.....	-125 *	-92 *	-53 *	-82 *	-79 *
Excess of births over deaths under 1 year.....	233	261	255	234	268
Nativity of greatest number of fathers.....	U. S.†	U. S.†	U. S.†	U. S.†	U. S.†
Nativity of greatest number of mothers.....	U. S.†	U. S.†	U. S.†	U. S.†	U. S.†
Per cent. of whole number of births in the city. . . . .	1.8	2.0	.....	1.8	+2.0

\* More deaths than births.

† Outside of Boston.

### Ward XIII. (South Boston.)

AREA (land), 604 acres.

Dwelling-houses, 2,202.

Families, 4,825.

“ to a dwelling, 2.1.

Persons to a dwelling, 9.8.

“ “ family, 4.4.

Density of population, 35.8.

Dwellings to the acre, 3.6.

POPULATION, 21,654.

Males, 11,193; females, 10,461.

Native-born, 12,625.

Foreign-born, 9,029.

Per cent. of native-born to ward population, 58.30.

Per cent. of foreign-born to ward population, 41.70.

#### *Ward Statistics of Deaths and Births.*

Deaths, 516. { Males, 279.

{ Females, 237.

Per cent. of total mortality of the city, 5.3.

Per cent. of ward population, 2.3.

Death rate, 23.8 per 1,000 of population.

Deaths under 1 year, 136.

Per cent. of total mortality of the city under 1 year, 7.1.

Births, 761. { Males, 378.

{ Females, 383.

Birth rate, 35.1 per 1,000.

Per cent. of ward population, 3.5.

One in every 28.

Principal causes of death: Phthisis, pneumonia, diseases of the heart.

Principal foreign nationality represented among deaths: Ireland.

*Topography.* — Much of the area of this ward is made land, and lies quite low, very little of it except the part in the vicinity of West Broadway being but a few feet above high water; nearly, if not quite, one-half of the solid area of the ward has been reclaimed from tide-water. A great part of this ward is given over to business purposes, notably the water front and the land contiguous to the New York, New Haven & Hartford Railroad.

*Comparative Vital Statistics, 1901-1905.*

WARD XIII.	1901	1902	1903	1904	1905
Deaths .....	640	589	571	464	516
Per cent. of total mortality of the city .....	5.66	5.35	6.06	4.91	5.3
Per cent. of ward population .....	1.78	2.45	2.32	1.84	2.3
One in every .....	56	41	43	54	42
Death rate per 1,000 of population.....	27.36	24.58	23.2	18.4	23.8
Deaths under 1 year .....	103	139	149	117	136
Per cent. of total mortality of the city under 1 year.....	4.96	6.12	7.91	6.28	7.1
Principal causes of death:					
Phthisis .....	96	83	72	74	95
Pneumonia.....	72	71	96	50	69
Diseases of the heart.....	47	58	50	51	40
Apoplexy .....	16	20	17	23	19
Cancer .....	14	13	11	9	15
Typhoid fever.....	6	5	7	9	6
Diphtheria .....	18	9	18	13	2
Meningitis .....	32	13	6	11	24
Principal foreign nativity represented among deaths.....	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Age-period in which occurred greatest number of deaths other than under 1 year.....	2-5 yrs.	1-2 yrs.	2-4 yrs.	35-39 yrs.	45-49 yrs.
Births .....	868	824	859	784	761
Birth rate per 1,000....	37.11	34.3	34.9	31.1	35.1
Per cent. of ward population.....	8.7	3.4	3.4	3.1	3.5
One in every.....	26	29	28	32	28
Excess of births over deaths .....	228	235	288	320	245
Excess of births over deaths under 1 year.....	765	685	710	667	625
Nativity of greatest number of fathers.....	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Nativity of greatest number of mothers.....	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Per cent. of whole number of births in the city .....	5.5	5.5	5.4	4.9	4.8



### Ward XIV. (South Boston.)

AREA (land), 385 acres.

Dwelling-houses, 2,516.

Families, 4,825.

“ to a dwelling, 1.6.

Persons to a dwelling, 8.7.

“ “ family, 5.2.

Density of population, 57.4.

Dwellings to the acre, 6.5.

POPULATION, 22,127.

Males, 10,990; females, 11,137.

Native-born, 15,087.

Foreign-born, 7,040.

Per cent. of native-born to ward population, 68.63.

Per cent. of foreign-born to ward population, 31.37.

### Ward Statistics of Deaths and Births.

Deaths, 401. { Males, 202.  
                              Females, 199.

Per cent. of total mortality of the city, 4.1.

Per cent. of ward population, 1.8.

Death rate, 18.5 per 1,000 of population.

Deaths under 1 year, 62.

Per cent. of total mortality of the city under 1 year, 3.2.

Births, 587. { Males, 302.  
                              Females, 285.

Birth rate, 26.4 per 1,000.

Per cent. of ward population, 2.6.

One in every 37.

Principal causes of death: Diseases of the heart, phthisis, pneumonia.

Principal foreign nationality represented among deaths: Ireland.

*Topography.*—This ward has a rolling surface, some very high land, and is almost surrounded by water; the difference in death rates between this ward and the neighboring ward, 13, is very marked, and is no doubt largely due to the character of the land within its limits.

Though there are no extreme elevations in this ward, the area is well disposed for drainage purposes, and from a maximum height of about 90 feet the land slopes gradually to the sea.

*Comparative Vital Statistics, 1901-1905.*

WARD XIV.	1901	1902	1903	1904	1905
Deaths.....	391	376	387	409	401
Per cent. of total mortality of the city.....	3.45	3.42	4.08	4.33	4.1
Per cent. of ward population ...	1.78	1.67	1.67	1.73	1.8
One in every.....	56	59	59	57	55
Death rate per 1,000 of population.....	17.81	16.27	16.7	17.3	18.5
Deaths under 1 year.....	103	83	90	70	62
Per cent. of total mortality of the city under 1 year.....	4.96	3.65	4.77	3.76	3.2
Principal causes of death:					
Phthisis.....	51	49	55	55	47
Pneumonia.....	49	42	58	55	47
Diseases of the heart.....	37	44	40	58	58
Apoplexy.....	17	13	10	19	29
Cancer.....	14	16	12	9	24
Typhoid fever.....	3	2	4	8	6
Diphtheria.....	11	6	7	5	5
Meningitis.....	9	12	15	15	15
Principal foreign nativities represented among deaths, }	Ireland. }	Ireland. B.-A. Prov. }	Ireland. }	Ireland. }	Ireland. }
Age-period in which occurred greatest number of deaths other than under 1 year.....	55-60 yrs.	30-35 yrs.	55-59 yrs.	50-55 yrs.	60-64 yrs.
Births.....	620	594	626	568	587
Birth rate per 1,000.....	28.19	26.4	27.1	23.9	26.4
Per cent. of ward population.....	2.8	2.6	2.7	2.3	2.6
One in every.....	35	37	36	41	37
Excess of births over deaths.....	229	218	239	157	186
Excess of births over deaths under 1 year.....	517	511	536	496	525
Nativity of greatest number of fathers.....	Ireland.	Boston.	Ireland.	Ireland.	U. S.†
Nativity of greatest number of mothers.....	Ireland.	Boston.	Ireland.	U. S.†	U. S.†
Per cent. of whole number of births in the city.....	3.9	3.9	3.9	3.5	3.7

† Outside of Boston.

### Ward XV. (South Boston.)

AREA (land), 243 acres.

Dwelling-houses, 2,427.

Families, 4,239.

“ to a dwelling, 1.7.

Persons to a dwelling, 8.3.

“ “ family, 4.7.

Density of population, 83.5.

Dwellings to the acre, 9.9.

POPULATION, 20,310.

Males, 9,815; females, 10,495.

Native-born, 14,113.

Foreign-born, 6,197.

Per cent. of native-born to ward population, 69.48.

Per cent. of foreign-born to ward population, 30.52.

#### *Ward Statistics of Deaths and Births.*

Deaths, 340. { Males, 175.

{ Females, 165.

Per cent. of total mortality of the city, 3.4.

Per cent. of ward population, 1.6.

Death rate, 16.7 per 1,000 of population.

Deaths under 1 year, 75.

Per cent. of total mortality of the city under 1 year, 3.9.

Births, 493. { Males, 246.

{ Females, 247.

Birth rate, 24.2 per 1,000.

Per cent. of ward population, 2.4.

One in every 41.

Principal causes of death: Pneumonia, diseases of the heart, phthisis.

Principal foreign nationality represented among deaths: Ireland.

*Topography.* — A portion of the ward, in the vicinity of Telegraph Hill, is relatively very high, above 150 feet; the territory from the foot of the slope of the hill is generally quite low, being but a few feet above tide-water.

*Comparative Vital Statistics, 1901-1905.*

WARD XV.	1901	1902	1903	1904	1905
Deaths .....	327	382	308	329	340
Per cent. of total mortality of the city.....	2.89	3.46	3.27	3.48	3.4
Per cent. of ward population....	1.62	1.84	1.45	1.51	1.6
One in every.....	61	54	68	65	59
Death rate per 1,000 of population .....	16.21	18.48	14.5	15.1	16.7
Deaths under 1 year.....	71	79	67	63	75
Per cent. of total mortality of the city under one year.....	3.42	3.48	3.55	3.38	3.9
Principal causes of death:					
Phthisis.....	47	54	31	51	45
Pneumonia.....	39	40	36	30	66
Diseases of the heart .....	27	40	33	44	47
Apoplexy.....	10	19	10	12	11
Cancer.....	12	8	9	8	10
Typhoid Fever.....	3	1	6	2	3
Diphtheria.....	10	6	18	4	3
Meningitis .....	14	15	13	12	18
Principal foreign nationalities represented among deaths, {	Ireland. {	Ireland. B. A. Prov. }	Ireland.	Ireland.	Ireland.
Age-period in which occurred greatest number of deaths, other than under 1 year.....	35-40 yrs.	25-30 yrs.	2-4 yrs.	50-54 yrs.	25-29 yrs.
Births .....	535	462	503	489	493
Birth rate per 1,000.....	26.52	22.3	23.7	22.5	24.2
Per cent. of ward population....	2.6	2.2	2.3	2.2	2.4
One in every.....	37	44	42	44	41
Excess of births over deaths.....	208	80	195	160	153
Excess of births over deaths under 1 year.....	464	383	436	426	418
Nativity of greatest number of fathers.....	Boston.	Boston.	Boston.	Boston.	U. S.*
Nativity of greatest number of mothers.....	Boston.	Boston.	Boston.	Boston.	U. S.*
Per cent. of whole number of births in the city.....	3.4	3.1	3.1	3.1	3.1

\* Outside of Boston.~

**Ward XVI. (Parts of Dorchester and South Boston.)****AREA** (land), 564 acres.

Dwelling-houses, 2,433.

Families, 5,137.

" to a dwelling, 2.1.

Persons to a dwelling, 9.

" " family, 4.2.

Density of population, 38.8.

Dwellings to the acre, 4.3.

**POPULATION**, 21,924.

Males, 10,349; females 11,575.

Native-born, 15,801.

Foreign-born, 6,123.

Per cent. of native-born to ward population, 72.07.

Per cent. of foreign-born to ward population, 27.93.

*Ward Statistics of Deaths and Births.*Deaths, 337. { Males, 165.  
Females, 172.

Per cent. of total mortality of the city, 3.4.

Per cent. of ward population, 1.5.

Death rate, 15.3 per 1,000 of population.

Deaths under 1 year, 62.

Per cent. of total mortality of the city under 1 year, 3.2.

Births, 506. { Males, 281.  
Females, 225.

Birth rate, 23.1 per 1,000.

Per cent. of ward population, 2.3.

One in every 43.

Principal causes of death: Pneumonia, phthisis, diseases of the heart.

Principal foreign nationality represented among deaths: Ireland.

*Topography.*—The grade of one-half the territory in the ward is high, the maximum being about 116, it sloping easterly to Norfolk avenue, where the depression around the South Bay and Dorchester Bay begins, and where the grade falls off to 17, 18, and 20.

*Comparative Vital Statistics, 1901-1905.*

WARD XVI.	1901	1902	1903	1904	1905
Deaths .....	316	347	335	303	337
Per cent. of total mortality of the city.....	2.79	3.15	3.50	3.21	3.4
Per cent. of ward population ....	1.53	1.65	1.55	1.37	1.5
One in every.....	64	61	64	72	65
Death rate per 1,000 of population .....	15.40	16.51	15.5	13.7	15.3
Deaths under 1 year.....	66	89	78	66	62
Per cent. of total mortality of the city under 1 year.....	3.08	3.92	4.14	3.54	3.3
Principal causes of death:					
Phthisis.....	38	48	34	32	43
Pneumonia.....	42	40	43	33	47
Diseases of the heart .....	25	37	42	53	41
Apoplexy.....	16	14	11	15	22
Cancer.....	11	12	12	8	23
Typhoid fever.....	2	1	5	6	1
Diphtheria.....	7	4	6	9	4
Meningitis.....	9	14	14	16	22
Principal foreign nativity represented among deaths.....	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Age-period in which occurred } greatest number of deaths } other than under 1 year... }	70-75 yrs.	60-65 yrs.	{ 55-59 yrs. } { 60-64 yrs.	{ 35-39 yrs.	55-59 yrs.
Births .....	503	577	588	538	506
Birth rate per 1,000 .....	24.52	27.4	27.3	24.3	23.1
Per cent. of ward population ....	2.4	2.7	2.7	2.4	2.3
One in every .....	41	36	36	41	43
Excess of births over deaths.....	187	230	253	235	169
Excess of births over deaths under 1 year.....	437	488	510	472	444
Nativity of greatest number of fathers.....	Boston.	Boston.	Boston.	Boston.	U. S.*
Nativity of greatest number of mothers.....	Boston.	Boston.	Boston.	Boston.	U. S.*
Per cent. of whole number of births in the city.....	3.3	3.9	3.7	3.4	3.2

\* Outside of Boston.

### Ward XVII. (Part of Roxbury.\*)

AREA (land), 423 acres.	POPULATION, 24,313.
Dwelling-houses, 2,661.	Males, 11,730; females, 12,583.
Families, 5,404.	Native-born, 16,380.
“ to a dwelling, 2.03.	Foreign-born, 7,933.
Persons to a dwelling, 9.1.	Per cent. of native-born to ward population, 67.33.
“ “ family, 4.4.	Per cent. of foreign-born to ward population, 32.67.
Density of population, 57.4.	
Dwellings to the acre, 6.2.	

#### Ward Statistics of Deaths and Births.

Deaths, 469.	{ Males, 254. Females, 215.	Births, 653.	{ Males, 368. Females, 285.
Per cent. of total mortality of the city, 4.8.		Birth rate, 26.8 per 1,000.	
Per cent. of ward population, 1.9.		Per cent. of ward population, 2.6.	
Death rate, 19.2 per 1,000 of population.		One in every 37.	
Deaths under 1 year, 107.			
Per cent. of total mortality of the city under 1 year, 5.6.			

Principal causes of death: Phthisis, pneumonia, diseases of the heart.

Principal foreign nationality represented among deaths: Ireland.

*Topography.* — The southerly end of the ward, which includes Mt. Pleasant, is well elevated and well disposed for proper drainage; the maximum grade reaches nearly 110; the more easterly portion, lying north of Eustis street, Hampden street, and Dudley street, may be considered low, the grade varying from 20 at Hampden street to high-water level.

---

\* A very small portion of the area of this ward was formerly included in the township of Dorchester.

*Comparative Vital Statistics, 1901-1905.*

WARD XVII.	1901	1902	1903	1904	1905
Deaths .....	523	478	452	503	469
Per cent. of total mortality of the city .....	4.62	4.32	4.80	5.33	4.8
Per cent. of ward population ....	2.04	1.83	1.64	1.82	1.9
One in every .....	49	55	59	54	41
Death rate per 1,000 of population .....	20.41	18.20	16.4	18.2	19.2
Deaths under 1 year .....	111	99	95	114	107
Per cent. of total mortality of the city under 1 year .....	5.35	4.36	5.04	6.12	5.6
Principal causes of death:					
Phthisis .....	67	68	55	64	69
Pneumonia .....	60	54	67	70	69
Diseases of the heart .....	46	42	45	42	51
Apoplexy .....	32	21	23	28	25
Cancer .....	19	10	22	13	18
Typhoid fever .....	.....	1	5	1	.....
Diphtheria .....	10	10	16	13	8
Meningitis .....	22	16	24	19	18
Principal foreign nativity represented among deaths .....	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Age-period in which occurred greatest number of deaths other than under 1 year ....	35-40 yrs.	25-30 yrs.	50-54 yrs.	25-29 yrs.	30-34 yrs.
Births .....	705	702	733	675	658
Birth rate per 1,000 .....	27.51	26.7	27.2	24.4	26.8
Per cent. of ward population ....	2.7	2.6	2.7	2.4	2.6
One in every .....	36	37	36	41	37
Excess of births over deaths .....	182	224	281	172	184
Excess of births over deaths under 1 year .....	594	603	638	561	546
Nativity of greatest number of fathers .....	Ireland.	Ireland.	Boston.	Ireland.	U. S.*
Nativity of greatest number of mothers .....	Ireland.	Ireland.	Ireland.	Ireland.	U. S.*
Per cent. of whole number of births in the city .....	4.5	4.7	4.6	4.2	4.1

\* Outside of Boston.



### Ward XVIII. (Part of Roxbury.)

AREA (land), 220 acres.  
 Dwelling-houses, 2,342.  
 Families, 5,226.  
     " to a dwelling, 2.2.  
 Persons to a dwelling, 9.4.  
     " " family, 4.2.  
 Density of population, 100.5.  
 Dwellings to the acre, 10.6.

POPULATION, 22,121.  
 Males, 10,854; females, 11,267.  
 Native-born, 14,955.  
 Foreign-born, 7,166.  
 Per cent. of native-born to  
     ward population, 67.60.  
 Per cent. of foreign-born to  
     ward population, 32.40.

#### *Ward Statistics of Deaths and Births.*

Deaths, 388.    { Males, 209.  
                   { Females, 179.  
 Per cent. of total mortality of  
     the city, 4.0.  
 Per cent. of ward population,  
     1.7.  
 Death rate, 17.5 per 1,000 of  
     population.  
 Deaths under 1 year, 94.  
 Per cent. of total mortality of  
     the city under 1 year, 4.9.

Births, 585.    { Males, 299.  
                   { Females, 286.  
 Birth rate, 26.4 per 1,000.  
 Per cent. of ward population,  
     2.6.  
 One in every 37.

Principal causes of death: Phthisis, pneumonia, heart disease.  
 Principal foreign nationality represented among deaths: Ireland.

*Topography.* — This ward is nearly all low land, much of it made by filling, the grade for the major part of the ward being about 18; an exceedingly small part, lying south of Roxbury street, as far as Bartlett street, is well elevated; it is practically a residential district, and its death rate is nearly the same as the rate for the city.

*Comparative Vital Statistics, 1901-1905.*

WARD XVIII.	1901	1902	1903	1904	1905
Deaths.....	438	478	439	404	388
Per cent. of total mortality of the city.....	3.87	4.32	4.58	4.28	4.0
Per cent. of ward population .....	1.91	1.82	1.82	1.63	1.7
One in every. ....	52	55	54	61	56
Death rate per 1,000 of population..	19.10	18.20	18.2	16.3	17.5
Deaths under 1 year.....	99	99	72	94	94
Per cent. of total mortality of the city under one year.....	4.77	4.36	3.81	5.04	4.9
Principal causes of death:					
Phthisis.....	72	62	70	60	55
Pneumonia.....	40	54	58	55	55
Diseases of the heart.....	43	56	48	45	55
Apoplexy.....	16	6	17	16	19
Cancer.....	14	11	17	9	16
Typhoid fever.....	7	4	1	—	1
Diphtheria.....	8	11	12	10	5
Meningitis.....	20	18	14	11	20
Principal foreign nativity represented among deaths.....	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Age-period in which occurred greatest number of deaths other than under 1 year.....	{ 1-2 yrs. 35-40 yrs.	{ 35-40 yrs.	35-39 yrs.	30-34 yrs.	40-44 yrs.
Births.....	624	597	619	583	585
Birth rate per 1,000 .....	27.21	25.4	25.7	23.6	26.4
Per cent. of ward population .....	2.7	2.5	2.5	2.3	2.6
One in every.....	37	39	38	42	37
Excess of births over deaths.....	186	119	180	179	197
Excess of births over deaths under 1 year.....	525	498	547	489	491
Nativity of greatest number of fathers.....	Ireland.	Ireland.	U.S.*	U.S.*	U. S.*
Nativity of greatest number of mothers.....	Ireland.	Ireland.	Ireland.	{ U.S.* Ireland. }	U. S.*
Per cent. of whole number of births in the city.....	4.0	3.9	3.9	3.7	3.7

\*Outside of Boston.

## Ward XIX. (Part of Roxbury.)

AREA (land), 760 acres.  
 Dwelling-houses, 2,891.  
 Families, 6,236.  
     " to a dwelling, 2.1.  
 Persons to a dwelling, 10.1.  
     " " family, 4.6.  
 Density of population, 38.4.  
 Dwellings to the acre, 3.8.

POPULATION, 29,213.  
 Males, 13,784; females, 15,429.  
 Native-born, 18,947.  
 Foreign-born, 10,266.  
 Per cent. of native-born to ward  
     population, 64.85.  
 Per cent. of foreign-born to  
     ward population, 35.15.

### *Ward Statistics of Deaths and Births.*

Deaths, 483. { Males, 270.  
                   { Females, 213.  
 Per cent. of total mortality of  
     the city, 4.9.  
 Per cent. of ward population,  
     1.6.  
 Death rate, 16.5 per 1,000 of  
     population.  
 Deaths under 1 year, 109.  
 Per cent. of total mortality of  
     the city under 1 year, 5.7.

Births, 812. { Males, 392.  
                   { Females, 420.  
 Birth rate, 27.7 per 1,000.  
 Per cent. of ward population,  
     2.7.  
 One in every 50.

Principal causes of death: Pneumonia, phthisis, diseases of the heart.

Principal foreign nationality represented among deaths: Ireland.

*Topography.*—The general characteristic of the land lying within the boundaries of this ward can be considered as high. Parker Hill, on whose summit at grade 219 the city has a reservoir, is here located. About one-third of the ward, that portion lying north of Longwood avenue, averages about 18 feet above mean low water.

The percentage of deaths in the ward to the total mortality of the city is high, as is also the percentage of infant mortality. There are upwards of 200 acres of park area within the limits of the ward; the death rate for the ward is below that for the city at large.

*Comparative Vital Statistics, 1901-1905.*

WARD XIX.	1901	1902	1903	1904	1905
Deaths .....	475	492	464	448	488
Per cent. of total mortality of the city .....	4.20	4.47	4.92	4.74	4.9
Per cent. of ward population ....	1.70	1.72	1.58	1.49	1.6
One in every .....	58	57	63	66	60
Death rate per 1,000 of population,	17.07	17.26	15.8	14.9	16.5
Deaths under 1 year .....	116	120	113	94	109
Per cent. of total mortality of the city under 1 year .....	5.59	5.28	6.00	5.04	5.7
Principal causes of death:					
Phthisis .....	69	57	61	54	60
Pneumonia .....	61	70	48	71	69
Diseases of the heart .....	47	47	70	49	58
Apoplexy .....	12	22	8	17	25
Cancer .....	12	14	16	14	18
Typhoid fever .....	4	4	3	2	1
Diphtheria .....	11	16	18	10	4
Meningitis .....	25	17	16	14	10
Principal foreign nationalities } represented among deaths. }	Ireland.	Ireland.	Ireland.	{ Ireland. Germany. }	Ireland.
Age-period in which occurred greatest number of deaths other than under 1 year .....	2-5 yrs.	1-2 yrs.	35-39 yrs.	40-44 yrs.	60-64 yrs.
Births .....	843	845	859	806	812
Birth rate per 1,000 .....	33.11	29.6	29.4	26.9	27.7
Per cent. of ward population ....	3.0	2.9	2.9	2.6	2.7
One in every .....	33	33	33	37	50
Excess of births over deaths ....	368	353	395	353	329
Excess of births over deaths under 1 year .....	727	725	746	712	703
Nativity of greatest number of fathers .....	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Nativity of greatest number of mothers .....	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Per cent. of whole number of births in the city .....	5.4	5.7	5.4	5.1	5.1

## Ward XX. (Part of Dorchester.)

AREA (land), 1,716 acres.  
 Dwelling-houses, 5,600.  
 Families, 9,682.  
     " to a dwelling, 1.7.  
 Persons to a dwelling, 7.4.  
     " " family, 4.2.  
 Density of population, 24.3.  
 Dwellings to the acre, 3.2.

POPULATION, 41,805.  
 Males, 19,043; females, 22,762.  
 Native-born, 30,968.  
 Foreign-born, 10,837.  
 Per cent. of native-born to ward  
     population, 74.07.  
 Per cent. of foreign-born to  
     ward population, 25.93.

### *Ward Statistics of Deaths and Births.*

Deaths, 546.    { Males, 267.  
                   { Females, 279.  
 Per cent. of total mortality of  
     the city, 5.6.  
 Per cent. of ward population,  
     1.3.  
 Death rate, 13.6 per 1,000 of  
     population.  
 Deaths under 1 year, 83.  
 Per cent. of total mortality of  
     the city under 1 year, 4.3.

Births, 828.    { Males, 414.  
                   { Females, 414.  
 Birth rate, 19.7 per 1,000.  
 Per cent. of ward population,  
     1.9.  
 One in every 50.

Principal causes of death: Diseases of the heart, phthisis, pneumonia.

Principal foreign nationalities represented among deaths: Ireland, British-American Provinces.

*Topography.*—The land, generally speaking, can be called high, all the territory being high above tide-water. Several elevations here exist at heights of 130 to 160 feet above low water; between these hills are the consequent depressions, one of them being on either side of Geneva avenue, from Bowdoin street to Dorchester avenue.

The lowest portion of the ward, known as "Calf Pasture," lies easterly of the New York, New Haven & Hartford Railroad, and is at marsh level. Its area is comparatively small.

This ward has the largest population of any in the city, its area is fourth in size, and it is a fine residential section. The death rate for the ward was much below that of the city.

*Comparative Vital Statistics, 1901-1905.*

WARD XX.	1901	1902	1903	1904	1905
Deaths.....	528	548	481	503	546
Per cent. of total mortality of the city .....	4.67	4.98	5.10	5.33	5.6
Per cent. of ward population. ....	1.58	1.60	1.37	1.40	1.3
One in every.....	63	62	72	71	76
Death rate per 1,000 of population .....	15.84	16.05	13.7	14	13.06
Deaths under 1 year.....	131	149	70	79	83
Per cent. of total mortality of the city under 1 year.....	6.31	6.56	3.76	4.24	4.3
Principal causes of death:					
Phthisis .....	47	46	56	58	61
Pneumonia.....	67	46	55	65	60
Diseases of the heart.....	34	65	57	59	79
Apoplexy.....	25	23	24	34	37
Cancer... ..	16	33	23	16	36
Typhoid fever.....	4	10	6	4	2
Diphtheria.....	14	21	11	13	11
Meningitis.....	25	16	9	14	19
Principal foreign nativities represented among deaths.....	Ireland. {	Ireland. B.-A. Prov. {	Ireland. B.-A. Prov. {	Ireland. B.-A. Prov. {	Ireland. B.-A. Prov. {
Age-period in which occurred greatest number of deaths other than under 1 year.....	65-70 yrs.	60-65 yrs.	70-74 yrs.	60-64 yrs.	70-74 yrs.
Births.....	771	775	830	849	828
Birth rate per 1,000.....	23.10	22.7	23.7	23.6	19.7
Per cent. of ward population.....	2.3	2.2	2.3	2.3	1.9
One in every .....	43	44	59	42	50
Excess of births over deaths.....	243	227	349	346	282
Excess of births over deaths under 1 year.....	640	626	760	770	745
Nativity of greatest number of fathers.....	U. S.*	Boston.	Boston.	Boston.	U. S.*
Nativity of greatest number of mothers.....	Boston.	Boston.	Boston.	Boston.	U. S.*
Per cent. of whole number of births in the city. ....	4.9	5.2	5.2	5.3	5.2

\* Outside of Boston.

### Ward XXI. (Part of Roxbury.)

AREA (land), 640 acres.  
 Dwelling-houses, 3,363.  
 Families, 6,247.  
     " to a dwelling, 1.8.  
 Persons to a dwelling, 7.8.  
     " " family, 4.07.  
 Density of population, 41.4.  
 Dwellings to the acre, 5.2.

POPULATION, 26,533.  
 Males, 11,533; females, 15,000.  
 Native-born, 18,981.  
 Foreign-born, 7,552.  
 Per cent. of native-born to  
     ward population, 71.53.  
 Per cent. of foreign-born to  
     ward population, 28.47.

#### *Ward Statistics of Deaths and Births.*

Deaths, 386. { Males, 168.  
                   { Females, 218.  
 Per cent. of total mortality of  
     the city, 3.9.  
 Per cent. of ward population,  
     1.4.  
 Death rate, 14.5 per 1,000 of  
     population.  
 Deaths under 1 year, 47.  
 Per cent. of total mortality of  
     the city under 1 year, 2.6.

Births, 448. { Males, 230.  
                   { Females, 218.  
 Birth rate, 16.8 per 1,000.  
 Per cent. of ward population,  
     1.6.  
 One in every 59.

Principal causes of death: Diseases of the heart, pneumonia, apoplexy.

Principal foreign nationality represented among deaths: Ireland.

*Topography.* — The land is nearly all well elevated above tide-water, at points to elevations of 130, 140, 150 and 182 feet, with good drainage. A large proportion of the houses are single and detached; there is about 14 acres of park area and 4 acres of cemetery area within the ward limits. The infant mortality was low, and the death rate for the ward much below the rate for the city at large.

*Comparative Vital Statistics, 1901-1905.*

WARD XXI.	1901	1902	1903	1904	1905
Deaths .....	413	366	352	388	386
Per cent. of total mortality of the city .....	3.66	3.32	3.77	4.12	3.9
Per cent. of ward population....	1.68	1.45	1.37	1.47	1.4
One in every .....	59	68	73	67	68
Death rate per 1,000 of population,	16.87	14.59	13.7	14.7	14.5
Deaths under 1 year .....	56	41	37	53	47
Per cent. of total mortality of the city under 1 year.....	2.70	1.81	1.96	2.84	2.6
Principal causes of death:					
Phthisis .....	41	32	28	45	30
Pneumonia .....	46	37	38	42	48
Diseases of the heart.....	51	53	58	50	66
Apoplexy.....	25	19	22	30	32
Cancer .....	24	17	15	11	22
Typhoid fever.....	7	1	2	5	5
Diphtheria.....	9	11	1	4	3
Meningitis.....	10	12	11	8	8
Principal foreign nativities represented among deaths.....	Ireland. {	Ireland. B.-A. Prov. {	Ireland. B.-A. Prov. {	Ireland. B.-A. Prov. {	Ireland. {
Age-period in which occurred greatest number of deaths other than under 1 year.....	65-70 yrs.	65-70 yrs.	75-79 yrs.	60-64 yrs.	75-79 yrs.
Births .....	486	495	429	455	448
Birth rate per 1,000.....	19.85	19.7	16.7	17.2	16.8
Per cent. of ward population....	1.9	1.9	1.6	1.7	1.6
One in every .....	50	54	59	58	59
Excess of births over deaths....	73	129	77	67	62
Excess of births over deaths under 1 year .....	436	454	392	402	401
Nativity of greatest number of fathers.....	U. S.*	U. S.*	U. S.*	U. S.*	U. S.*
Nativity of greatest number of mothers.....	U. S.*	U. S.*	Boston.	Boston.	U. S.*
Per cent. of whole number of births in the city.....	3.1	3.3	2.7	5.3	2.7

\* Outside of Boston.



## Ward XXII. (Part of Roxbury.)

AREA (land), 760 acres.  
 Dwelling-houses, 3,282.  
 Families, 6,179.  
     " to a dwelling, 1.8.  
 Persons to a dwelling, 8.4.  
     " " family, 4.4.  
 Density of population, 36.5.  
 Dwellings to the acre, 4.3.

POPULATION, 27,769.  
 Males, 13,075 ; females, 14,694.  
 Native-born, 18,549.  
 Foreign-born, 9,220.  
 Per cent. of native-born to ward  
 population, 66.75.  
 Per cent. of foreign-born to ward  
 population, 33.25.

### *Ward Statistics of Deaths and Births.*

Deaths, 381.   { Males, 208.  
                   { Females, 173.  
 Per cent. of total mortality of  
 the city, 3.8.  
 Per cent. of ward population,  
 1.3.  
 Death rate, 13.7 per 1,000 of  
 population.  
 Deaths under 1 year, 64.  
 Per cent. of total mortality of  
 the city under 1 year, 3.2.

Births, 689.   { Males, 352.  
                   { Females, 337.  
 Birth rate, 24.8 per 1,000.  
 Per cent. of ward population,  
 2.4.  
 One in every 40.

Principal causes of death : Diseases of the heart, phthisis, pneumonia.

Principal foreign nationality represented among deaths : Ireland.

*Topography.* — A part of Roxbury and West Roxbury, including the districts known as Egleston Square and Jamaica Plain. The territory is high and healthy, and, excepting the depression existing along the line of Stony brook, there are no low areas.

The death rate is much lower than the rate for the city at large.

*Comparative Vital Statistics, 1901-1905.*

WARD XXII.	1901	1902	1903	1904	1905
Deaths.....	389	350	346	386	381
Per cent. of total mortality of the city.....	3.44	3.18	3.67	4.11	3.8
Per cent. of ward population.....	1.48	1.30	1.25	1.36	1.3
One in every.....	67	77	79	73	85
Death rate per 1,000 of population.....	14.81	13.01	12.5	13.6	13.7
Deaths under 1 year.....	77	79	62	74	64
Per cent. of total mortality of the city under 1 year.....	3.71	3.48	3.29	4.02	3.2
Principal causes of death:					
Phthisis.....	51	33	38	38	43
Pneumonia.....	39	30	32	47	49
Diseases of the heart.....	45	46	37	52	60
Apoplexy.....	19	17	14	16	19
Cancer.....	10	11	25	4	22
Typhoid fever.....	6	4	4	2	6
Diphtheria.....	15	6	17	9	2
Meningitis.....	10	15	14	18	9
Principal foreign nativities represented among deaths.....	{ Ireland.	Ireland.	{ Ireland. Germany.	Ireland. Germany. }	Ireland.
Age-period in which occurred greatest number of deaths other than under 1 year.....	1-2 yrs.	50-55 yrs.	65-69 yrs.	35-39 yrs.	60-64 yrs.
Births.....	602	635	579	641	689
Birth rate per 1,000.....	22.92	23.6	21.0	22.6	24.8
Per cent. of ward population.....	2.2	2.3	2.1	2.2	2.4
One in every.....	43	42	47	44	40
Excess of births over deaths.....	213	285	233	255	308
Excess of births over deaths under 1 year.....	525	556	517	567	628
Nativity of greatest number of fathers.....	U. S.*	Ireland.	U. S.*	Ireland.	U. S.*
Nativity of greatest number of mothers.....	Boston.	Ireland.	Ireland.	Ireland.	U. S.*
Per cent. of whole number of births in the city.....	3.8	4.2	3.7	4.1	4.3

\* Outside of Boston.

### Ward XXIII. (West Roxbury.)

AREA (land), 7,617 acres.

Dwelling-houses, 4,022.

Families, 5,551.

“ to a dwelling, 1.3.

Persons to a dwelling, 6.5.

“ “ family, 4.7.

Density of population, 3.4.

Dwellings to the acre, 1.8.

POPULATION, 26,410.

Males, 12,664; females, 13,746.

Native-born, 18,726.

Foreign-born, 7,684.

Per cent. of native-born to ward population, 70.90.

Per cent. of foreign-born to ward population, 29.10.

#### *Ward Statistics of Deaths and Births.*

Deaths, 325. { Males, 148.

{ Females, 177.

Per cent. of total mortality of the city, 3.3.

Per cent. of ward population, 1.2.

Death rate, 12.3 per 1,000 of population.

Deaths under 1 year, 59.

Per cent. of total mortality of the city under 1 year, 3.1.

Births, 519. { Males, 277.

{ Females, 242.

Birth rate, 19.2 per 1,000.

Per cent. of ward population, 1.9.

One in every 50.

Principal causes of death: Pneumonia, diseases of the heart, phthisis.

Principal foreign nationality represented among deaths: Ireland.

*Topography.* — The entire ward is comparatively high above mean low water, reaching at one point a height over 300 feet above same, the highest land within the city limits. The land is generally well disposed for drainage purposes, with the exception of the territory between Roslindale and Forest Hills, along the course of Stony brook, where there is a depression, with grades about 38 and 40.

This is the largest ward, territorially, in the city. It contains 687 acres of park area and 478 acres of cemeteries. The rate of infant mortality is low; the death rate for the ward is much below that for the city at large.

*Comparative Vital Statistics, 1901-1905.*

WARD XXIII.	1901	1902	1903	1904	1905
Deaths.....	364	342	335	322	325
Per cent. of total mortality of the city.....	3.22	3.11	3.50	3.41	3.3
Per cent. of ward population.....	1.50	1.38	1.81	1.23	1.2
One in every.....	66	72	76	81	81
Death rate per 1,000 of population,	23.77	18.79	13.1	12.3	12.3
Deaths under 1 year.....	65	70	52	52	59
Per cent. of total mortality of the city under 1 year.....	3.13	3.08	2.86	2.84	3.1
Principal causes of death:					
Phthisis.....	58	39	42	39	36
Pneumonia.....	37	44	22	24	49
Diseases of the heart.....	42	48	46	41	41
Apoplexy.....	14	17	17	26	19
Cancer.....	18	13	22	15	18
Typhoid fever.....	5	3	1	5	2
Diphtheria.....	18	7	7	7	3
Meningitis.....	21	10	16	7	7
Principal foreign nativities represented among deaths.....	Ireland.	Ireland.	Ireland.	Ireland.	Ireland.
Age-period in which occurred greatest number of deaths, other than under 1 year.....	30-35 yrs.	60-65 yrs.	40-44 yrs.	70-74 yrs.	60-64 yrs.
Births.....	516	538	522	495	519
Birth rate per 1,000.....	21.32	21.7	25.5	19	19.2
Per cent. of ward population.....	2.1	2.1	2.5	1.9	1.9
One in every.....	46	46	48	52	50
Excess of births over deaths.....	152	196	187	173	194
Excess of births over deaths under 1 year.....	451	468	470	443	460
Nativity of greatest number of fathers.....	Boston.	U. S.*	Boston.	U. S.*	U. S.*
Nativity of greatest number of mothers.....	Boston.	Boston.	Boston.	Boston.	U. S.*
Per cent. of whole number of births in the city.....	3.3	3.6	3.3	3.1	3.2

\* Outside of Boston.

### Ward XXIV. (Part of Dorchester.)

AREA (land), 2,252 acres.	POPULATION, 31,650.
Dwelling-houses, 4,792.	Males, 14,978; females, 16,672.
Families, 7,119.	Native-born, 23,189.
“ to a dwelling, 1.4.	Foreign-born, 8,461.
Persons to a dwelling, 6.6.	Per cent. of native-born to ward
“ “ family, 4.4.	population, 73.26.
Density of population, 14.	Per cent. of foreign-born to
Dwellings to the acre, 2.1.	ward population, 26.74.

#### Ward Statistics of Deaths and Births.

Deaths, 404. { Males, 211. Females, 193.	Births, 671. { Males, 348. Females, 323.
Per cent. of total mortality of the city, 4.1.	Birth rate, 21.2 per 1,000.
Per cent. of ward population, 1.2.	Per cent. of ward population, 2.1.
Death rate, 12.7 per 1,000 of population.	One in every 47.
Deaths under 1 year, 59.	
Per cent. of total mortality of the city under 1 year, 3.1.	

Principal causes of death: Phthisis, apoplexy, diseases of the heart.

Principal foreign nationalities represented among deaths: Ireland, British-American Provinces.

*Topography.* — Like Ward 23, this ward is generally well elevated above tide-water, one of the hills rising to a height of 180 feet. Between the hills lie the valleys, the one lying just south of Franklin field being comparatively low. The only actually low territory in the ward is at Neponset, where the grade falls to a minimum of 15 feet above low water.

There are above 100 acres of park area and upwards of 60 acres of cemetery land within the ward limits. The rate of infant mortality was comparatively very low, as was also the total death rate of the ward, compared with that of the city at large.

*Comparative Vital Statistics, 1901-1905.*

WARD XXIV.	1901	1902	1903	1904	1905
Deaths.....	374	307	415	412	404
Per cent. of total mortality of the city.....	3.30	3.50	4.40	4.36	4.1
Per cent. of ward population.....	1.30	1.39	1.42	1.37	1.2
One in every.....	74	72	70	72	78
Death rate per 1,000 of population.....	13.44	13.93	14.2	13.7	12.7
Deaths under 1 year.....	61	89	64	82	59
Per cent. of total mortality of the city under 1 year.....	2.94	3.9	3.40	4.30	3.1
Principal causes of death:					
Phthisis.....	43	36	42	38	58
Pneumonia.....	42	33	44	32	35
Diseases of the heart.....	53	46	60	50	46
Apoplexy.....	20	21	20	27	47
Cancer.....	13	22	25	17	14
Typhoid fever.....	8	5	—	7	4
Diphtheria.....	9	5	5	7	6
Meningitis.....	10	10	12	10	11
Principal foreign nativities represented among deaths..	Ireland.	Ireland. B.-A. Prov.	Ireland. B.-A. Prov.	Ireland. B.-A. Prov.	Ireland. B.-A. Prov.
Age-period in which occurred greatest number of deaths other than under 1 year.....	55-60 yrs.	65-70 yrs.	55-59 yrs.	65-69 yrs.	65-69 yrs.
Births.....	677	620	620	671	671
Birth rate per 1,000.....	24.34	21.7	21.2	22.4	21.2
Per cent. of ward population.....	2.4	2.1	2.1	2.2	2.1
One in every.....	41	45	47	44	47
Excess of births over deaths.....	303	223	205	259	267
Excess of births over deaths under 1 year.....	616	631	556	589	612
Nativity of greatest number of fathers.....	U. S.*	Boston.	Boston.	U. S.*	U. S.*
Nativity of greatest number of mothers.....	Ireland.	Boston.	U. S.*	Boston.	U. S.*
Per cent. of whole number of births in the city.....	4.3	4.1	3.9	4.2	4.2

\* Outside of Boston.

### Ward XXV. (Brighton.)

AREA (land), 2,740 acres.  
 Dwelling-houses, 3,899.  
 Families, 4,726.  
     " to a dwelling, 1.2.  
 Persons to a dwelling, 5.5.  
     " " family, 4.6.  
 Density of population, 7.9.  
 Dwellings to the acre, 1.4.

POPULATION, 21,806.  
 Males, 10,424; females, 11,382.  
 Native-born, 15,358.  
 Foreign-born, 6,448.  
 Per cent. of native-born to ward  
 population, 70.43.  
 Per cent. of foreign-born to  
 ward population, 29.57.

#### *Ward Statistics of Deaths and Births.*

Deaths, 291. { Males, 157.  
                   { Females, 134.  
 Per cent. of total mortality of  
 the city, 2.9.  
 Per cent. of ward population,  
 1.3.  
 Death rate, 13.3 per 1,000 of  
 population.  
 Deaths under 1 year, 66.  
 Per cent. of total mortality of  
 the city under 1 year, 3.4.

Births, 557. { Males, 296.  
                   { Females, 261.  
 Birth rate, 25.5 per 1,000.  
 Per cent. of ward population,  
 2.5.  
 One in every 39.

Principal causes of death: Diseases of the heart, pneumonia,  
 phthisis.

Principal foreign nationality represented among deaths: Ireland.

*Topography.* — The territory of this ward is largely well ele-  
 vated, some points rising to over 200 feet above mean low water.

The depressions existing south of North Beacon street are but  
 minor ones, scarcely worth considering in connection with the  
 general natural features of the ward.

From the territory lying north of the Boston & Albany Rail-  
 road, at a grade of about 25 or 30 feet, the land falls gradually  
 to the banks of the Charles river.

The rate of infant mortality and the general death rate of the  
 ward are very low.

*Comparative Vital Statistics, 1901-1905.*

WARD XXV.	1901	1902	1903	1904	1905
Deaths.....	275	279	284	278	291
Per cent. of total mortality of the city.....	2.43	2.53	3.01	2.95	2.9
Per cent. of ward population....	1.89	1.87	1.86	1.80	1.3
One in every.....	72	72	73	76	74
Death rate per 1,000 of population.....	13.91	13.77	13.6	13	13.3
Deaths under 1 year.....	58	69	66	45	66
Per cent. of total mortality of the city under 1 year.....	2.79	2.99	3.50	2.47	3.4
Principal causes of death:					
Phthisis.....	39	26	34	34	27
Pneumonia.....	33	29	22	32	32
Diseases of the heart.....	32	28	40	33	46
Apoplexy.....	10	21	15	12	13
Cancer.....	12	23	8	4	17
Typhoid fever.....	3	3	3	6	5
Diphtheria.....	15	4	5	4	5
Meningitis.....	12	14	12	18	13
Principal foreign nativities represented among deaths, {	Ireland. {	Ireland. B.-A. Prov.	Ireland. B.-A. Prov.	{ Ireland.	Ireland.
Age-period in which occurred greatest number of deaths other than under 1 year.....	2-5 yrs.	60-65 yrs.	65-69 yrs.	50-54 yrs.	55-59 yrs.
Births.....	496	564	503	521	557
Birth rate per 1,000.....	25.09	27.8	24.2	24.5	25.5
Per cent. of ward population....	2.5	2.7	2.4	2.4	2.5
One in every.....	39	35	41	40	39
Excess of births over deaths.....	221	285	219	243	266
Excess of births over deaths under 1 year.....	438	495	437	476	491
Nativity of greatest number of fathers.....	U. S.*	U. S.*	Ireland.	U. S.*	U. S.*
Nativity of greatest number of mothers.....	Ireland.	U. S.*	Ireland.	Ireland.	U. S.*
Per cent. of whole number of births in the city.....	3.1	3.8	3.2	3.3	3.5

\* Outside of Boston.



SUMMARY OF GREATEST AND LEAST IN THE POINTS ENUMERATED  
IN THE PRECEDING WARD STATISTICS.

*Area and Population.*

- Ward having the greatest area, Ward 23, 7,617 acres.  
 " " least area, Ward 8, 166 acres.  
 " " greatest population, Ward 20, 41,805.  
 " " least population, Ward 5, 12,653.  
 " " greatest number of males, Ward 20, 19,043.  
 " " least number of males, Ward 4, 6,313.  
 " " greatest number of females, Ward 20, 22,762.  
 " " least number of females, Ward 5, 5,742.  
 Wards having an excess of males in population, Wards 2, 3, 4, 5, 6, 7, 8, 9, 13.  
 Wards having an excess of female population, Wards 1, 10, 11, 12, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25.  
 Ward having greatest native-born population, Ward 20, 30,968.  
 " least native-born population, Ward 5, 8,277.  
 " greatest foreign-born population, Ward 6, 18,316.  
 " least foreign-born population, Ward 4, 3,768.  
 Wards having excess of foreign-born population, Wards 6, 8.  
 Greatest per cent. of native-born to ward population, Ward 20, 74.07.  
 Least per cent. of foreign-born to ward population, Ward 20, 25.93.  
 Ward having the greatest number of dwelling-houses, Ward 20, 5,600.  
 Ward having the least number of dwelling-houses, Ward 7, 1,223.  
 Ward having the greatest number of persons to a dwelling, Ward 6, 20.1.  
 Ward having the least number of persons to a dwelling, Ward 25, 5.5.  
 Ward having the greatest number of persons to the acre, Ward 8, 185.6.  
 Ward having the least number of persons to the acre, Ward 23, 3.4.  
 Ward having the greatest number of dwellings to the acre, Ward 8, 11.5.  
 Ward having the least number of dwellings to the acre, Ward 25, 1.4.

*Mortality.*

- Ward having greatest number of deaths, Ward 6, 642.  
 " least number of deaths, Ward 5, 108.  
 " greatest infant mortality, Ward 6, 181.  
 " least infant mortality, Ward 10, 26.  
 " highest mortality rate, Ward 13, 23.8.  
 " lowest mortality rate, Ward 10, 11.8.

- Ward having greatest number of deaths from phthisis, Ward 13, 95.
- Ward having greatest number of deaths from pneumonia, Ward 6, 187.
- Ward having greatest number of deaths from diseases of the heart, Ward 20, 79.
- Ward having greatest number of deaths from meningitis, Ward 6, 51.
- Ward having greatest number of deaths from apoplexy, Ward 24, 47.
- Ward having greatest number of deaths from kidney diseases, Ward 20, 37.
- Ward having greatest number of deaths from cancer, Ward 20, 36.
- Ward having greatest number of deaths from diphtheria, Ward 20, 11.
- Ward having greatest number of deaths from cholera infantum, Ward 13, 51.
- Ward having greatest number of deaths from scarlet fever, Ward 3, 5.

TABLE A.—WARD STATISTICS: MORTALITY, MORTALITY RATES, BIRTHS AND BIRTH RATES, 1905.

WARD.	DEATHS.							BIRTHS.					WARD.		
	Totals.	Males.	Females.	Per Cent. of Whole Number of Deaths.	Per Cent. of Ward Population.	Death Rate per Thousand.	Deaths under One Year of Age.	Per Cent. of Whole Number of Deaths under One Year of Age.	Totals.	Males.	Females.	Birth Rate per Thousand.		Per Cent. of Ward Population.	One in every
1.....	385	205	180	4.3	1.50	15.10	67	4.1	705	377	328	27.7	2.7	36	1
2.....	390	201	189	4.1	1.50	15.04	57	4.5	717	331	386	27.6	2.7	36	2
3.....	291	155	136	2.9	1.90	19.05	50	2.6	454	239	215	30.6	8.1	32	3
4.....	255	132	123	2.6	2.05	20.50	62	3.2	348	189	159	27.8	2.7	35	4
5.....	245	137	108	2.6	1.90	19.30	53	2.7	360	184	136	23.7	2.3	42	5
6.....	642	333	249	6.6	2.10	21.40	181	9.5	1,521	830	701	60.7	2.3	19	6
7.....	315	164	151	3.2	2.20	22.10	52	2.6	361	182	179	23.1	2.3	43	7
8.....	434	247	187	4.4	1.40	14.08	94	4.9	913	459	454	29.6	2.9	33	8
9.....	227	124	103	2.2	2.10	21.70	82	4.3	570	300	270	25.7	2.5	38	9
10.....	481	254	227	4.9	1.10	11.80	26	1.7	266	147	119	11.1	1.1	76	10
11.....	283	131	152	2.9	1.20	12.20	34	1.7	294	149	145	13.1	1.3	68	11
12.....	396	190	206	4.0	1.80	18.20	37	2.6	317	159	158	14.5	1.4	68	12
13.....	516	279	237	5.3	2.30	23.30	136	7.1	761	378	383	35.1	3.5	28	13
14.....	401	202	199	4.1	1.80	18.50	62	3.2	487	302	285	26.4	2.6	37	14
15.....	340	175	165	3.4	1.60	16.70	75	3.9	498	246	252	24.2	2.4	41	15
16.....	337	165	172	3.4	1.50	15.30	62	3.2	508	281	227	23.1	2.3	43	16
17.....	469	254	215	4.8	1.90	19.30	107	5.6	653	368	285	26.8	2.6	37	17
18.....	388	209	179	4.0	1.70	17.50	94	4.9	585	309	276	26.4	2.6	37	18
19.....	433	270	213	4.9	1.60	16.50	109	5.7	812	392	420	27.7	2.7	50	19
20.....	545	267	278	5.6	1.80	18.05	83	4.3	893	414	414	19.7	1.9	50	20
21.....	386	168	218	3.9	1.40	14.50	47	2.6	448	230	218	16.8	1.6	59	21
22.....	381	208	173	3.8	1.30	13.70	64	3.2	689	352	337	24.8	2.4	40	22
23.....	325	148	177	3.3	1.20	12.80	59	3.1	519	277	242	19.2	1.9	50	23
24.....	404	211	193	4.1	1.20	12.70	59	3.1	671	343	328	21.3	2.1	47	24
25.....	291	157	134	2.9	1.30	13.30	66	3.4	457	236	221	25.5	2.5	39	25

TABLE B. — WARD STATISTICS: AREAS, DWELLINGS, FAMILIES, DENSITY, POPULATION, SEXES, NATIVE AND FOREIGN BORN.

WARD.	Land Areas in Acres.	Dwellings.	Families.	Families to a Dwelling.	Persons to a Dwelling.	Family.	Density of Population.	Dwellings to the Acre.	Population of Ward.	Males.	Females.	Native-born.	Foreign-born.	Per cent. of Native-born to Ward Population.	Per cent. of Foreign-born to Ward Population.	WARD.
1	1,188	8,158	5,567	1.70	8.0	4.50	21.30	2.60	25,405	12,553	12,852	16,900	11,505	68.52	31.48	1
2	357	2,971	2,704	2.08	13.4	5.40	72.60	6.30	25,929	14,076	11,853	14,368	11,561	55.41	44.59	2
3	332	1,657	3,204	1.90	11.9	4.60	41.60	4.90	14,381	7,441	7,390	10,636	4,205	71.64	28.36	3
4	801	2,668	2,668	1.40	6.7	4.70	41.50	6.10	12,499	6,313	6,186	8,731	3,768	69.94	30.06	4
5	205	1,264	2,637	2.00	10.0	5.00	67.70	6.10	12,653	6,313	6,342	8,771	4,376	65.41	34.59	5
6	293	1,487	2,543	2.70	20.1	5.40	102.30	5.07	29,987	16,563	13,424	11,571	18,316	38.92	61.08	6
7	394	2,711	2,711	2.20	12.7	5.70	39.50	8.10	15,579	8,998	6,583	8,480	7,089	54.43	45.57	7
8	166	1,909	5,269	2.70	16.1	5.80	185.60	11.50	80,810	16,930	15,980	18,196	17,614	43.83	56.17	8
9	186	2,192	4,068	2.30	12.0	5.40	118.90	9.90	22,120	11,728	10,392	19,860	9,260	58.13	41.87	9
10	394	2,192	5,142	2.30	10.8	4.90	60.50	6.50	23,841	11,728	12,113	17,069	7,772	71.59	28.41	10
11	685	3,054	4,504	1.50	7.3	4.90	35.03	4.70	23,353	8,444	13,909	14,916	7,493	66.47	33.53	11
12	235	2,352	3,639	1.50	9.2	6.10	92.50	10.00	21,738	9,598	12,140	14,916	6,822	58.90	41.10	12
13	604	2,202	4,575	2.10	9.8	4.40	35.80	3.60	21,654	11,193	10,461	12,625	9,029	68.63	31.37	13
14	385	2,516	4,825	1.60	8.2	5.20	57.40	6.50	22,127	10,800	11,327	15,087	7,040	69.48	30.52	14
15	243	2,437	4,239	1.70	8.8	4.70	38.80	9.90	20,310	9,815	10,495	14,113	6,197	68.63	31.37	15
16	564	2,437	5,137	2.10	9.0	4.20	58.50	4.80	21,924	10,349	11,575	15,801	6,123	72.07	27.93	16
17	423	2,681	5,137	2.08	9.0	4.40	57.40	6.20	24,313	11,780	12,533	16,880	6,933	67.33	32.67	17
18	380	2,842	5,236	2.20	9.4	4.30	100.50	10.60	22,121	10,554	11,567	14,955	7,166	67.60	32.40	18
19	780	2,881	6,236	2.10	10.1	4.60	85.40	3.80	29,213	13,784	15,429	18,947	10,266	64.85	35.15	19
20	1,716	5,600	9,682	1.70	7.4	4.20	24.30	3.20	31,805	19,043	22,762	30,968	10,387	74.07	25.93	20
21	640	3,363	6,247	1.80	7.8	4.07	41.40	5.20	26,533	11,338	15,195	18,981	7,552	71.53	28.47	21
22	760	3,362	6,179	1.80	8.4	4.40	36.50	4.80	27,769	13,075	14,694	18,549	9,230	66.75	33.25	22
23	7,617	4,022	5,651	1.30	6.5	4.70	3.40	1.80	26,410	12,664	13,746	18,736	7,684	70.90	29.10	23
24	2,262	4,792	7,119	1.40	6.6	4.40	14.00	2.10	31,650	14,978	16,672	23,189	8,461	73.26	26.74	24
25	2,740	3,899	4,736	1.20	5.5	4.60	7.90	1.40	21,806	10,424	11,382	15,358	6,448	70.43	29.57	25

**TABLE C.—NUMBER OF DEATHS FROM FIVE PRINCIPAL CAUSES FROM 1811 TO 1905.**

[Population estimated for inter-census years.]

YEAR.	Population.	Tuberculosis. Phthisis.	Pneumonia.	Cancer.	Heart Disease.	Apoplexy.
1811.....	* 33,787	221	46	5	2	13
1812.....		190	40	.....	1	15
1813.....		193	41	1	1	15
1814.....		153	26	.....	.....	3
1815.....		190	67	6	.....	3
1816.....		180	61	2	1	18
1817.....		231	47	11	2	17
1818.....		138	36	3	6	9
1819.....		175	46	3	3	6
1820.....	43,298	220	26	1	8	10
1821.....		216	31	3	5	7
		2,107	467	35	29	116
1822.....	44,400	166	41	12	3	6
1823.....		184	38	3	9	11
1824.....		246	77	9	11	9
1825.....	58,277	220	67	7	10	12
1826.....		231	41	6	14	10
1827.....		178	36	4	8	10
1828.....		217	89	5	7	18
1829.....		203	90	3	10	12
1830.....	61,392	198	68	6	13	12
1831.....		203	97	5	15	11
1832.....		246	106	5	13	15
1833.....		240	77	12	16	19
1834.....		246	90	15	25	9
1835.....	78,603	208	141	9	14	19
1836.....		233	99	6	24	19
1837.....		212	114	14	32	31
1838.....		256	113	12	31	19
1839.....		222	100	8	30	20
1840.....	93,383	240	135	17	15	26
1841.....		256	106	11	28	11
1842.....		307	181	10	42	26
Carried forward,		4,707	1,906	179	370	325

\* Census of 1810.

**TABLE C, Continued.—NUMBER OF DEATHS FROM FIVE PRINCIPAL CAUSES FROM 1811 TO 1905.**

[Population estimated for inter-census years.]

YEAR.	Population.	Tuberculosis. Phtisis.	Pneumonia.	Cancer.	Heart Disease.	Apoplexy.
<i>Brought forward</i> , .....		4,707	1,906	179	370	325
1843.....		249	167	14	34	16
1844.....		305	132	27	38	25
1845.....	114,366	426	167	15	33	21
1846.....		485	234	19	42	22
1847.....		544	193	13	58	25
1848.....		579	190	22	62	20
1849.....	132,048	586	290	29	52	27
		7,881	3,279	318	689	481
1850.....	136,881	586	125	29	52	27
1851.....	141,308	669	262	19	86	32
1852.....	145,878	681	226	32	79	23
1853.....	150,595	733	245	22	78	20
1854.....	155,464	752	250	23	83	36
1855.....	160,494	735	203	31	95	37
1856.....	163,820	760	240	16	115	33
1857.....	167,218	764	211	33	102	38
1858.....	170,685	784	195	42	96	29
1859.....	174,227	739	191	43	107	55
1860.....	177,840	804	280	50	92	44
1861.....	180,646	794	198	57	92	57
1862.....	183,497	739	218	50	115	56
1863.....	186,390	795	261	52	135	70
1864.....	189,331	859	292	50	142	63
1865.....	192,318	813	253	58	125	78
1866.....	194,506	846	282	78	137	55
1867.....	227,523	766	227	82	139	66
		13,619	4,159	767	1,870	819
1868.....	231,024	868	358	85	172	160
1869.....	246,541	916	402	107	159	76
1870.....	250,526	990	336	111	196	93
1871.....	258,082	1,080	345	102	239	105
1872.....	265,764	1,161	417	107	270	112
1873.....	321,300	1,194	463	141	244	119
<i>Carried forward</i> , .....		6,209	2,321	653	1,280	655

**TABLE C, Concluded. — NUMBER OF DEATHS FROM FIVE PRINCIPAL CAUSES FROM 1811 TO 1905.**

[Population estimated for inter-census years.]

YEAR.	Population.	Tuberculosis. Phthisis.	Pneumonia.	Cancer.	Heart Disease.	Apoplexy.
<i>Brought forward,</i> .....		6,209	2,321	653	1,280	655
1874.....	331,395	1,333	571	140	328	134
		7,542	2,892	793	1,608	789
1875.....	341,919	1,357	632	156	322	154
1876.....	346,004	1,268	523	164	370	160
1877.....	350,138	1,273	484	190	285	179
1878.....	354,322	1,391	531	196	359	160
1879.....	358,554	1,262	628	195	383	171
1880.....	362,839	1,371	803	237	425	214
1881.....	368,190	1,545	785	242	442	214
1882.....	373,620	1,560	734	269	509	204
1883.....	379,129	1,550	876	303	540	234
1884.....	384,720	1,561	815	302	530	214
1885.....	390,393	1,579	976	277	553	240
1886.....	401,374	1,692	740	319	568	246
1887.....	412,663	1,604	800	350	586	323
1888.....	424,274	1,579	960	307	651	298
1889.....	436,208	1,522	905	339	720	298
1890.....	448,477	1,603	1,078	360	758	322
1891.....	457,772	1,352	1,149	317	764	327
1892.....	467,260	1,414	1,122	328	890	358
1893.....	476,945	1,364	1,540	310	785	384
1894.....	486,880	1,425	1,119	354	839	376
1895.....	496,920	1,349	1,268	391	870	372
1896.....	516,305	1,328	1,337	339	861	399
1897.....	528,912	1,289	1,236	400	913	414
1898.....	541,827	1,241	1,169	412	934	382
1899.....	555,057	1,236	1,455	402	966	428
1900.....	560,892	1,392	1,402	331	1,118	489
1901.....	574,634	1,364	1,306	345	1,103	494
1902.....	588,713	1,220	1,264	405	1,214	503
1903.....	603,136	1,163	1,367	416	1,249	432
1904.....	617,913	1,263	1,388	437	1,248	490
1905.....	595,380	1,290	1,567	524	1,372	594
Total .....		43,407	32,059	10,017	23,127	10,068

TABLE D.—NATIVITY OF THE FATHERS AND MOTHERS OF CHILDREN BORN IN BOSTON, 1900-1904.

	1900			1901			1902			1903			1904		
	Both parents	Fathers.	Mothers.	Both parents	Fathers.	Mothers.	Both parents	Fathers.	Mothers.	Both parents	Fathers.	Mothers.	Both parents	Fathers.	Mothers.
Native .....	4,010	5,515	5,692	3,926	5,280	5,438	3,909	5,388	4,447	2,686	5,380	5,573	3,774	5,231	5,468
Ireland .....	2,831	3,439	3,968	2,584	3,138	3,591	2,532	3,012	3,553	2,455	2,908	3,462	2,350	2,824	3,291
British-American Provinces .....	1,160	1,816	2,226	1,098	1,811	2,119	1,047	1,747	2,016	1,000	1,686	1,885	916	1,627	1,906
Great Britain .....	260	757	635	180	544	600	187	622	552	152	642	536	184	598	529
Germany .....	272	445	394	213	384	314	301	328	295	164	318	264	165	316	283
Norway and Sweden .....	348	409	410	170	343	333	260	321	318	266	314	337	267	326	336
Russia .....	1,245	1,350	1,318	1,269	1,390	1,337	1,331	1,445	1,395	1,418	1,566	1,494	1,605	1,728	1,679
Italy .....	1,241	1,322	1,251	1,402	1,587	1,411	1,507	1,590	1,590	1,712	1,813	1,731	1,867	1,933	1,880
Austria .....	78	124	108	53	92	82	82	132	118	90	135	135	72	125	116



TABLE E.—DEATHS FROM CANCER,

CANCER.	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869	1870	1871	1872	1873	1874
Unclassified.....	18	29	19	32	22	23	1	...	1	...	3	15	9	6	19	18	13	23	31	25	37	30	26	21	24	4
Abdomen.....	...	...	...	...	...	...	...	...	2	4	...	...	...	5	1	...	...	...	...	...	...	...	...	...	...	...
Ankle.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Arm.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
Axilla.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bladder.....	...	...	...	...	...	...	...	...	1	...	...	1	...	1	...	...	...	...	1	...	...	...	...	1	3	2
Bowels.....	...	...	...	...	...	...	4	...	...	...	8	...	1	...	...	3	...	4	5	3	8	4	5	3	12	8
Breast.....	...	...	...	...	...	...	7	4	10	5	8	10	16	10	9	6	10	12	11	8	7	12	9	11	15	27
Brain.....	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	1	1	...	...	1	...	1	...
Back.....	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	1	...	...	...	...	1	1	1
Cervical gland.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Colon.....	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...
Chest.....	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	2	...	...
Chin.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
Duodenum.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Eye.....	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	1	...	...	...	...	1	...	1	...	...
Ear.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...
Face.....	...	...	...	...	...	...	1	1	3	2	1	2	1	...	...	1	...	...	3	4	2	4	...	3	3	3
Foot.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...
Gall-bladder.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Gullet.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Groin.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...
Heart.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Head.....	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...
Hand.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Hip.....	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
Jaw.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	3	...	2	1	2	1
Knee-joint.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kidney.....	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...
Leg.....	...	...	...	...	...	...	...	...	...	1	3	...	...	2	...	1	2	2	...	...	...	2	2	1	...	...
Lip.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...
Liver.....	...	...	...	...	...	...	2	3	1	...	2	2	1	3	...	4	3	6	8	10	6	11	13	13	12	11
Lungs.....	...	...	...	...	...	...	...	...	...	...	3	1	1	...	...	...	1	...	...	...	...	...	...	1	1	2
Maxillary bone.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Mouth.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	...	4	...	...
Mesentery.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
Nates.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

WITH LOCATION, FROM 1849 TO 1903.

1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903
15	11	...	5	10	19	18	13	16	15	33	25	36	36	46	71	69	70	69	65	85	138	94	95	78	148	76	89	111
...	...	...	8	11	19	23	20	24	...	...	...	...	26	27	18	7	8	1	4	4	8	5	7	8	...	...	...	...
...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1	1	1	1	...	...	3	1	1	2	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	2	...	...	1	1	1	...	1	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	2	1	2	...	2	6	8	8	5	3	1	3	6	8	5	2	3	4	4	2	1	6	8	...	...	...	...
9	8	10	...	...	...	...	...	23	18	23	26	...	...	...	...	22	20	20	25	28	24	34	21	24	57	95	84	82
23	28	36	34	32	40	26	28	41	41	35	44	45	30	36	52	34	36	27	36	38	32	42	35	39	39	47	45	45
...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	1	1	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...
1	...	1	...	...	...	1	...	...	...	1	...	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3	3	6	6	9	2	5	9	7	2	8	9	16	4	6	6	11	8	6	10	10	6	10	18	7	...	...	...	...
...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	2	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3	1	...	...	...	3	1	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	...	...
...	...	...	...	...	...	1	8	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	1	...	...	...	...	1	1	...	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2	...	1	3	1	1	3	2	4	...	...	1	2	4	5	3	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1	...	...	1	1	...	1	3	7	4	2	4	2	2	3	5	1	2	1	4	3	2	2	1	2	...	...	...	...
4	1	...	2	1	...	5	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2	1	1	...	1	2	2	2	3	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15	14	17	25	22	22	37	39	42	32	32	34	37	35	32	35	40	37	43	34	36	44	48	57	40	...	...	...	...
1	1	2	...	2	3	1	2	1	2	1	1	4	...	1	1	5	...	...	5	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2	...	1	...	...	2	4	...	1	...	2	1	2	2	3	...	...	...	...	...	...	...	...	...	...	34	32	36	44
...	...	...	...	...	...	...	...	...	...	...	...	...	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

TABLE E, *Concluded.*—DEATHS BY CANCER,

CANCER.	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869	1870	1871	1872	1873	1874
Neck.....							2	1	1		3		1	2		1	2	1	2			2		3	2	4
Ovaries.....																1									1	1
Esophagus.....										1			1									2	1			
Osteo Sarcoma.....																										
Omentum.....																										2
Penis.....																										
Pleura.....																										
Pharynx.....																										
Pelvis.....																		1					1	1	1	
Pancreas.....																										
Pylorus.....																										
Prostate.....																										
Parotid gland.....																										
Rectum.....														2		1			1	2		1	3	1	5	3
Stomach.....							7	3	5	4	6	9	8	8	8	6	9	9	13	19	17	25	22	28	22	39
Side.....							1	1		1	2		1	1		1		1							1	2
Scalp.....																										
Sigmoid flexure.....																										
Scrotum.....																										
Shoulder.....										1									1			1				
Spleen.....																										
Skin.....																										
Throat.....								1					2			1	1	2		1	2	2			2	3
Testicle.....																									1	
Tongue.....										1				1								2		1		2
Tonsil.....																										
Trachea.....																										
Thyroid gland.....																										
Tibia.....																										
Thigh.....													1									3		1		1
Uterus.....							5	2	7	17	9	11	10	7	10	7	12	15	8	7	15	14	13	15	22	23
Ureters.....																										
Vertebrae.....																										
Vagina.....							1																			
Vulva.....																										

1875	1876	1877	1878	1879	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903
3	3	4	3	...	5	4	3	3	8	5	3	6	7	3	6	1	2	1	7	3	...	...	2	...	9	...	...	...
2	...	1	...	1	2	2	2	2	...	5	3	5	1	8	3	3	3	5	1	2	2	2	1	5	2	...	...	...
...	1	3	...	1	...	1	...	4	3	1	5	2	...	2	3	1	4	3	2	2	2	3	4	1	...	...	...	...
...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	1	...	...	...	2	3	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...
...	1	...	...	1	1	...	...	1	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	1	...	...	...	1	1	1	1	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
...	...	2	...	...	...	1	...	...	2	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1	...	...	...	...	...	...	2	3	1	3	3	2	1	2	...	...	2	...	4	...	...	...	...	14	...	...	...	...
...	2	2	...	...	1	...	...	1	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
...	1	...	...	...	...	...	...	...	1	1	2	1	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9	3	7	7	3	8	9	12	10	9	6	8	13	18	18	9	...	...	53	65	66	82	65	80	...	...	...	...	...
31	46	36	32	40	49	54	44	63	69	55	60	58	52	59	46	55	53	65	66	82	65	80	76	78	84	130	152	163
...	1	...	1	1	1	1	1	...	...	1	...	2	2	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	1	1	...	...	...	...	...	...	1	...	...	...	...	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...
...	...	1	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1	2	4	5	6	3	2	3	1	3	1	10	8	7	4	2	4	5	4	12	5	9	10	10	12	...	18	1	5
...	...	...	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	3	2	2	2	2	3	5	2	3	7	5	4	2	1	5	1	5	4	5	5	5	7	4	2	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	1	...	...	...	1	...	...	2	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
...	2	1	2	...	3	...	1	4	2	1	2	1																

**TABLE F.—POPULATION OF BOSTON, *FOREIGN* BY COUNTRY OF BIRTH, IN CENSUS YEARS, 1870-1900.**

	1870	1875	1880	1885	1890	1895	1900
Population.....	250,526	341,919	362,839	390,393	448,477	496,920	560,892
Males.....		162,262	..	186,182	217,754	239,666	274,922
Females....		179,657	.....	204,211	230,723	257,254	285,970
Native population.....	162,540	224,914	248,043	257,098	290,305	316,522	363,763
Males.....		109,595	.....	126,494	144,017	156,241	180,992
Females....		115,319	.....	130,604	146,288	160,281	182,771
Foreign population....	87,986	117,005	114,796	133,295	158,172	180,398	197,129
Males.....		52,667	.....	59,688	73,737	83,425	93,930
Females....		64,338	.....	73,607	84,435	96,973	103,199
Africa.....	42	41	45	29	48	37	50
Asia.....	23	.....	.....	.....	29	110	319
Australia.....	.....	.....	.....	.....	78	.....	78
Australasia.....	30	.....	.....	.....	53	56	30
Atlantic Islands.....	63	.....	.....	.....	.....	.....	242
Austria.....	126	106	183	406	391	1,124	1,599
Belgium.....	31	49	58	67	128	239	221
British America.....	13,814	.....	.....	.....	.....	.....	50,282
Canada.....	1,550	19,459	23,156	30,356	38,294	16,287	.....
New Brunswick.....	3,623					6,909	.....
Nova Scotia.....	6,215					14,712	.....
Newfoundland.....	866					3,136	.....
Prince Edward Island..	400					3,158	.....
China.....	* 8	39	133	274	497	806	1,065
Cuba and West Indies,	189	.....	117	236	390	328	476
Denmark.....	76	149	196	225	353	583	675
Europe (not stated).....	12	.....	.....	.....	52	.....	.....
France.....	615	778	795	778	875	985	1,003
Germany.....	5,608	7,839	10,179	8,810	10,362	10,904	10,739
Great Britain.....	.....	.....	.....	.....	.....	.....	.....
England.....	5,977	9,489	8,998	10,197	13,454	13,298	13,174
Ireland.....	56,900	69,816	64,793	67,745	71,441	71,571	70,147
Scotland.....	1,795	2,841	2,662	3,193	4,490	4,690	4,473
Wales.....	120	143	221	254	305	323	308
Greece.....	13	16	24	18	29	107	281

\* White persons born in China?

TABLE F, *Concluded.*

	1870	1875	1880	1885	1890	1895	1900
Holland .....	332	362	402	326	363	440	391
India .....	21	.....	.....	.....	55	.....	45
Italy .....	264	1,280	1,277	2,378	4,718	7,900	13,738
Japan .....	5	5	4	9	10	7	36
Mexico .....	6	12	5	8	42	15	13
Norway .....	137	} 1,573	1,686	2,533	{ 861	961	1,145
Sweden .....	647						
Portugal .....	462	877	597	1,122	891	1,215	882
Russia .....	102	* 515	* 782	* 1,854	† 4,305	† 11,979	† 15,216
Russian Poland .....	164	.....	.....	.....	954	1,221	3,375
South America .....	36	.....	.....	.....	88	73	74
Spain .....	90	93	92	90	149	90	85
Switzerland .....	201	258	245	261	424	362	400
Turkey .....	7	7	17	28	57	300	668
At sea .....	15	58	48	.....	70	88	111
Other countries .....	.....	85	.....	1,208	2	.....	19

\* Includes Russian Poland and Finland.

† Includes Finland.

## MISCELLANEOUS TABLES C, D, E AND F.

The deaths from phthisis and tuberculosis, pneumonia, diseases of the heart, apoplexy and cancer aggregate more than one-third of the total number of deaths from all causes in the city. Table C shows the number of deaths recorded by each of these causes in each year, from 1811 to 1905, with the population of the city in each census year during that period, and an estimated population for *each* inter-census year since 1850.

From 1811 to 1821, inclusive, Boston was under a town government and its growth averaged about a thousand souls per year. During this period the deaths by tuberculosis and phthisis averaged 191.5 per year; those from pneumonia, 42.4; from cancer, 3.1; from diseases of the heart, 2.6; and from apoplexy, 10.5 per year.

From 1822 to 1849 (in which year this department was established, and the present system of recording births, marriages and deaths was inaugurated) the number of deaths by phthisis and tuberculosis was 7,881, or an average of 291.9 per year; those from pneumonia, 121.4; from cancer, 11.8; from apoplexy, 17.8; from diseases of the heart, 25.5, respectively, per year.

The next period of years is from 1850 to and including 1867, which was the last year of the city before the annexations of outlying cities and towns now included in its territory commenced,

except that part which is known as South Boston. In the eighteen years comprising this period the deaths from phthisis and tuberculosis averaged 756.6 per year; from pneumonia, 231 per year; from cancer, 42.6 per year; from diseases of the heart, 103.8; and from apoplexy, 45.5 per year.

The next period of years includes the annexation of Roxbury, Dorchester, Charlestown, West Roxbury and Brighton, and is brought down to the year 1875, when Boston began existence within its present territorial limits; in the seven years thus included there were 7,542 deaths by phthisis and tuberculosis, an average of 1,077.4 per year; from pneumonia, 2,892, an average of 413.1 per year; from cancer, 793, an average of 113.3 per year; from diseases of the heart, 1,608, an average of 229.7 per year; and from apoplexy, 789, an average of 112.7 per year.

The last period of years in the table, from 1875 to and including 1905, involves the period of the real growth of the city as it is to-day. During the thirty-one years there were 43,407 deaths from phthisis and tuberculosis, or an average of 1,407.2 per year; from pneumonia, 32,059 deaths, an average of 1,034.1 per year; from cancer, 10,017, an average of 323.1 per year; from diseases of the heart, 23,127, an average of 746.0 per year; and from apoplexy, 10,068, an average of 324.8 per year.

These averages are presented more concisely in the following table:

YEAR-PERIOD.	Phthisis and Tuberculosis.	Pneumonia.	Cancer.	Heart Diseases.	Apoplexy.
1811-21.....	191.5	42.4	3.1	2.6	10.5
1822-49.....	291.9	121.4	11.8	25.5	17.8
1850-67.....	756.6	231.0	42.6	103.8	45.5
1868-74.....	1,077.4	413.1	113.3	229.7	112.7
1875-1905.....	1,407.2	1,034.1	323.1	746.0	324.8

The above figures are the average per year.

A careful perusal of Table C will show the comparative decrease of deaths by phthisis and tuberculosis, and the remarkable increase of deaths by pneumonia (which in a number of years has exceeded the number of deaths by the "white plague"), and of deaths by cancer and diseases of the heart.

Table D shows the number of native-born fathers and mothers, and of both parents of the children born in Boston in 1900-04; also the same details for the children of foreign-born parentage of the nativities most largely represented in the population of the city.

Table E shows the number of deaths caused by cancer by location of the disease from 1849 to and including 1903. This has been compiled for the reason that it has been publicly stated that there are more deaths from cancer in Boston than in any other city in the country, and it was thought that these figures might be of some value to those who are interested in the study of the statistics of this disease.

Table F shows the population of Boston distributed into native and foreign, and the number of foreign-born of each nativity, for the census years 1870 to and including 1900.

Table G shows total mortality, all causes; deaths from phthisis; per cent. of deaths from phthisis of whole number of deaths for each year from 1811 to 1905, inclusive.

Table H gives same information for deaths by four principal causes for the same years.



**TABLE G.—NUMBER OF DEATHS FROM PHTHISIS FROM  
1811 TO 1905.**

[Population estimated for inter-census years.]

YEAR.	Population.	Whole Number of Deaths.	Deaths by Phthisis.	Per cent. of Whole Number of Deaths.
1811.....	34,255	748	221	29.5
1812.....		633	190	30.01
1813.....		750	193	25.7
1814.....		695	153	22.01
1815.....	38,271	830	190	22.8
1816.....		873	180	20.8
1817.....		875	231	26.4
1818.....		927	138	14.8
1819.....		789	175	22.1
1820.....	43,298	1,014	220	21.6
1821.....		1,821	216	16.3
1822.....		1,088	166	15.1
1823.....		1,045	184	17.6
1824.....		1,208	246	20.3
1825.....	58,277	1,362	220	16.1
1826.....		1,167	231	19.7
1827.....		989	178	18.9
1828.....		1,159	217	18.7
1829.....		1,156	203	17.5
1830.....	61,392	1,025	193	18.8
1831.....		1,353	203	15.
1832.....		1,675	246	14.6
1833.....		1,374	240	17.4
1834.....		1,440	246	17.+
1835.....	78,603	1,819	208	11.4
1836.....		1,648	233	14.1
1837.....		1,743	212	12.1
1838.....		1,799	256	14.2
1839.....		1,722	222	12.8
1840.....	93,383	1,541	240	13.
1841.....		1,783	256	14.3
1842.....		2,266	307	13.5
1843.....		2,008	249	12.4
1844.....		2,064	305	14.8

**TABLE G, Continued. — NUMBER OF DEATHS FROM PHTHISIS FROM 1811 TO 1905.**

[Population estimated for inter-census years.]

YEAR.	Population.	Whole Number of Deaths.	Deaths by Phthisis.	Per cent. of Whole Number of Deaths.
1845.....	114,366	2,340 .	426	18.2
1846.....		3,086	485	15.7
1847.....		3,853	544	14.1
1848.....		3,664	579	15.8
1849.....		5,079	644	12.6
1850.....	136,881	3,667	586	15.9
1851.....	141,308	3,555	669	17.3
1852.....	145,878	3,786	681	18.2
1853.....	150,595	4,284	733	17.1
1854.....	155,464	4,443	752	16.9
1855.....	160,494	4,085	735	17.9
1856.....	163,820	4,258	760	17.8
1857.....	167,218	3,959	764	19.2
1858.....	170,685	3,541	784	20.4
1859.....	174,227	3,738	739	19.7
1860.....	177,840	4,390	804	18.3
1861.....	180,646	3,965	794	20. +
1862.....	183,497	4,126	739	17.7
1863.....	186,390	4,701	795	16.9
1864.....	189,331	5,115	859	16.7
1865.....	192,318	4,541	813	17.9
1866.....	194,506	4,382	846	19.3
1867.....	227,523	4,422	766	17.3
1868.....	231,624	5,520	868	15.7
1869.....	246,541	5,524	916	16.5
1870.....	250,526	6,100	990	16. +
1871.....	258,082	5,892	1,080	18.3
1872.....	265,764	8,091	1,161	14.4
1873.....	321,200	7,669	1,194	15.1
1874.....	331,395	7,813	1,333	17. +
1875.....	341,919	8,958	1,357	15.1
1876.....	346,004	8,203	1,268	15.4
1877.....	350,188	7,284	1,273	17.4
1878.....	354,322	7,677	1,391	18.1
1879.....	358,554	7,435	1,262	16.9

**TABLE G, Concluded. — NUMBER OF DEATHS FROM PHTHISIS  
FROM 1811 TO 1905.**

[Population estimated for inter-census years.]

YEAR.	Population.	Whole Number of Deaths.	Deaths by Phthisis.	Per cent. of Whole Number of Deaths.
1880.....	362,889	8,612	1,371	15.9
1881.....	368,190	9,097	1,545	16.9
1882.....	373,620	9,017	1,560	17.3
1883.....	379,129	9,747	1,550	15.9
1884.....	384,720	9,623	1,561	16.2
1885.....	390,398	9,622	1,579	16.4
1886.....	401,374	9,265	1,692	18.2
1887.....	412,668	10,077	1,804	15.9
1888.....	424,274	10,200	1,579	15.4
1889.....	436,208	10,259	1,522	14.8
1890.....	448,477	10,179	1,603	15.7
1891.....	457,772	10,573	1,362	12.8
1892.....	467,260	11,240	1,414	12.5
1893.....	476,945	11,713	1,364	11.6
1894.....	486,830	11,581	1,425	12.3
1895.....	496,920	11,331	1,349	11.9
1896.....	516,305	11,650	1,328	11.4
1897.....	528,912	11,170	1,289	11.5
1898.....	541,827	10,903	1,241	11.3
1899.....	555,057	11,178	1,236	11.+
1900.....	560,892	11,670	1,392	11.9
1901.....	567,433	11,305	1,364	12.+
1902.....	573,974	11,000	1,220	11.1
1903.....	580,515	10,653	1,163	10.9
1904.....	587,056	10,757	1,263	11.7
1905.....	593,598	11,007	1,290	11.7

TABLE H.—NUMBER OF DEATHS FROM FOUR PRINCIPAL CAUSES FROM 1811 TO 1905.

YEAR.	Whole Number of Deaths.	PNEUMONIA.*		CANCER.		HEART DISEASE.		APOPLEXY.	
		Number of Deaths.	Per Cent. of Whole Number of Deaths.	Number of Deaths.	Per Cent. of Whole Number of Deaths.	Number of Deaths.	Per Cent. of Whole Number of Deaths.	Number of Deaths.	Per Cent. of Whole Number of Deaths.
1811.....	748	46	6.1	5	0.66	2	0.26	13	1.70
1812.....	633	40	6.3	.....	.....	1	0.15	15	2.30
1813.....	750	41	5.2	1	0.13	1	0.13	15	2.00
1814.....	695	26	3.7	.....	.....	.....	.....	3	0.40
1815.....	880	67	8.+	6	0.72	.....	.....	3	0.30
1816.....	873	61	6.9	2	0.22	1	0.11	18	2.06
1817.....	875	47	5.3	11	1.20	2	0.22	17	1.90
1818.....	927	36	3.8	3	0.32	6	0.64	9	0.90
1819.....	789	46	5.8	3	0.37	3	0.37	6	0.70
1820.....	1,014	26	2.5	1	.....	8	0.78	10	0.90
1821.....	1,321	31	2.3	3	0.22	5	0.37	7	0.50
1822.....	1,088	41	3.7	12	0.11	3	0.27	6	0.50
1823.....	1,045	38	3.6	3	0.28	9	0.86	11	0.90
1824.....	1,208	77	6.3	9	0.74	11	0.91	9	0.70
1825.....	1,362	67	4.9	7	0.51	10	0.73	12	0.80
1826.....	1,167	41	3.5	6	0.51	14	1.19	10	0.80
1827.....	989	36	3.8	4	0.42	8	0.85	10	1.06
1828.....	1,159	89	7.6	5	0.43	7	0.6+	18	1.50
1829.....	1,156	90	7.7	3	0.26	10	0.86	12	1.03
1830.....	1,025	68	6.6	6	0.58	13	1.26	12	1.10
1831.....	1,353	97	7.1	5	0.37	15	1.11	11	0.80
1832.....	1,675	106	6.3	5	0.29	13	0.77	15	0.90
1833.....	1,374	77	5.6	12	0.87	16	1.16	19	1.30
1834.....	1,440	90	6.2	15	1.04	25	1.73	9	0.60
1835.....	1,819	141	7.7	9	0.49	14	0.76	19	1.04
1836.....	1,648	99	6.+	6	0.36	24	1.45	19	1.10
1837.....	1,743	114	6.5	14	0.8+	32	1.83	31	1.70
1838.....	1,799	113	6.2	12	0.66	31	1.72	19	1.05
1839.....	1,732	100	5.8	8	0.46	30	1.74	20	1.10
1840.....	1,841	135	7.3	17	0.92	16	0.81	26	1.40
1841.....	1,783	106	5.9	11	0.61	23	1.57	11	0.60

\* Inflammation of the lungs until 1867.

**TABLE H, Continued. — NUMBER OF DEATHS FROM FOUR PRINCIPAL CAUSES FROM 1811 TO 1905.**

YEAR.	Whole Number of Deaths.	PNEUMONIA.		CANCER.		HEART DISEASE.		APOPLEXY.	
		Number of Deaths.	Per Cent. of Whole Number of Deaths.	Number of Deaths.	Per Cent. of Whole Number of Deaths.	Number of Deaths.	Per Cent. of Whole Number of Deaths.	Number of Deaths.	Per Cent. of Whole Number of Deaths.
1842.....	2,266	181	7.9	10	0.44	42	1.85	26	1.10
1843.....	2,008	167	8.3	14	0.69	34	1.69	16	0.70
1844.....	2,054	182	8.4	27	1.30	38	1.85	25	1.20
1845.....	2,240	167	7.1	15	0.64	33	1.41	21	0.80
1846.....	3,086	234	7.6	19	0.61	42	1.36	22	0.70
1847.....	3,853	193	5.+	13	0.33	58	1.51	25	0.60
1848.....	3,664	190	5.1	22	0.6+	62	1.69	20	0.50
1849.....	5,079	290	5.7	29	0.56	52	1.02	27	0.50
1850.....	3,667	125	3.4	29	0.79	52	1.41	27	0.70
1851.....	3,855	262	6.7	19	0.48	36	2.23	32	0.80
1852.....	3,736	226	6.+	32	0.85	79	2.11	23	0.60
1853.....	4,284	245	5.7	22	0.51	78	1.62	20	0.40
1854.....	4,443	250	5.6	23	0.51	83	1.86	36	0.80
1855.....	4,085	203	4.9	31	0.75	95	2.32	37	0.90
1856.....	4,258	240	5.6	16	0.37	115	2.7+	33	0.70
1857.....	3,959	211	5.3	33	0.83	102	2.57	38	0.90
1858.....	3,841	195	5.+	42	1.09	96	2.49	29	0.70
1859.....	3,738	191	5.1	43	1.15	107	2.86	55	1.40
1860.....	4,390	280	6.3	50	1.13	92	2.09	44	1.+
1861.....	3,965	198	5.0	57	1.43	92	2.32	57	1.40
1862.....	4,126	218	5.2	50	1.21	115	2.78	56	1.30
1863.....	4,701	261	5.5	52	1.10	135	2.87	70	1.40
1864.....	5,115	292	5.7	50	0.97	142	2.77	63	1.20
1865.....	4,541	253	5.5	58	1.27	125	2.75	78	1.70
1866.....	4,382	282	6.4	78	1.78	137	3.12	55	1.20
1867.....	4,422	227	5.1	82	1.85	139	3.14	66	1.40
1868.....	5,520	358	6.4	85	1.50	172	3.10	150	2.70
1869.....	5,524	402	7.2	107	1.90	159	2.80	76	1.30
1870.....	6,100	336	5.5	111	1.80	196	3.20	93	1.50
1871.....	5,892	345	5.8	102	1.70	239	4.05	105	1.70
1872.....	8,091	417	5.1	107	1.30	270	3.30	112	1.30
1873.....	7,869	463	5.8	141	1.70	244	3.10	119	1.50

**TABLE H, Concluded. — NUMBER OF DEATHS FROM FOUR PRINCIPAL CAUSES FROM 1811 TO 1905.**

YEAR.	Whole Number of Deaths.	PNEUMONIA.		CANCER.		HEART DISEASE.		APOPLEXY.	
		Number of Deaths.	Per Cent. of Whole Number of Deaths.	Number of Deaths.	Per Cent. of Whole Number of Deaths.	Number of Deaths.	Per Cent. of Whole Number of Deaths.	Number of Deaths.	Per Cent. of Whole Number of Deaths.
1874.....	7,813	571	7.30	140	1.70	328	4.10	134	1.70
1875.....	8,968	632	7.+	156	1.70	322	3.60	154	1.70
1876.....	8,208	523	6.20	164	1.90	370	4.50	160	1.90
1877.....	7,284	484	6.60	190	2.60	285	3.90	179	2.40
1878.....	7,677	581	7.50	196	2.50	359	4.60	160	2.08
1879.....	7,435	628	8.40	195	2.60	383	5.10	171	2.30
1880.....	8,612	803	9.30	237	2.70	425	4.90	214	2.40
1881.....	9,097	785	8.60	242	2.60	442	4.80	214	2.30
1882.....	9,017	734	8.10	269	2.90	509	5.60	204	2.20
1883.....	9,747	876	8.90	303	3.10	540	5.50	234	2.40
1884.....	9,623	815	8.40	302	3.10	530	5.50	214	2.20
1885.....	9,622	976	10.10	277	2.80	553	5.70	240	2.40
1886.....	9,265	740	7.90	319	3.40	568	6.10	246	2.60
1887.....	10,077	800	7.90	350	3.40	586	5.80	323	3.20
1888.....	10,200	960	9.40	307	3.+	651	6.30	298	2.90
1889.....	10,259	905	8.80	339	3.30	720	7.01	293	2.80
1890.....	10,179	1,078	10.50	360	3.50	758	7.40	322	3.10
1891.....	10,573	1,149	10.80	317	2.90	764	7.20	327	3.09
1892.....	11,241	1,122	9.90	328	2.90	890	7.90	358	3.10
1893.....	11,713	1,540	13.30	310	2.60	785	6.70	384	3.10
1894.....	11,531	1,119	9.70	354	3.07	839	7.20	376	3.20
1895.....	11,331	1,268	11.10	391	3.40	870	7.60	372	3.20
1896.....	11,650	1,387	11.90	389	3.30	861	7.30	399	3.10
1897.....	11,170	1,236	11.06	400	3.50	913	8.10	414	3.70
1898.....	10,903	1,169	10.70	412	3.70	934	8.50	382	3.40
1899.....	11,178	1,455	13.01	402	3.50	966	8.60	428	3.80
1900.....	11,870	1,402	12.01	381	3.20	1,118	9.50	489	4.10
1901.....	11,305	1,306	11.05	345	3.05	1,103	9.70	494	4.30
1902.....	11,000	1,264	11.40	405	3.60	1,214	11.03	503	4.50
1903.....	10,653	1,367	12.80	416	3.90	1,349	12.60	432	4.05
1904.....	10,757	1,388	12.90	437	4.06	1,249	11.60	490	4.60
1905.....	11,007	1,290	11.71	524	4.76	1,372	12.46	594	5.39

**NUMBER OF BIRTHS, MARRIAGES, MARRIAGE INTENTIONS, AND  
DEATHS, RECORDED FROM 1849 TO 1905, WITH ALL ADDITIONS  
AND CORRECTIONS TO DATE.**

YEAR.	Births.	Marriages.	Marriage Intentions.	Deaths.	Population.
1849.....	5,091	* 768	2,287	5,329	132,048
1850.....	5,298	2,542	2,557	3,668	136,881
1851.....	5,367	2,895	2,953	3,856	141,308
1852.....	5,339	2,735	2,877	3,736	145,878
1853.....	5,633	2,873	3,092	4,284	150,595
1854.....	5,734	3,170	3,329	4,443	155,464
1855.....	5,848	2,901	3,061	4,085	160,494
1856.....	5,971	2,615	2,914	4,258	163,820
1857.....	5,925	2,494	2,683	3,959	167,218
1858.....	5,674	2,234	2,318	3,841	170,685
1859.....	5,971	2,531	2,629	3,738	174,227
1860.....	5,898	2,531	2,618	4,390	177,840
1861.....	5,825	2,172	2,300	3,965	180,646
1862.....	5,846	2,141	2,256	4,125	183,497
1863.....	5,283	2,364	2,505	4,701	186,390
1864.....	5,015	2,601	2,960	5,115	189,331
1865.....	5,363	2,772	2,866	4,515	192,316
1866.....	5,870	2,873	3,019	4,382	194,506
1867.....	5,926	2,938	3,200	4,432	227,523
1868.....	7,416	3,253	3,578	5,520	231,024
1869.....	7,441	3,390	3,874	5,524	246,541
1870.....	8,144	3,528	3,991	6,100	250,596
1871.....	8,577	3,769	4,283	5,892	258,032
1872.....	9,345	3,858	4,424	8,091	265,764
1873.....	9,765	3,943	4,549	7,869	321,200
1874.....	11,786	4,090	4,690	7,813	331,395
1875.....	11,135	3,489	3,983	8,958	341,919
1876.....	10,878	3,010	3,391	8,203	346,004
1877.....	10,623	2,917	3,343	7,234	350,138
1878.....	10,283	3,069	3,450	7,677	354,322
1879.....	10,372	3,238	3,556	7,435	358,554
1880.....	10,749	3,673	4,182	8,612	362,839

\* Marriage Record of 1849 began July 26. Intentions, January 1.

NUMBER OF BIRTHS, ETC. — *Concluded.*

YEAR.	Births.	Marriages.	Marriage Intentions.	Deaths.	Population.
1881.....	10,640	4,075	4,549	9,097	368,190
1882.....	11,116	4,237	4,756	9,017	373,620
1883.....	11,410	4,339	4,880	9,747	379,129
1884.....	11,596	4,197	4,699	9,623	384,720
1885.....	11,598	4,277	4,766	9,622	390,393
1886.....	12,085	4,502	5,130	9,265	401,374
1887.....	12,307	4,832	5,451	10,077	412,663
1888.....	12,308	4,958	5,745	10,200	424,274
1889.....	13,000	5,211	5,862	10,259	436,208
1890.....	13,355	5,296	6,029	10,179	448,477
1891.....	14,552	5,518	6,302	10,573	457,772
1892.....	15,197	5,728	6,516	11,241	467,260
1893.....	14,671	5,770	6,564	11,713	476,945
1894.....	15,451	5,472	6,251	11,531	486,830
1895.....	15,680	5,951	6,799	11,331	496,920
1896.....	16,531	6,318	7,043	11,650	516,305
1897.....	16,993	6,063	6,790	11,170	523,912
1898.....	16,638	5,908	6,535	10,903	541,827
1899.....	16,266	6,195	6,975	11,173	555,057
1900.....	16,351	6,049	6,912	11,670	560,892
1901.....	15,580	6,310	7,009	11,305	574,634
1902.....	15,526	6,172	6,973	11,000	588,713
1903.....	15,701	6,640	7,426	10,653	603,136
1904.....	15,769	6,736	7,503	10,757	617,913
1905.....	15,681	6,775	7,846	11,004	595,380



## Births.

YEAR.	Population.	Males.	Females.	Difference.	Total.	Still born.	Total.	Proportion to Population.	
								One to every	Per cent.
1849.....	182,048	2,604	2,487	+117	5,091	250	5,341	25.9	3.85
1850.....	186,881	2,693	2,605	+88	5,298	256	5,554	25.8	3.87
1851.....	141,308	2,806	2,561	+245	5,367	251	5,618	26.3	3.79
1852.....	145,878	2,668	2,671	—3	5,339	236	5,575	27.3	3.66
1853.....	150,595	2,835	2,798	+37	5,633	221	5,854	26.7	3.74
1854.....	155,464	2,957	2,767	+190	5,724	276	6,000	27.1	3.67
1855.....	160,494	3,021	2,827	+194	5,848	228	6,076	27.4	3.64
1856.....	163,820	3,073	2,898	+175	5,971	273	6,244	27.4	3.64
1857.....	167,218	3,000	2,925	+75	5,925	271	6,196	28.2	3.54
1858.....	170,685	2,887	2,787	+100	5,674	249	5,923	30.0	3.32
1859.....	174,227	2,944	2,927	+17	5,971	292	6,263	29.1	3.42
1860.....	177,840	2,985	2,913	+72	5,898	376	6,274	30.1	3.31
1861.....	180,646	3,016	2,909	+207	5,925	350	6,175	31.0	3.22
1862.....	183,497	2,784	2,610	+174	5,394	361	5,755	34.3	2.91
1863.....	186,390	2,717	2,566	+151	5,283	361	5,644	35.2	2.83
1864.....	189,331	2,652	2,363	+289	5,015	351	5,366	37.7	2.64
1865.....	192,318	2,758	2,602	+156	5,360	373	5,733	35.8	2.78
1866.....	194,506	2,827	2,748	+79	5,575	397	5,972	34.8	2.86
1867.....	227,523	2,998	2,983	+15	5,981	408	6,389	38.3	2.60
1868.....	231,024	3,746	3,670	+76	7,416	482	7,898	31.1	3.21
1869.....	246,541	3,802	3,639	+163	7,441	477	7,918	33.1	3.01
1870.....	250,526	4,183	3,961	+222	8,144	504	8,648	30.7	3.25
1871.....	258,082	4,573	4,304	+269	8,877	543	9,120	30.1	3.32
1872.....	265,764	4,745	4,600	+145	9,345	560	9,905	28.4	3.51
1873.....	321,200	4,941	4,824	+117	9,765	515	10,280	32.8	3.04
1874.....	331,395	6,064	5,722	+342	11,786	642	12,428	28.1	3.55
1875.....	341,919	5,708	5,427	+281	11,135	541	11,676	30.7	3.25
1876.....	346,004	5,607	5,271	+336	10,878	491	11,369	31.8	3.14
1877.....	350,138	5,370	5,253	+117	10,623	469	11,092	33.0	3.03
1878.....	354,322	5,267	5,016	+251	10,283	447	10,730	34.4	2.90
1879.....	358,554	5,339	5,083	+256	10,372	457	10,829	34.5	2.89
1880.....	362,839	5,483	5,266	+217	10,749	435	11,184	33.7	2.96
1881.....	368,190	5,396	5,244	+152	10,640	543	11,183	34.6	2.89
1882.....	373,620	5,729	5,385	+344	11,114	520	11,634	33.6	2.98
1883.....	379,129	5,392	5,478	—86	11,410	509	11,919	33.2	3.00
1884.....	384,720	5,940	5,655	+285	11,595	516	12,111	33.1	3.00

**Births. — Concluded.**

YEAR.	Population.	Males.	Females.	Difference.	Total.	Still-born.	Total.	Proportion to Population.	
								One to every	Per cent.
1885.....	390,393	6,004	5,593	+411	11,597	523	12,120	33.6	2.97
1886.....	401,374	6,287	5,848	+389	12,085	557	12,642	33.2	3.01
1887.....	412,663	6,307	6,000	+307	12,307	535	12,842	33.5	2.98
1888.....	424,274	6,597	6,211	+386	12,808	571	13,379	33.1	3.01
1889.....	436,208	6,781	6,220	+561	13,001	608	13,609	33.5	2.98
1890.....	448,477	6,862	6,498	+369	13,355	636	13,991	33.5	2.97
1891.....	457,772	6,573	7,216	-643	13,789	625	14,414	33.1	3.01
1892.....	467,260	7,616	7,506	+30	15,212	644	15,856	30.7	3.25
1893.....	476,945	7,508	7,169	+334	14,672	645	15,317	32.5	3.07
1894.....	486,830	7,940	7,511	+429	15,451	721	16,172	31.5	3.17
1895.....	496,920	7,973	7,707	+266	15,680	625	16,305	31.6	3.15
1896.....	516,305	8,462	8,069	+398	16,531	688	17,219	31.2	3.20
1897.....	528,912	8,618	8,375	+243	16,993	640	17,633	31.1	3.21
1898.....	541,827	8,400	8,289	+111	16,689	650	17,339	32.4	3.08
1899.....	555,057	8,324	7,942	+382	16,266	614	16,880	34.1	2.98
1900.....	560,892	8,376	7,975	+401	16,351	671	17,022	34.3	2.91
1901.....	574,634	7,944	7,636	+308	15,580	650	16,230	36.88	2.82
1902.....	588,713	7,986	7,613	+373	15,612	675	16,187	37.95	2.63
1903.....	603,136	8,065	7,636	+429	15,701	633	16,334	32.04	2.63
1904.....	617,913	8,027	7,742	+285	15,769	661	16,430	39.1	2.55
1905.....	595,380	8,184	7,497	+687	15,681	665	16,346	37.8	2.63

**Deaths.**

YEAR.	Population.	Males.	Females.	Difference.	Total.	Still-born.	Total.	Proportion to Population.	
								One in	Per cent.
1851.....	141,308	1,966	1,889	+77	3,855	251	4,106	37	2.73
1852.....	145,878	1,902	1,834	+68	3,736	236	3,972	39	2.56
1853.....	150,595	2,208	2,081	+122	4,284	221	4,505	35	2.84
1854.....	155,464	2,295	2,148	+148	4,443	243	4,686	35	2.85
1855.....	160,494	2,087	1,998	+89	4,085	228	4,313	39	2.43
1856.....	163,820	2,224	2,034	+188	4,258	273	4,531	38	2.60
1857.....	167,218	2,077	1,882	+195	3,959	271	4,230	42	2.37
1858.....	170,685	1,935	1,906	+29	3,841	249	4,090	44	2.25

**Deaths. — Continued.**

YEAR.	Population.	Males.	Females.	Difference.	Total.	Still-born.	Total.	Proportion to Population.	
								One in	Per cent.
1859.....	174,227	1,911	1,827	+84	3,738	292	4,030	47	2.20
1860.....	177,840	2,229	2,161	+67	4,390	376*	4,766	41	2.47
1861.....	180,646	1,967	2,008	-51	3,965	350*	4,315	46	2.19
1862.....	183,497	2,089	2,087	+62	4,126	361	4,487	45	2.25
1863.....	186,390	2,484	2,267	+167	4,701	361	5,062	40	2.52
1864.....	189,331	2,667	2,448	+219	5,115	351	5,466	37	2.70
1865.....	192,318	2,528	2,213	+115	4,541†	373	4,914	42	2.36
1866.....	194,506	2,234	2,148	+86	4,382	397	4,779	44	2.25
1867.....	227,523	2,263	2,159	+104	4,422	408	4,830	51	1.94
1868.....	231,024	2,862	2,658	+204	5,520	492	6,002	42	2.38
1869.....	246,541	2,774	2,750	+24	5,524	477	6,001	45	2.24
1870.....	250,526	3,105	2,995	+110	6,100	504	6,604	41	2.43
1871.....	258,082	2,959	2,983	+24	5,892	543	6,435	44	2.28
1872.....	265,764	4,218	3,873	+345	8,091	560	8,651	38	3.04
1873.....	321,200	4,099	3,770	+329	7,869	515	8,384	41	2.45
1874.....	331,395	3,967	3,856	+101	7,813	642	8,455	42	2.35
1875.....	341,919	4,504	4,454	+50	8,958	541	9,499	38	2.62
1876.....	346,004	4,110	4,093	+17	8,203	491	8,694	42	2.37
1877.....	350,138	3,690	3,604	+76	7,284	469	7,753	48	2.08
1878.....	354,322	3,741	3,986	-195	7,677	447	8,124	46	2.17
1879.....	352,554	3,675	3,760	-85	7,435	457	7,892	48	2.07
1880.....	362,839	4,209	4,403	-194	8,612	435	9,047	42	2.37
1881.....	368,190	4,574	4,523	+51	9,097	548	9,145	41	2.47
1882.....	373,620	4,495	4,522	-27	9,017	520	9,537	41	2.41
1883.....	379,129	4,966	4,881	-15	9,747	509	10,256	39	2.57
1884.....	384,720	4,819	4,804	+15	9,623	516	10,139	40	2.50
1885.....	390,398	4,826	4,796	+30	9,622	523	10,145	41	2.46
1886.....	401,374	4,677	4,588	+89	9,265	557	9,822	43	2.30
1887.....	412,663	5,096	4,981	+115	10,077	535	10,612	41	2.44
1888.....	424,274	5,162	5,038	+124	10,200	571	10,771	42	2.40
1889.....	436,208	5,246	5,013	+233	10,259	608	10,867	43	2.35
1890.....	443,477	5,118	5,061	+57	10,179	636	10,815	44	2.27
1891.....	457,772	5,381	5,192	+189	10,573	625	11,198	43	2.31
1892.....	467,260	5,664	5,576	+88	11,240	644	11,884	42	2.40

\* Approximate.

† Exclusive of ten soldiers who died at Gallop's Island and were not recorded until the year 1869.

**Deaths.—Concluded.**

YEAR.	Population.	Males.	Females.	Difference.	Total.	Still-born.	Total.	Proportion to Population.	
								One in	Per cent.
1883.....	476,945	6,016	5,697	+319	11,713	645	12,358	40	2.45
1894.....	486,880	5,988	5,548	+445	11,531	721	12,252	42	2.37
1895*.....	496,920	5,862	5,469	+393	11,331	625	11,956	43	2.28
1896.....	516,305	6,097	5,553	+544	11,650	688	12,338	44	2.25
1897.....	528,912	5,658	5,512	+146	11,170	640	11,810	47	2.11
1898.....	541,827	5,597	5,306	+291	10,903	650	11,553	50	2.00
1899.....	555,057	5,768	5,410	+358	11,178	614	11,792	50	2.00
1900.....	560,892	5,984	5,686	+298	11,670	671	12,341	47	2.08
1901.....	574,684	5,908	5,397	+511	11,305	650	11,955	51	1.96
1902.....	588,713	5,671	5,329	+342	11,000	675	11,675	53	1.86
1903.....	608,136	5,466	5,187	+279	10,653	633	11,286	57	1.76
1904.....	617,913	5,569	5,188	+381	10,757	661	11,418	57	1.74
1905.....	595,380	5,841	5,166	+675	11,007	685	11,672	54	1.84

\* Population in 1895 according to Board of Health table is 501,083.

**Table showing the Influences of the Different Years on the Number of the Deaths, Distinguishing the Males from the Females, and the Still-born, and the Proportion to the Population.**

YEAR.	POPULATION.	DEATHS.						PROPORTION TO POPULATION.	
		Males.	Females.	Difference.	Total.	Still-born.	Total.	One in	Per cent.
1811.....	34,255	373	375	-2	748	46	794	45	2.18
1812.....	35,360	286	347	+61	633	48	681	55	1.86
1813.....	36,264	416	334	+82	750	36	786	48	2.06
1814.....	37,269	367	328	+39	695	32	727	53	1.86
1815.....	38,274	407	433	-16	830	21	851	46	2.16
1816.....	39,279	440	433	+7	873	31	904	45	2.22
1817.....	40,284	453	422	+31	875	33	908	46	2.17
1818.....	41,288	486	439	+47	927	46	971	44	2.23
1819.....	42,293	423	346	+77	769	39	808	53	1.86
1820.....	43,298	506	509	-4	1,014	89	1,103	42	2.31
Mean.....		415.6	397.6	+180	813.2	47.1	860.3	47	2.09
1821.....	46,295	678	643	+35	1,321	99	1,420	35	2.85
1822.....	49,291	570	518	+52	1,088	115	1,203	45	2.20
1823.....	52,288	531	514	+17	1,045	109	1,154	50	1.99
1824.....	55,284	623	585	+38	1,208	89	1,297	45	2.18
1825.....	58,281	692	670	+22	1,362	88	1,450	49	2.33
1826.....	58,903	623	544	+79	1,167	87	1,254	50	1.98
1827.....	59,525	495	444	+51	939	83	1,022	63	1.57
1828.....	60,147	603	556	+47	1,159	74	1,233	51	1.92
1829.....	60,769	600	556	+44	1,156	65	1,221	52	1.90
1830.....	61,392	532	493	+39	1,025	100	1,125	59	1.66
Mean.....		594.7	552.3	+424	1,147.0	90.9	1,237.9	49	2.05
1831.....	64,334	676	677	-1	1,353	71	1,424	47	2.08
1832.....	68,276	840	835	+5	1,675	86	1,761	40	2.45
1833.....	71,780	679	695	-16	1,374	102	1,476	52	1.91
1834.....	75,160	765	675	+10	1,440	114	1,554	52	1.91
1835.....	78,603	991	828	+163	1,819	95	1,914	43	2.31
1836.....	79,464	831	617	+214	1,448	122	1,570	48	2.07
1837.....	80,325	875	968	-93	1,743	100	1,843	46	2.16
1838.....	81,186	987	862	+125	1,799	121	1,920	45	2.21
1839.....	82,215	863	859	+4	1,722	141	1,863	44	2.23
Mean.....		745.7	711.6	+241	1,457.3	96.2	1,552.5	45	2.14
1840.....	84,311	951	890	+61	1,841	131	1,972	46	2.18
1841.....	89,614	927	856	+71	1,783	136	1,919	50	1.98
1842.....	95,251	1,146	1,120	+26	2,266	166	2,432	42	2.33
1843.....	101,242	996	1,022	-26	2,008	189	2,197	51	1.96
1844.....	107,610	1,015	1,039	-24	2,054	187	2,241	52	1.90
1845.....	114,366	1,182	1,158	+24	2,340	245	2,585	48	2.04
1846.....	118,551	1,614	1,472	+142	3,086	303	3,389	39	2.60
1847.....	122,890	2,077	1,776	+301	3,853	289	4,142	32	3.13
1848.....	127,387	1,915	1,749	+166	3,664	308	3,972	35	2.86
1849.....	132,048	2,604	2,475	+129	5,079	250	5,329	26	3.84
1850.....	136,881	1,887	1,780	+107	3,667	256	3,923	37	2.68

NOTE.— Vital Statistics of Boston — Shattuck. Page 19.

OUT OF TOWN MARRIAGES.

(4 Volumes.)

Year.	No.	Year.	No.	Year.	No.
1854 to 1867.....	290	1878.....	234	1890.....	617
1867.....	195	1879.....	262	1891.....	595
1868.....	164	1880.....	331	1892.....	681
1869.....	187	1881.....	388	1893.....	826
1870.....	209	1882.....	440	1894.....	779
1871.....	244	1883.....	430	1895.....	879
1872.....	280	1884.....	452	1896.....	921
1873.....	249	1885.....	456	1897.....	848
1874.....	244	1886.....	551	1898.....	840
1875.....	230	1887.....	539	1899.....	985
1876.....	198	1888.....	578	1900.....	1,010
1877.....	211	1889.....	594	1901.....	1,016

OUT OF TOWN DEATHS.

(3 Volumes.)

Year.	No.	Year.	No.	Year.	No.
1853.....	163	1870.....	54	1887.....	9
1854.....	142	1871.....	57	1888.....	8
1855.....	73	1872.....	55	1889.....	135
1856.....	103	1873.....	65	1890.....	136
1857.....	79	1874.....	23	1891.....	141
1858.....	88	1875.....	70	1892.....	202
1859.....	99	1876.....	37	1893.....	216
1860.....	90	1877.....	25	1894.....	219
1861.....	88	1878.....	25	1895.....	233
1862.....	99	1879.....	16	1896.....	277
1863.....	108	1880.....	27	1897.....	318
1864.....	107	1881.....	23	1898.....	400
1865.....	70	1882.....	19	1899.....	487
1866.....	56	1883.....	14	1900.....	445
1867.....	57	1884.....	24	1901.....	549
1868.....	55	1885.....	20		
1869.....	55	1886.....	15		



## APPENDIX B.

---

POPULATION STATISTICS SHOWING GROWTH OF  
BOSTON PROPER AND ANNEXATIONS, 1630-1905.





## Boston Proper (Old Boston).

The area of the original Boston at the time of settlement in 1630 was less than 1,000 acres; \* the greatest length of the peninsula being from Roxbury line north-northeast to the old fortification on the Neck, one mile and thirty-nine yards, and from thence to the Winnisimmet ferry, one mile and three quarters — in all, about two miles three quarters and two hundred and thirty-eight yards.

The greatest breadth of the old town at the same time was from a point about the present location of Foster's wharf (on Atlantic avenue) to the northwesterly end of Leverett street, or about one mile one hundred and thirty-nine yards.

There was no important addition to the inhabitable area of the town until the filling of the Mill pond, about 1807, which occupied the space at present bounded in part by Prince, Endicott, Leverett and Causeway streets, gave an additional fifty acres or thereabouts to the land area of the original town. There have been other additions made from time to time, notably on the water front, that is, the harbor side, but none so extensive as the one just mentioned, and they have mostly been utilized for business purposes, while a large portion of the "Mill pond" land was occupied by residences for many years, and a small portion of it is now so occupied.

There is no precise account of the population of Boston for nearly a century after its settlement. In 1638 it is spoken of as being "rather a village than a town, consisting of no more than 20 or 30 houses." In 1675 the inhabitants were *estimated* at 4,000; in 1686 the taxable polls (16 years and upwards) were 1,447; in 1698 the inhabitants were *estimated* at 7,000; both estimates probably being too great; the estimate of 1698 is probably that of Cotton Mather in his "Magnalia" 1.31, "seven thousand souls of us, at this hour living on the spot."

Estimates of the population in 1704 at 6,750, and in 1720 at 11,000, are given for what they are worth.

The early immigration practically ceased in 1640, and during the ten years since the settlement of the town 21,200 passengers had landed here, and about 4,000 families.

The first enumeration now known was made in 1722, by Eneas Salter, by authority and direction of the selectmen. He reported 10,567 "beside those who had died or removed out of the town."

On Bonner's map of Boston, dated 1722, it is stated that there were in the town at that time "near 12,000 people." In 1735 the population was *estimated* at 16,000.

---

\* 783 acres.

In 1742 a census of the city was taken with the following result: Total number of persons, 16,382; houses, 1,719; colored persons, 1,374; the total includes the colored, leaving 15,008 whites.

The result of this census is shown in the following table:

**BOSTON PROPER.—CENSUS OF 1742.**

WARD.	Persons.	Houses.	Warehouses.	Colored.	Horses.	Cows.
1. ....	1,028	106	4	44	8	7
2. ....	1,488	147	.....	76	5	5
3. ....	1,255	127	11	105	16	4
4. ....	1,135	110	.....	84	21	4
5. ....	1,328	132	12	109	31	4
6. ....	1,363	142	15	115	31	5
7. ....	1,204	127	8	124	37	21
8. ....	1,216	148	99	136	45	7
9. ....	1,264	139	8	165	47	9
10. ....	1,857	197	4	167	61	26
11. ....	1,365	178	5	115	40	15
12. ....	1,884	208	.....	134	76	34
Total .....	16,382	1,719	166	* 1,374	418	141

\* Included in total population, leaving 15,008 whites.

On account of the smallpox another census was taken in 1752, which gave 14,190 whites, 1,541 colored—total, 15,731. In 1754 a colonial census of negroes was taken, which shows the number of slaves in Boston at that time to have been 989.

The first efforts to take a general census in Massachusetts, so far as legislative records show, were made in 1763, and the result is shown in the colonial census of July, 1765, as follows:

**BOSTON PROPER.—CENSUS OF 1765.**

(By Order of the General Court.)

	Males.	Females.	Total.
Whites under 16.....	4,109	4,010	8,119
Whites over 16.....	2,941	3,612	6,553
Colored, all ages .....	510	301	811
Indians, all ages .....	21	16	37
Total.....	7,581	7,939	15,520

Houses, 1,676; Families, 2,069.

In July, 1775, the population of Boston, as shown by a census taken by order of General Gage, was 6,573; and in 1776, at the close of the siege of Boston, a census ordered by the General Court gave the population of the town as 2,719 (Shattuck says these were whites only).

In 1777 the whole number of males sixteen years of age and over was 2,863, but deducting the colored, those at sea and in the army, there were but 1,878, and many of these were "old, infirm, and decrepit."

In 1781 the number of polls was 2,260, representing a population, estimated on that number, of about 10,000.

In July, 1784, the General Court ordered a census of the ratable polls in Massachusetts, and the population of Boston, estimated on this census, was 15,780, the number of polls being 3,174.

The following table gives the number of polls at different periods, and estimates of the population at about the same time :

### BOSTON PROPER.

POLLS.		POPULATION.			
Date.	Number.	Date.	White.	Colored.	Total.
1687	1,330	1680	.....	.....	4,500
1728	3,000	1690	.....	.....	7,000
1733	3,500	1700	.....	.....	6,700
1735	3,637	1710	.....	.....	9,000
1738	3,395	1720	.....	.....	11,000
1740	3,043	1730	11,900	1,100	13,000
1741	2,972	1740	16,626	1,374	17,000
1752	2,789	1750	14,190	1,541	15,731
1778	2,248	1760	14,390	1,241	15,631
1781	2,260	1770	14,672	848	15,520
1784	3,174	1780	.....	.....	10,000

Thus it will be seen by the above table and the preceding statements regarding the population that between the settlement of the town and the peace of 1783, about one hundred and fifty years, the increase of the population was not marked, the estimate for 1780 being not more than two and a quarter times that of 1680, when the town, although fifty years old, may still be said to be in its infancy, and for forty years, from 1730 to 1770, the population might almost be called stationary.

The number of houses in Boston in 1719, according to Daniel Neal, who wrote a description of the town in that year, was about

3,000; this statement is consistent with that of Bonner's map, before alluded to, which says near 3,000 in 1722; but there is a wide difference in the computation of the inhabitants, Neal making it about 20,000 and Bonner 12,000. The census of 1742 gives the number of houses as 1,719, and the number of warehouses as 166; so that, if the census of 1742 is in any degree accurate, there must have been a very much greater average of persons to a dwelling in that year than in 1722, as the population is given as 4,000 greater.

The number of dwelling houses in 1784, by actual enumeration, was 2,178. A writer in the "Columbian Magazine," of Philadelphia, describing the Boston of 1787, states that it is "supposed to contain 3,000 houses and 18 or 20,000 inhabitants," but the statement is made elsewhere that in 1789 the number of dwellings was 2,235, and the population, on the basis of 1790, was 17,880.

From the various statements given it may be determined that the average population of Boston for the first ninety years of the 18th century was probably not more than double the figure at the close of the 17th century, or 13,500 for the former and 6,700 for the latter date. The maximum number of dwellings during the whole period from the settlement of the town until 1790 was probably no greater than the number given in 1789, or 2,235.

A table showing the number of houses and stores in given districts, together with the estimated population of these districts, is herewith appended.

#### BOSTON PROPER. — 1789.

	Houses.	Stores.	Estimated Population.
North of Mill Creek, now Blackstone street.. .. .	731	49	5,848
Between State, Court, Sudbury, and Blackstone streets .....	336	112	2,688
Between Sudbury, Tremont, Park, and Beacon streets .....	241	79	1,928
Between State, Court, Tremont, Bromfield, and Milk streets .....	218	43	1,744
South of Bromfield and Milk streets .....	709	83	5,672
Total in the whole town .....	2,235	366	17,880
South of Winter and Summer streets.....	444	?	3,552
South of West, Bedford, and Summer streets.....	377	83	3,016
South of Boylston and Beach streets .....	191	44	1,528

NOTE. — The population in the above statement is found by multiplying the houses by eight, the average number to a dwelling-house in 1790.

The first general census of the United States was made in 1790, and, under the law, has been taken every ten years since;

the population for this year is given as 18,038, and the presentation of the census is as follows :

**BOSTON. — U. S. CENSUS OF 1790.**

Houses.	Families.	FREE WHITE MALES.		Free White Females, All Ages.	All Others.
		16 and over.	Under 16.		
2,376	3,343	4,325	3,376	9,576	761

The population of Boston at the commencement of the last century, as shown by the census of 1800, was as follows :

**BOSTON. — U. S. CENSUS OF 1800.**

WHITE.			Colored, Both Sexes.	Total.
Males.	Females.	Total.		
11,063	12,423	23,486	1,169	24,655

Thus the population had increased from 1722, the year of the first regular census by town authority, to considerably more than twice the number, according to the U. S. census of 1800, the town meanwhile retaining practically the same habitable area as at the time of settlement.

Soon after 1800 commenced the additions to the town area by filling various water areas and the reclamation of marshes, etc., and annexations of territory, which will be referred to under their respective heads.

The population of Boston Proper, or the old town site, for the census years from 1800 to 1900, inclusively, is given in the following table :

**POPULATION OF BOSTON PROPER IN CERTAIN CENSUS YEARS.**

**(White, Colored, by Sexes, Native and Foreign-born.)**

[Incorporated Sept. 7, 1830.]

	WHITES.			COLORED.			Native.	Foreign.
	Males.	Females.	Total.	Males.	Females.	Total.		
1800.....	11,063	12,423	23,486	.....	.....	1,169		
1810.....	15,749	16,570	32,319	.....	.....	1,468		
1820.....	20,108	21,450	41,548	809	931	1,740		
1825.....	26,929	27,445	54,374	974	943	1,917		
1830.....	28,171	31,346	59,517	865	1,010	1,875		
1835.....	35,047	36,205	71,252	788	969	1,757		
1840.....	43,316	39,397	82,713	1,360	1,021	2,381		
1845.....	48,035	49,159	97,194	1,022	820	1,842		
1850.....	53,639	59,677	113,316	802	1,018	998		
1855.....	59,873	65,681	125,554	936	1,174	2,110		
1860.....	63,141	69,302	131,443	951	1,189	2,140		
1865.....	74,282	78,676	152,958	.....	.....	*2,800	110,121	50,719
1870*.....	75,691	82,440	158,131	.....	.....	*3,200	114,454	63,857
1880.....	65,314	75,246	140,560	2,468	2,401	4,864	96,805	48,869
1890.....	68,797	72,074	140,871	3,568	3,010	6,578	92,178	55,271
1895.....	72,820	80,098	152,918	3,868	3,845	7,713	94,563	65,978
1900.....	80,117	80,755	160,872	4,751	3,766	8,517	98,806	70,588

\* Estimated.

There are no figures available to show the number of dwellings in the limits of the old town in 1900.

The present area of Boston Proper, or Old Boston, is a little more than 1,800 acres.

## Charlestown.

One of the original towns of the Massachusetts Bay Colony, settled in 1629. It was not until about 1842 that the bounds of that district, which was annexed to Boston as the City of Charlestown in 1874, were finally settled. The area of the old town was subject to many changes during the period between its settlement and annexation, but after its incorporation as a city in 1847 the area remained intact, and the act of annexation added 586 acres to the habitable area of the City of Boston. There is no record of the population in the earlier years of its history; in 1636

there were 72 who had wives and children, and up to 1640 there were admitted into the town one hundred and twenty-seven persons. Frothingham says that in 1640 the population was not far from 1,000. In 1658 a list of shares in the wood and common lands on Mystic river side shows that upwards of 200 families resided in the town at that time. There seems to be no authentic statement of the population until 1789; in 1727 there were 412 ratable polls, which would seem to indicate a population of about 2,000, and just previous to the conflagration of June 17, 1775, various authorities place the number of houses at from three to five hundred, and the population at from two to three thousand. It is from 1777 that the growth of the town must be reckoned, as it was almost totally destroyed in the conflagration, and the rebuilding had barely commenced in this year, nor did it become general until after the peace in 1785; at the close of this year there were 999 inhabitants, 978 whites and 21 colored, and 160 dwellings. A census of the town was taken in 1789, the result showing a population of 1,579, of which 867 were males and 812 females.

By the U. S. Census of 1790 the population of Charlestown was 1,583; there were 749 white males, 809 white females, and 288 families.

The population of Charlestown for the U. S. Census years from 1800 to 1900 inclusive, is given in the following table:

**POPULATION OF CHARLESTOWN IN U. S. CENSUS YEARS  
1800 TO 1900.**

[Incorporated Aug. 23, 1630; annexed to Boston Jan. 5, 1874.]

	WHITE.			COLORED.			Native.	Foreign.
	Males.	Females.	Total.	Males.	Females.	Total.		
1800.....	1,360	1,353	2,713	.....	.....	38		
1810.....	2,531	2,367	4,898	.....	.....	61		
1820.....	3,556	3,152	6,708	23	12	35	86	
1830.....	4,442	4,249	8,691	60	36	96	530	
1840.....	5,913	5,432	11,345	99	30	129		
1850.....	8,430	8,580	17,010	126	80	206		
1860..	12,210	12,663	24,863	117	85	202		
1870*.....	13,621	14,702	28,323	67	60	127	21,399	6,924
1880.....	16,188	17,358	33,546	102	83	185	25,510	8,221
1890.....	19,122	18,953	38,075	160	113	273	26,991	11,357
1900.....	20,673	19,591	40,264	252	136	388	28,400	12,252
1905*.....	20,665	19,318	† 39,983	.....	.....	303	27,634	12,169

\* Estimated.

† Total white and colored.



The present land area of Charlestown is about 840 acres.

The number of dwellings in the Charlestown district in 1900 was 5,069.

### South Boston.

This district, originally a part of Dorchester, was early known by its Indian name of Mattapanock, and within a few years after the settlement of Dorchester, as Dorchester Neck and Dorchester Point; it became part of Boston in 1804, and at that time contained about 560 acres. In 1637 the "Neck," as it was generally called, was set apart as pasture land for the cattle of the Dorchester towns-people, by vote of the town, and although there is no existing record of the first dwelling house built on the peninsula, it is probable that there was none until 1660. The district retained its distinctive character as a farming and grazing section for about 150 years after this date, and at the time of annexation was inhabited by only 10 families, about 60 persons, and there were but 19 persons who paid a poll tax as residents of the place. In 1810 the number was 354, and in 1825 it had increased to 1,986. In 1835 the population was 5,595.

The population of the South Boston district for the U. S. Census years from 1840 to 1900, inclusive, is given in the following table:

#### POPULATION OF SOUTH BOSTON BY U. S. CENSUS FROM 1840 TO 1900.

[Originally part of Dorchester; annexed to Boston, 1804.]

	WHITE.			COLORED.			Native.	Foreign.
	Males.	Females.	Total.	Males.	Females.	Total.		
1840.....	3,135	2,975	6,110	39	27	66		
1850.....	6,597	6,608	13,205	42	22	64		
1860.....	12,366	12,487	24,853	26	22	48		
1870*.....	18,744	20,414	39,158	33	24	57	24,086	15,129
1880.....	27,693	28,613	56,306	44	19	63	36,510	19,859
1890.....	33,122	33,522	66,644	105	42	147	42,106	24,685
1900.....	34,926	35,479	70,405	199	55	254	46,410	24,249

\* Estimated.

The original land area of South Boston was about 795 acres; its present area is a little more than 1,200 acres.

The number of dwellings in South Boston in 1900 was 7,336.

## East Boston.

The largest island of those which go to make up the present district of East Boston, Noddle's Island, was placed under the jurisdiction of Boston on the 7th of December, 1636. The area of the island at this time was estimated at 1,000 acres, and the flats about it at 1,200 acres or more; but by a survey made by William Taylor in 1801 it was found to contain but 666 acres of upland and marsh, and the flats surrounding it amounted to nearly 1,500 acres.

The entire district now known as East Boston, embracing Noddle's, Breed's and Wood Islands, reclaimed marsh land, and flats, contains about 1,685 acres.

In 1833, the year of the incorporation of the East Boston Company, which was formed for the development of Noddle's Island into a residential and business section, there was but one dwelling-house upon the island, and at no time previous to that date was the island used for any purposes but farming and grazing, and the only inhabitants were the owners of the farms, or their tenants, never more than a few individuals, and requiring at the most not more than half a dozen dwellings. On June 10, 1775, the Provincial troops destroyed all the buildings on the island; and the statement was made by Thomas Greenough, the husband of one of the heirs of a former proprietor, that the loss consisted of 3 houses, 1 mansion house, 6 barns, 1 stable, and 1 store (probably storehouse), all valued at £2,060.

The census of the island for 1833 was 3 males, 5 females.

In 1834, 16 single dwelling-houses and a brick block were built, beside buildings for various business purposes.

In 1835, 21 dwellings were erected; there were 6 births, 4 marriages, and 8 deaths.

In 1836, there were 8 births, 1 marriage, 10 deaths.

The following statistics, while not official, and perhaps not complete, are no doubt nearly so, and are interesting as the only record known of the vital statistics of East Boston in the earlier years of its development as a residential section:

YEAR.	Births.	Marriages.	Deaths.
1837 .....	11	1	8
1838 .....	12	7	18
1839 .....	23	Not given.	24
1840 .....	26	3	18
1841 .....	Not given.	4	35
1842 .....	"	3	44
1843 .....	"	9	54

The population of East Boston in the U. S. Census years from 1850 until 1900, inclusively, is given in the following table:

**POPULATION OF EAST BOSTON (INCLUDING ISLANDS IN  
THE HARBOR), FROM 1850 TO 1905.**

[Annexed to Boston March 9, 1837.]

	WHITE.			COLORED.			Native.	Foreign.
	Males.	Females.	Total.	Males.	Females.	Total.		
1850.....	4,619	3,742	8,361	75	40	115		
1860.....	9,678	9,605	19,283	44	29	73		
1870*.....	12,164	13,266	25,430	35	19	54	16,906	8,578
1880.....	15,112	14,712	29,824	68	39	102	20,238	9,688
1890.....	18,805	18,012	36,817	80	33	113	22,992	13,968
1900.....	23,275	22,348	45,623	102	81	183	28,640	17,116
1905*.....	26,629	24,705	† 51,334	.....	.....	145		

\* Estimated

† Total white and colored.

The number of dwellings in East Boston in 1900 was 5,344.

The area of East Boston in 1900 was about 1,685 acres.

## Dorchester.

One of the original towns of the Massachusetts Bay Colony, the land where the earliest settlements were made, was known by the Indian name of Mattapan. The boundaries and area of Dorchester were changed so frequently, and as only that part of the old township which was annexed to Boston is generally known by that name, it will be sufficient to state its area at the time of annexation, which was 5,614 acres.

Of the population of Dorchester in the earlier years of its existence but little is known. There were 140 persons in the first company that made settlement in Dorchester, and the greater part of these it is evident took up land and built habitations within the limits of that part of Dorchester which is now a part of Boston. The same is true probably of most of the arrivals for the years immediately succeeding the first settlement of the town. In 1636 nearly half of the inhabitants removed to Connecticut, and their places were filled by fresh arrivals from England, but from almost constant departures for other towns and settlements, and new additions from the home country and other parts of the colony, the population did not vary in size very much for a hundred years or more.

The births in the town from 1657 to 1734, a period of seventy-eight years, were 2,416, while the deaths in the same period were only 921, which shows that many who were born in Dorchester must have died elsewhere. The ratable polls in the town in 1641 were "not less than six score or thereabouts," which

multiplied by five, would give 600 inhabitants. In 1692 there were seats provided in the church for 171 men and 180 women, and as every one was expected to attend church there were evidently 351 persons of adult age, or nearly so, and it is fair to presume that there were as many at least younger children, so that the population would not be far from the figure quoted for 1641, or fifty years earlier. In 1727 there were 252 ratable polls. This would give on the same computation as above made, including 17 slaves, 1,277. There were 117 houses at that time. By the census of 1765 Dorchester is shown to have 1,323 whites and 37 colored persons; of the former 635 were males and 688 females. There were 204 houses in the town, and 245 families. In 1776 there were 1,550 inhabitants in the town, including 35 negroes and mulattoes. The population of Dorchester for the U. S. Census years from 1800 to 1900, inclusive, is shown in the following table:

**POPULATION OF DORCHESTER, U. S. CENSUS YEARS  
1800 TO 1900.**

[Incorporated September 7, 1630; annexed to Boston January 3, 1870.]

	WHITE.			COLORED.			Native.	Foreign.
	Males.	Females.	Total.	Males.	Females.	Total.		
800.....	1,215	1,097	2,312	.....	.....	35		
1810.....	1,421	1,483	2,904	.....	.....	26		
1820.....	1,714	2,010	3,724	7	8	15	3,670	54
1830.....	1,871	2,180	4,051	4	9	13	3,925	126
1840.....	2,227	2,634	4,861	4	12	16		
1850.....	3,729	4,234	7,963	1	5	6		
1860.....	4,663	5,296	9,959	3	7	10		
1870*.....	5,867	6,392	12,259	20	24	44	9,372	2,887
1880.....	7,685	9,128	16,813	24	34	58	12,975	3,836
1890.....	13,688	15,896	29,584	47	7	54	21,577	8,061
1900.....	33,948	38,774	72,722	170	132	302	52,976	20,048

\* Estimated.

## Roxbury.

One of the original towns of the Massachusetts Bay Colony, and the sixth town incorporated in Massachusetts. Official date of settlement, September 28, 1630. Like most of the early townships its boundaries and area were subject to numerous changes, and when annexed to Boston it contained about 2,700 acres, which was about one-third of the area of the town at the close of the Revolutionary War.

The first estimate of the population of Roxbury is made from Edward Johnson's statement, that in 1652 there were near upon 120 dwellings in the town. These would ordinarily accommodate about 700 persons, and that is believed to be a fair estimate of the population at that time. The number of inhabitants increased very slowly for the next hundred years, and in fact must have been stationary for the greater part of that time, as the colonial census of 1765 gives the population as 1,487, or about double the number in 1652; this includes 80 colored persons. Of the 1,407 whites, there were 662 males and 745 females. There were at the same time 212 families and 212 houses according to this census. No data is found to definitely fix the population at any period between the dates given.

The white population of Roxbury in 1776 is stated as 1,433. In 1778 the polls were 372, which would indicate a population of 1,860. In 1781 there were 330 polls, which would give an estimated population of 1,650; and in 1784, the number of polls being 430, the population may be reasonably settled as being about 2,150.

The U. S. Census of 1790 gives the population as 2,226. Of these 1,076 were white males and 1,110 white females; there were 287 houses and 351 families. The population of the Roxbury district in the U. S. Census years is given in the following table, from 1800 to 1900, inclusive. Previous to the annexation of Roxbury to Boston in 1868 the figures are absolute, as given by census returns, but subsequently the population is estimated, as heretofore explained.

### POPULATION OF ROXBURY, U. S. CENSUS YEARS 1800 TO 1900.

[Incorporated Sept. 28, 1890; annexed to Boston Jan. 5, 1868.]

	WHITE.			COLORED.			Native.	Foreign.
	Males.	Females.	Total.	Males.	Females.	Total.		
1800.....	1,359	1,335	2,694	.....	.....	71		
1810 .....	1,810	1,783	3,593	.....	.....	76		
1820.....	2,083	2,060	4,163	26	17	43	4,057	106
1830.....	2,624	2,606	5,232	12	15	27	4,955	277
1840.....	4,452	4,611	9,063	11	15	26		
1850.....	8,709	9,548	18,257	51	56	107		
1860.....	11,789	13,288	25,077	29	31	60		
1870*.....	16,644	18,728	34,772	31	35	66	22,108	12,664
1880 .....	26,452	30,235	56,687	198	238	436	39,235	17,452
1890.....	36,635	41,517	78,152	303	327	630	52,683	26,101
1900.....	57,790	65,318	123,108	1,432	1,409	2,962	84,476	41,473

\* Estimated.

## West Roxbury.

Originally part of Roxbury, from which it was set apart and established as a separate town in 1851. A part of Dedham was annexed in 1853, and in 1874 the town was annexed to Boston, its area at that time being 8,078 acres. There are no figures available as to the population of West Roxbury before 1855. At that time it was 4,812; in 1860 it was 6,310; in 1870, 8,686. The population for the succeeding census years is given in the table of "Population of Boston Proper and Annexations."

## Brighton.

This section was a part of Cambridge, known formerly as "Little Cambridge" until February 24, 1807, when it was set apart and incorporated as the town of Brighton. Very little information is available as to its population in early times. In the "Cambridge List of persons and estates taken in the Month of August, 1688," the population of this part of Cambridge is given as 35. In 1777 the number of persons is given as 309 whites, 12 blacks; ratable polls, 66 whites, 4 blacks. The area of Brighton at the time of its incorporation was 2,660 acres, 81 rods. On January 27, 1816, a small portion of Cambridge was annexed, and when the town was annexed to Boston in January, 1874, the area was 2,277 acres. The population of Brighton at the date of the annexation was 4,967. The population of the Brighton district from 1810 to 1900, in the U. S. census years, is given in the following table:

### POPULATION OF BRIGHTON IN U. S. CENSUS YEARS 1810 TO 1900.

[Incorporated Feb. 24, 1807; annexed to Boston Jan. 5, 1874.]

	WHITE.			COLORED.			Native.	Foreign.
	Males.	Females.	Total.	Males.	Females.	Total.		
1810.....	330	276	606	.....	.....	2		
1820.....	363	353	716	1	.....	1	.....	3
1830.....	486	484	970	1	.....	1	.....	16
1840.....	718	706	1,424	1				
1850.....	1,158	1,193	2,351	3	2	5		
1860.....	1,675	1,696	3,371	3	1	4		
1870*.....	2,466	2,501	4,967	35	29	64	3,361	1,606
1880.....	3,264	3,307	6,571	69	53	122	4,888	1,805
1890.....	5,862	5,984	11,846	92	94	186	8,182	3,850
1900.....	9,210	9,848	19,058	124	97	221	13,457	5,822

\* Estimated.

**POPULATION OF BOSTON PROPER AND ANNEXATIONS  
FROM 1635 TO 1905.**

CENSUS YEARS.	Census taken by	Boston, including Annexations.	Boston Proper Settled, 1630. City, 1822.	Annexed Territory.	ANNEXATIONS.	
					East Boston, 1836.	The Islands.
1638.....			b 180			
1675.....			b 4,000			
1698.....			b 7,000			
1704.....			b 6,750			
1720.....			b 11,000			
1722.....	Town .....		10,567			
1742.....	Town .....		16,382			
1752.....	Town .....		15,781			
1765.....	Colony .....		15,520			
1775.....	Gen. Gage .....		6,573			
1776.....	Colony .....		2,719			
1781.....	Colony .....		b 10,000			
1784.....	Colony .....		b 15,870			
1789.....	Town .....		b 17,880			
1790.....	U. S.....	18,520	18,088	282		282
1800.....	U. S.....	24,937	24,655	232		b 282
1810.....	U. S.....	33,787	32,896	891	18	519
1820.....	U. S.....	43,296				
1825.....	City .....	58,277	56,003	2,274	24	264
1830.....	U. S.....	61,392				
1835.....	City .....	78,603	72,057	6,546	607	344
1840.....	U. S.....	98,883	85,475	7,908	1,455	277
1845.....	City .....	114,366	99,036	15,330	5,018	292
1850.....	U. S.....	136,881	113,721	23,160	9,526	825
1855.....	State.....	160,490	126,296	34,194	15,438	b 530
1860.....	U. S.....	177,840	133,563	44,277	18,356	b 1,000
1865.....	State.....	192,318	141,083	51,235	20,572	b 1,300
1870.....	U. S.....	250,626	188,781	111,745	23,816	b 1,700
1875.....	State.....	341,919	140,699	201,250	27,420	1,927
1880.....	U. S.....	362,839	147,075	215,764	23,381	1,545
1885.....	State.....	390,393	147,138	243,225	29,280	2,139
1890.....	U. S.....	448,477	161,330	287,147	a 36,980	
1895.....	State.....	496,920	160,849	336,571	39,889	2,706
1900.....	U. S.....	560,892	168,786	397,106	a 45,756	
1905.....	State.....	595,380	172,473	422,907	51,534	3,105

a Including islands.

b Estimated.

POPULATION OF BOSTON PROPER AND ANNEXATIONS  
FROM 1635 TO 1905.—*Concluded.*

CENSUS YEARS.	ANNEXATIONS.						
	South Boston, 1804.	Wash- ington Village, 1855.	Roxbury, 1867.	Dor- chester, 1869.	West Roxbury, 1873.	Brighton, 1878.	Charles- town, 1878.
1638.....							
1675.....							
1698.....							
1704.....							
1720.....							
1722.....							
1742.....							
1752.....							
1765.....			1,487	1,380			2,031
1775.....							
1776.....			1,483	1,513			360
1781.....			b 1,650	b 1,840			b 725
1784.....			b 2,150	b 2,060			b 1,340
1789.....							
1790.....			2,226	1,722			1,583
1800.....			2,765	2,347			2,751
1810.....	354		3,669	2,980		608	4,959
1820.....			4,135	3,684		702	6,591
1825.....	1,986						
1830.....			5,247	4,074		972	8,783
1835.....	5,595						
1840.....	6,176		9,089	4,875		1,425	11,484
1845.....	10,020						
1850.....	13,309		18,364	7,969		2,356	17,216
1855.....	16,912	c 1,319	18,469	8,340	4,812	2,895	21,700
1860.....	24,921		25,137	9,769	6,810	3,375	25,065
1865.....	29,363		28,426	10,717	6,912	3,854	26,399
1870.....	39,215		34,753	21,261	8,686	4,967	28,323
1875.....	b 54,147		50,429	15,788	11,783	6,200	33,556
1880.....	56,369		b 57,123	b 17,890	14,082	6,693	33,731
1885.....	61,534		65,968	20,717	17,424	8,623	37,673
1890.....	66,791		78,411	29,638	24,997	12,032	38,348
1895.....	67,913		92,088	45,909	32,761	15,001	40,304
1900.....	70,660		125,949	73,026	36,441	19,279	40,652
1905.....	67,438		111,261	90,011	41,076	21,806	39,983

b Estimated.

c Included in South Boston after 1855.





## APPENDIX C.

---

### MISCELLANEOUS STATISTICS.



TABLE A. — BOSTON : STATISTICS OF THE POPULATION FOR CERTAIN U. S. CENSUS YEARS.

Years.	Population.	Area in Acres.	Density — Per- sons to the Acre.	Dwellings.	Persons to a Dwelling.	Families.	Persons to a Family.	Births.	Deaths.	Marriages.	Native-born.	Foreign-born.	White.	Colored.
1870.....	250,636	12,497	20.04	29,023	8.46	48,188	5.20	8,144	6,100	3,523	162,540	87,986	247,013	3,513
1880.....	363,839	23,606	15.37	43,944	8.26	72,763	4.99	10,749	8,612	3,673	248,043	114,796	356,826	5,873
1890.....	448,477	24,231	18.51	52,669	8.50	89,716	5.00	13,255	10,179	5,296	290,305	158,172	439,887	8,590
1900.....	560,892	24,610	22.79	66,432	8.40	117,244	4.80	16,351	11,670	6,049	363,763	197,129	548,033	12,809

TABLE B. — SHOWING THE NUMBER OF PERSONS OF CERTAIN SPECIFIED NATIONALITIES AMONG THE FOREIGN-BORN POPULATION IN THE SAME CENSUS YEARS.

Years.	Ireland.	Great Britain.	Germany.	British-Ameri- can Provinces.	Italy.	Russia.	Portugal.	Norway and Sweden.	France.	Austria.	Denmark.	Holland.	Belgium.	Switzerland.	Spain.	Greece.	Turkey.	China.	Japan.	Cuba and West Indies.	At Sea.	All Other Countries.
1870.....	58,900	7,887	5,608	13,818	264	266	469	784	615	170	76	332	13	201	90	13	7	8	9	189	15	284
1880.....	64,738	11,936	7,398	23,156	1,277	782	507	1,863	795	221	196	402	58	245	92	24	17	133	4	107	48	648
1890.....	71,441	18,367	10,368	33,294	4,718	5,269	891	4,274	875	638	353	363	198	424	149	29	57	497	10	390	70	632
1900.....	70,147	17,935	10,789	50,292	13,788	18,550	829	6,886	1,068	1,599	675	391	221	400	85	281	600	1,065	36	466	111	1,338



Both parents born in Austria.....	5	63	55	70	89	106	18	5	2	8	16	18	20	32	25	78
" " " Sweden and Norway.....	74	86	78	87	78	78	106	140	125	117	137	150	153	175	183	348
" " " other foreign countries.....	911	863	819	787	785	781	761	761	814	840	849	888	943	840	1,000	1,166
Father American, mother unknown.....	4	196	.....	.....	.....	.....	.....	3	.....	.....	.....	4	4	6	1	5
" " foreign, mother unknown.....	5	255	.....	.....	.....	.....	.....	8	.....	2	.....	1	4	8	.....	3
Mother American, father unknown.....	191	.....	204	247	239	286	302	281	323	307	349	337	327	297	329	358
" " foreign, father unknown.....	208	.....	174	195	237	288	335	322	363	338	436	365	444	441	469	547
Both unknown.....	154	116	178	180	229	159	236	239	219	214	292	169	119	131	111	23
Total Births .....	10,773	10,530	10,185	10,200	10,654	10,530	10,968	11,302	11,479	11,496	11,990	12,137	12,613	12,787	13,146	16,351

Great Britain includes England, Scotland and Wales. Spain and Portugal includes Azores. Russia includes Poland and Finland. Austria includes Bohemia and Hungary.

TABLE D. — NATIVITY OF DECEDENTS RECORDED IN BOSTON FROM 1850 UNTIL 1890, AND THE YEAR 1900.

BIRTHPLACES.		1860.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.							
United States.....	2,619	2,738	2,648	3,047	2,984	2,943	3,046	2,781	2,718	2,557	2,384	3,196	3,521	3,127	2,966	3,115	3,905	3,809	4,187	3,978
Great Britain.....	71	106	87	95	88	87	94	111	70	78	88	118	120	114	101	98	111	146	152	165
Ireland.....	808	884	808	942	1,180	846	927	845	861	897	869	1,119	1,154	1,021	1,055	918	1,133	1,491	1,805	1,824
France.....	9	7	7	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Portugal.....	2	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Germany.....	35	28	56	71	64	67	55	66	43	51	41	49	63	64	57	71	*101	95	123	95
British-American Provinces....	84	95	86	73	103	94	84	96	78	100	105	147	164	139	127	144	165	185	221	242
Italy.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Russia.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other Countries.....	18	13	21	14	27	21	26	29	33	31	40	29	43	43	47	44	55	58	53	57
Unknown.....	26	32	26	33	45	22	21	30	32	24	23	41	46	33	26	31	50	39	57	27
Total.....	3,667	3,855	3,738	4,254	4,441	4,060	4,253	3,958	3,840	3,738	4,120	4,699	5,111	4,541	4,379	4,431	5,519	5,523	6,098	5,898

TABLE D., *Concluded.* — NATIVITY OF DECEDENTS RECORDED IN BOSTON FROM 1850 UNTIL 1890, AND THE YEAR 1900.

BIRTHPLACES.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	1900.
United States... ..	5,516	5,398	5,533	3,100	3,042	2,953	3,021	3,050	3,513	3,633	3,520	3,865	3,801	3,873	3,900	4,085	4,215	4,109	4,117	7,646
Great Britain .....	219	214	198	453	430	357	330	362	379	405	443	463	490	479	438	464	484	523	511	315
Ireland.....	1,067	1,618	1,572	3,861	3,305	2,755	3,013	2,741	3,200	3,189	3,219	3,413	3,394	3,314	3,203	3,403	3,306	3,306	3,171	2,080
France.....					37	30														14
Portugal.....					45	52	61	50	41	73	67	88	73	72	60	48	69	60	59	6
Germany.....	133	177	136	437	437	338	331	353	368	447	423	336	461	448	377	465	440	516	477	201
British-American Provinces....	397	345	264	581	507	437	514	501	639	771	800	861	839	821	875	898	907	967	1,006	787
Italy.....					50	48	48	53	48	55	68	128	96	106	122	172	165	154	209	171
Russia.....																				
Other Countries .....	128	87	77	258	79	68	112	102	128	136	151	160	142	162	164	211	144	113	138	187
Unknown .....	30	30	32	268	281	206	197	184	296	328	324	373	326	347	126	311	366	360	365	123
Total.....	8,090	7,869	7,812	8,958	8,203	7,284	7,577	7,485	8,612	9,067	9,015	9,747	9,622	9,622	9,265	10,077	10,200	10,208	10,178	11,670

Great Britain includes England, Scotland and Wales. Portugal includes Spain and the Azores Islands. Germany includes the countries of Northern Europe until 1888, when Russia is given separately. There are no figures for 1860-61.



TABLE E. — NATIVITY OF BRIDES AND GROOMS. 1850-54.

BIRTHPLACES.		1850.*	1851.	1852.	1853.	1854.
United States.....	Grooms.	1,160	1,236	1,181	1,220	1,276
	Brides..	1,153	1,212	1,198	1,182	1,235
Great Britain.....	Grooms.	134	152	181	169	198
	Brides..	84	85	88	92	119
Ireland.....	Grooms.	990	1,132	981	1,058	1,201
	Brides..	1,099	1,246	1,121	1,244	1,391
Germany and Northern Europe..	Grooms.	114	120	131	141	175
	Brides..	85	72	86	100	133
France and Italy.....	Grooms.	35	19	22	24	.....
	Brides..	9	8	7	14	.....
British Provinces.....	Grooms.	115	131	146	196	184
	Brides..	127	165	152	189	205
Other Countries.....	Grooms.	.....	25	27	27	94
	Brides..	.....	9	12	13	45
Unknown.....	Grooms.	.....	48	17	20	.....
	Brides..	.....	66	22	21	.....
Total Number of Persons.....		5,114	5,726	5,372	5,710	6,266
Total Number of Marriages.....		2,467	2,863	2,686	2,855	3,128

\* The figures for 1850 are Marriage intentions; the total number of marriages was 2,467.

TABLE F.—RELATIVE NATIVITY OF GROOMS AND BRIDES MARRIED IN BOSTON FROM 1855 TO 1890 AND 1900.

	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.
Groom and bride born in United States.....	969	851	947	796	884	977	1,081	1,047	1,128	1,205	1,272	1,337	1,414	1,469	1,533	1,598	1,663	1,728	1,793	1,857
“ “ “ Ireland.....	1,025	870	688	683	777	538	604	668	725	665	671	738	776	771	765	772	772	772	772	772
“ “ “ British-American Provinces.....	55	61	33	36	42	31	52	57	55	87	114	110	128	174	224	294	269	269	269	269
“ “ “ Great Britain.....	53	40	34	17	45	23	23	24	32	30	25	27	44	48	69	89	85	85	85	85
“ “ “ Germany.....	134	113	96	97	97	78	69	84	94	99	103	103	107	119	114	96	149	138	138	138
“ “ “ other countries.....	27	.....	29	20	39	21	31	41	47	54	60	54	55	65	68	80	132	98	98	98
Groom born in United States, bride in Ireland.....	81	76	72	52	91	79	68	82	88	116	78	115	95	97	111	106	121	111	111	111
“ “ “ British-American Provinces.....	77	66	68	73	66	75	88	85	84	120	108	115	142	134	150	164	192	168	168	168
“ “ “ Great Britain.....	25	33	41	29	28	32	35	39	40	32	40	37	96	45	69	58	55	51	51	51
“ “ “ Germany.....	1	3	2	3	2	3	2	7	5	6	1	6	4	4	7	12	9	12	8	8
“ “ “ other countries.....	6	1	1	4	7	3	3	5	5	6	3	7	6	6	11	6	12	12	12	12
Bride born in United States, groom in Ireland.....	46	42	30	40	44	64	81	81	92	101	98	112	148	115	124	140	145	148	148	148
“ “ “ British-American Provinces.....	45	39	52	35	39	54	48	49	55	68	69	82	84	107	119	129	119	132	132	132
“ “ “ Great Britain.....	36	30	24	15	32	33	33	32	29	46	47	55	64	59	66	56	56	73	80	80
“ “ “ Germany.....	22	10	22	14	16	17	17	17	24	29	32	26	36	41	60	42	35	45	45	45
“ “ “ other countries.....	9	17	12	8	15	10	18	20	19	31	16	30	23	27	26	26	26	43	42	42
* Groom and bride born in other countries (mixed).....	240	337	310	312	235	186	161	291	244	202	223	239	226	255	276	320	339	339	339	339
Groom born in United States, bride unknown.....	.....	32	1	4	8	4	2	2	5	7	7	2	2	4	4	4	4	2	1	2
Groom foreign-born, bride unknown.....	.....	.....	2	1	2	1	2	4	4	4	4	1	1	1	1	1	1	1	1	1
Bride born in United States, groom unknown.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Bride foreign-born, groom unknown.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Nativity of both parties unknown.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Total Marriages.....	2,855	2,536	2,385	2,155	2,481	2,094	2,332	2,786	2,727	2,845	2,897	3,138	3,432	3,714	3,762	3,985	4,049	4,049	4,049	4,049

† There are no figures for 1880-81.

\* Grooms and brides born in different foreign countries.

TABLE F., *Concluded.*—RELATIVE NATIVITY OF GROOMS AND BRIDES MARRIED IN BOSTON FROM 1855 TO 1890 AND 1900.

	1855	1876	1877	1878	1879	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	1890	1900
Groom and bride born in United States.....	1,545	1,278	1,338	1,423	1,790	1,906	2,123	2,134	2,076	1,988	2,011	2,125	2,301	2,172	2,266	2,272	2,254
“ “ “ Ireland.....	603	584	459	474	456	439	476	505	591	617	643	647	476	758	733	694	489
“ “ “ British-American Provinces.....	111	110	76	86	104	168	252	343	305	320	282	337	410	440	469	453	438
“ “ “ Great Britain.....	40	30	27	25	29	36	49	49	73	53	61	71	92	99	99	115	69
“ “ “ Germany.....	124	87	105	104	72	134	159	215	214	209	187	190	190	218	293	269	52
“ “ “ other countries.....	73	51	19	30	60	53	63	75	88	88	85	106	150	161	181	211	802
Groom born in Ireland.....	104	88	109	93	112	132	161	147	151	137	130	184	214	206	194	210	199
“ “ “ British-Am. Provinces.....	160	168	180	176	189	229	292	318	334	324	344	361	443	413	422	385	386
“ “ “ Great Britain.....	45	39	37	56	65	67	86	76	68	64	79	99	83	94	107	103	116
“ “ “ Germany.....	10	12	8	13	12	12	20	23	15	24	20	29	16	21	23	29	13
“ “ “ other countries.....	7	14	4	10	5	10	8	9	7	7	20	20	18	19	20	18	48
Bride born in United States, groom in Ireland.....	120	100	84	113	129	154	112	129	132	122	133	122	136	124	147	118	109
“ “ “ British-Am. Provinces.....	94	86	94	91	87	109	129	147	137	132	173	180	209	211	203	237	281
“ “ “ Great Britain.....	50	53	76	63	79	91	91	83	90	88	98	105	127	112	113	122	103
“ “ “ Germany.....	44	38	58	58	51	67	59	59	65	59	47	65	52	66	74	74	34
“ “ “ other countries.....	35	31	17	32	37	33	43	39	43	41	55	45	65	53	46	81	149
Groom and bride born in other countries (mixed).....	251	209	180	185	184	233	247	280	293	271	289	303	455	350	394	430	597
Groom born in the United States, bride unknown.....	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Groom foreign-born, bride unknown.....	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Bride born in United States, groom unknown.....	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Bride foreign-born, groom unknown.....	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Nativity of both parties unknown.....	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Total Marriages.....	3,416	2,981	2,873	3,032	3,461	3,973	4,370	4,631	4,702	4,624	4,717	5,009	5,347	5,517	5,774	5,831	6,049

Great Britain includes England, Scotland and Wales. Germany includes other countries in the north of Europe, as Sweden, Norway, Denmark, etc., down to and including 1890.

CATALOGUE BOOKS OF RECORD — 1630-1903.

1. ORIGINAL COUNTY RECORD — Boston, Braintree, Cambridge, Charlestown, Concord, Dedham, Dorchester, Hingham, Medfield, Roxbury, Sudbury, Watertown, Weymouth, Woburn, Springfield (?).

This volume comprises —

Births, 1630-1666; Marriages, 1651-1662; Deaths, 1630-1664.

It is preserved in silk (Emery process) and bound in black Morocco.

- 1a. TRANSCRIPT OF COUNTY RECORD — written on parchment, with full sheep binding.

This book was transcribed from original in 1856.

2. ORIGINAL VOLUME OF BIRTHS AND DEATHS, 1630-1690.

This book contains all the births recorded in Volume 1, and all additional births from 1666 to 1689. Preserved in silk (Emery process), blue Morocco binding.

- 2a. INDEX TO THE ABOVE.

3. ORIGINAL VOLUME OF BIRTHS, MARRIAGES AND DEATHS, 1690-1696.

Small book, preserved in silk (Emery process), dark brown Morocco binding.

4. ORIGINAL VOLUME, containing —

Births, 1693-1696; Marriages, 1695-1697; Deaths, 1693-1696.

Small book, preserved in silk (Emery process), black Morocco binding.

5. ORIGINAL VOLUME: BIRTHS, 1689-1744; DEATHS, 1721-1744.

Large book, preserved in silk (Emery process), brown Morocco binding.

- 5a. TRANSCRIPT CONTAINING BIRTHS, 1635-1744.

Large book, sheep binding.

6. ORIGINAL VOLUME OF DEATHS, 1689-1720.

Small book, preserved in silk (Emery process), black Morocco binding.

7. ORIGINAL VOLUME, containing —

Births, 1723-1817; Deaths, 1733-1820.

Preserved in silk (Emery process), dark red Morocco binding.

8. ORIGINAL VOLUME OF BIRTHS, 1810-1849.

Dark brown half Morocco binding.

9. ORIGINAL VOLUME OF MARRIAGES, 1689-1720.  
Preserved in silk (Emery process), red Morocco binding.
10. ORIGINAL VOLUME OF MARRIAGES OF THE SUFFOLK COUNTY COURT, 1716-1731.  
Large book, vellum binding.
11. ORIGINAL VOLUME OF MARRIAGES, 1721-1751.  
Preserved in silk (Emery process), red Morocco binding.
12. ORIGINAL VOLUME OF MARRIAGES, 1761-1809.  
Preserved in silk (Emery process), red Morocco binding.
- 12a. TRANSCRIPT OF MARRIAGE RECORD, 1761-1807.  
Red half Morocco binding.
13. A VOLUME OF ORIGINAL MARRIAGE RETURNS, 1699-1751.  
Red half Morocco binding.
14. A VOLUME OF ORIGINAL MARRIAGE RETURNS, 1760-1814.  
Red half Morocco binding.
15. ORIGINAL VOLUME OF MARRIAGES, 1807-1828.  
Red half Morocco binding.
16. ORIGINAL VOLUME OF MARRIAGES, 1825-1840.  
Red half Morocco binding.
17. ORIGINAL VOLUME OF MARRIAGES, 1841-1849.  
Red half Morocco binding.
18. OUT OF TOWN MARRIAGES, PRIOR TO 1800.  
Transmitted to the City Registrar of Boston by the Clerks of the various towns of Massachusetts, by order of the General Court. Acts of 1857, chapter 84, section 4. These marriages are printed in Volume 30 of the Record Commissioner's Reports.
19. PRINTED NOTICES OF MARRIAGE INTENTIONS, 1809-1818.  
Red half Morocco binding.  
These are included in Volume 8 (Marriage Intentions, 1807-1817.)
- NOTE. — NINE VOLUMES OF MARRIAGE INTENTIONS, 1707-1823.  
Small books, green Morocco binding.
- EIGHT VOLUMES, MARRIAGE INTENTIONS, 1823-1849.  
Half Russia binding.
- SIX VOLUMES OF MARRIAGES, ORIGINAL RETURNS, 1800-1849.  
Half Russia binding.
- EIGHT VOLUMES, INDEXES TO MARRIAGE INTENTIONS, 1807-1849.  
Green half Morocco binding.
- THREE VOLUMES OF DEATHS, ORIGINAL, 1810-1821.
20. North District.
21. Middle District.
22. South District.  
Small books, black half Morocco binding.

FOUR VOLUMES OF DEATHS, ORIGINALS, 1821-1836.

23. North District, 1821-1832.
24. Middle District, 1821-1832.
25. South District, 1821-1832.
26. January, 1833, to December 5, 1836.

Large books, black half Morocco binding.

FOUR VOLUMES OF DEATHS, ORIGINALS, 1836-1848, inclusive.

27. December 6, 1836, to September 7, 1840.
28. September 7, 1840, to December 31, 1843.
29. January, 1844, to August 31, 1846.
30. September, 1846, to December 31, 1848.

Large books, black half Morocco binding.

NOTE. — TWO VOLUMES OF DEATHS, TRANSCRIPT OF THE ORIGINALS, 1817-1824.

Large books, black half Morocco binding.

NOTE. — THREE VOLUMES, INDEXES, 1810-1846.  
1810-1824; 1825-1835; 1835-1846.

Large books, sheep binding.

NINE VOLUMES OF ORIGINAL TOWN PAPERS — Miscellaneous. 1637-1832.

Large books, gray canvas binding.

CATTLE BOOK, 1693.

Small book, black Morocco binding.

SIX VOLUMES OF INDENTURES — Scrap-books, 1734-1805.  
Large books, black Morocco binding.

IMMIGRANTS, 1763-1769.

Small books, brown half Morocco binding.

STATISTICS OF MORTALITY, 1810-1849.

Small book, quarter Russia binding.

PRINTED NOTICES OF INTENTIONS OF MARRIAGES (for posting) —  
Scrap-book, 1834-1849. Paper binding, black back.

ONE VOLUME, RECORD AND INDEX OF REMOVALS, 1857-1859.  
Brown quarter Russia binding.

ORIGINAL VOLUME OF MARRIAGES, First Universalist Church, by  
Paul Dean, 1813-1840.  
Small book, Russia binding.

In addition to the marriage records are the original certificates from 1849 to 1903, and Out of Town Certificates from 1880 to 1903.

From 1849 to 1857 these certificates are bound in scrap-books, with red canvas bindings — 1849, one volume; 1850 to 1857 (inclusive), 2 volumes each.

From 1858 to 1892 these certificates are not bound.

From No. 3758 (Boston) and No. 682 (Out of Town), of 1892 to 1903, these certificates are bound in book form of 500 each, making 12 vols. annually of Boston certificates and 2 vols. annually of Out of Town cer-

tificates. They are bound in half Morocco for 1892, and full red canvas from 1893 to 1903.

Forty-five volumes (numbered 18 to 62) Notices of Intentions of Marriages from 1849 to 1892, inclusive, half Russia binding.

From 1893 to 1902, inclusive, 120 volumes, red half Morocco binding.

Besides these there are the original marriage certificates of Brighton, 1857 to 1874; Charlestown, 1847 to 1873; Roxbury, 1849 to 1868, and West Roxbury, 1863.

*Brighton.*

1. BIRTHS, MARRIAGES, MARRIAGE INTENTIONS, DEATHS AND BAPTISMS (1771-1815), ORIGINAL.

Small book, sheep binding.

2. BIRTHS AND DEATHS (1817-1845), ORIGINAL.

With appendix of Genealogies, Tax List (1752) and Voting List (1816). Sheep binding.

3. INDEX OF MARRIAGES (March 22, 1817, to March 26, 1858), MARRIAGES (April 11, 1816, to September 21, 1843), ORIGINAL.

Sheep binding.

4. ORIGINAL VOLUME, containing—

Births (June 10, 1844, to August 20, 1855), Deaths (June 10, 1843-1854).

Marriages (June 1, 1843, to May 10, 1855).

Quarter sheep binding.

5. ORIGINAL VOLUME OF BIRTHS, 1855-1874.

Large book, quarter sheep binding.

6. ORIGINAL VOLUME OF MARRIAGES, 1855-1874.

Large book, quarter sheep binding.

7. ORIGINAL VOLUME OF DEATHS, January 1, 1854-1874.

Large book, quarter sheep binding.

*Charlestown.*

1. ORIGINAL VOLUME OF BIRTHS, MARRIAGES AND DEATHS (2 parts).

Part 1. 1662-1720.

Part 2. 1720-1795.

These books are preserved in silk (Emery process), dark red Russia binding.

2. ORIGINAL VOLUME OF BIRTHS, MARRIAGES AND DEATHS (2 parts), 1800-1843.

Part 1. Page 1-367. Preserved in silk (Emery process).

Part 2. Page 369-496.

Black Morocco binding.

3. ORIGINAL VOLUME OF MARRIAGES (marked Vol. 8), 1843-1848.

Large book, black Morocco binding.

ORIGINAL VOLUME OF DEATHS (marked Vol. 11), 1843-1849.

Large book, Russia binding.

ORIGINAL VOLUME OF DEATHS (marked Vol. 12), 1849-1860.

In a binding.

ORIGINAL VOLUME OF DEATHS, 1848-1859.  
Large book, quarter sheep binding.

ORIGINAL VOLUME OF DEATHS, 1863-1873.  
Large book, half Russia binding.

ORIGINAL VOLUME OF DEATHS, 1873-1874 (to annexation).  
Large book, half Russia binding.

- FIVE VOLUMES OF MARRIAGE INTENTIONS, ORIGINALS, marked  
14, 15, 16, 17, 18.  
1725-1873.
14. 1725-1826.
  15. 1826-1849.
  16. 1849-1858.
  17. 1858-1864.
  18. 1864-1873.
- Large books, Russia binding.

INDEXES (4 VOLS).  
Marriage Intentions (1826-1873).  
Births (1843-1873).  
Marriages (1843-1873).  
Deaths (1843-1873).  
Russia bindings.

*Dorchester.*

1. ORIGINAL VOLUME OF BIRTHS, MARRIAGES AND DEATHS (marked  
1646-1682), should be 1646-1683.  
Small book, preserved in silk (Emery process), green Morocco binding.
2. TRANSCRIPT OF THE ABOVE — made in 1767, with additions.  
Small book, vellum binding.
3. TRANSCRIPT OF BIRTHS, MARRIAGES AND DEATHS, 1681-1683.  
Transcribed in 1843 by Edward Holden.  
Small book, Russia binding.
4. ORIGINAL VOLUME OF BIRTHS, MARRIAGES AND DEATHS, 1684-1744.  
Small book, Russia binding.
5. ORIGINAL VOLUME BIRTHS, MARRIAGES AND DEATHS, 1745-1825.  
Large book, Russia binding.
6. ORIGINAL VOLUME, BIRTHS, MARRIAGES AND DEATHS (marked  
1825-1844), should be 1826-1844.  
Large book, Russia binding.
7. ORIGINAL VOLUME, BIRTHS, MARRIAGES AND DEATHS, 1844-1849.  
Large book, green half Morocco binding.
8. ORIGINAL VOLUME, 1798-1849 — (Publishments).  
Sheep binding.
9. "OLD BOOK OF RECORDS" — 1633-1720.  
Transcribed from the Original by Thaddeus Mason Harris in 1834.  
Russia binding.



**ORIGINAL VOLUME "TOWN RECORDS," 1632-1722.**

Large book, preserved in silk (Emery process), brown half Morocco binding.

**ORIGINAL VOLUME, "TOWN RECORDS," 1651-1725.**

Large book, preserved in silk (Emery process), brown half Morocco binding.

**ONE VOLUME, "ANCIENT PAPERS AND DOCUMENTS OF THE TOWN OF DORCHESTER," 1638-1766.**

Presented by Thaddeus Mason Harris, July 7, 1838, quarter sheep binding.

*Roxbury.***ORIGINAL VOLUME, BIRTHS, MARRIAGES AND DEATHS, 1630-1785.**

Preserved in silk (Emery process), dark red Morocco binding.

**ORIGINAL VOLUME, BIRTHS AND DEATHS, 1785-1844.**

Brown half Morocco binding.

**ORIGINAL VOLUME, MARRIAGES AND PUBLISHERMENTS, 1785-1846.**

Brown half Morocco binding.

**ORIGINAL VOLUME, MARRIAGE INTENTIONS, 1846-1868.**

Russia binding.

**OUT OF TOWN MARRIAGES OF RESIDENTS OF ROXBURY, 1671-1799.**

This book was transcribed from returns made by the Clerks of the various cities and towns in Massachusetts, by act of the General Court of 1857, chapter 84, section 4, 1858.

*West Roxbury.***ORIGINAL VOLUME, BIRTHS, 1851-1873.**

Quarter sheep binding, large book.

**ORIGINAL VOLUME, MARRIAGES, 1851-1873.**

Quarter sheep binding, large book.

**TWO ORIGINAL VOLUMES, MARRIAGE INTENTIONS.**

*First* — (1851-1871) Small book, quarter sheep binding.

*Second* — (1872-1874) Small book, quarter sheep binding.

**ORIGINAL VOLUME, DEATHS, 1851-1873.**

Quarter sheep binding, large book.

---

**BOSTON.***Births.*

One Volume, covering the period between 1726 and 1814. This book is arranged alphabetically, and is bound in half Russia.

One Volume, embracing the period from 1800 to 1849, alphabetically arranged, and bound in brown half Morocco.

Forty-five Volumes (one Vol. annually), covering the period from 1849 to 1893.

Eighteen Volumes (two Vols. annually), covering the period from 1849 to 1902. These books are bound in brown half Morocco.

- Four Volumes, 1902, 1903, 1904, and 1905, typewritten, sheep, McMillan binder, brown Morocco bands and ends.
- Three Volumes, Indexes (Consolidated), from 1849 to 1869. 1st, A to G; 2d, H to M; 3d, N to Z.
- Three Volumes, Indexes (Consolidated), from 1870 to 1881. 1st, A to G; 2d, H to M; 3d, N to Z. These books have a brown half Morocco binding.
- Nine Volumes, Indexes (Consolidated), from 1882 to 1891, sheep, McMillan binder, red Russia bands and ends.
- Eight Volumes, Indexes (one Vol. annually), from 1892 to 1899; gray canvas binding; 1900, one Volume, typewritten, brown half Morocco binding.
- Five Volumes, Indexes, 1901, 1902, 1903, 1904, and 1905, typewritten, sheep, McMillan binder, brown Russia bands and ends.
- Seven Volumes, Indexes, from 1849 to 1881. These books were used previous to consolidated indexes; bound in brown half Morocco.
- Ten Volumes, Indexes, from 1882 to 1881. These books were used previous to consolidated indexes; bound in gray canvas.

*Marriages.*

- One Volume (with index), embracing the period between 1646 and 1800; red half Morocco binding.
- One Volume (Transcript), covering the period from 1657 to 1720; red half Morocco binding.
- Two Volumes, embracing the period between 1800 and 1849, and arranged alphabetically. 1st, Vol. A to J; 2d, K to Z; bound in red half Morocco.
- Two Volumes, Indexes to the above, classified under female names; half Russia binding.
- Forty-six Volumes (one Vol. annually), covering the period from 1849 to 1894.
- Fourteen Volumes (two Vols. annually), covering the period from 1895 to 1901. These books have red half Morocco binding.
- Two Volumes, 1902, typewritten, sheep, McMillan binder, red Russia bands and ends.
- Two Volumes, 1903, typewritten, sheep, McMillan binder, red Russia bands and ends.
- Two Volumes, 1904, typewritten, sheep, McMillan binder, red Russia bands and ends.
- Two Volumes, 1905, typewritten, sheep, McMillan binder, red Russia bands and ends.
- Three Volumes, Indexes (Consolidated), from 1849 to 1869. 1st, A to G; 2d, H to M; 3d, N to Z.
- Three Volumes, Indexes (Consolidated), from 1870 to 1881. 1st, A to G; 2d, H to M; 3d, N to Z. These books are bound in red half Morocco.
- Ten Volumes, Indexes (one Vol. annually), from 1882 to 1891; red canvas binding.
- Eight Volumes, Printed Indexes (one Vol. annually), from 1892 to 1899; red half Morocco binding.
- One Volume, typewritten index, 1900; red half Morocco binding.
- Five Volumes, 1901, 1902, 1903, 1904, and 1905, typewritten, sheep, McMillan binder, red Russia bands and ends.
- Seven Volumes, Indexes, from 1849 to 1881 (marked 1 to 7). These books were used previous to consolidated indexes; red half Morocco binding.
- One Volume, containing Marriages prior to 1800 (with index). This book is bound in red half Morocco.
- Five Volumes, Out of Town Marriages, embracing the period from 1858 to 1901. 1st, 1858 to 1883; 2d, 1884 to 1892; 3d, 1893 to 1895; 4th, 1896 to 1898; 5th, 1899 to 1901; red half Morocco binding.
- Two Volumes, Indexes to the above, from 1858 to 1892. 1st, 1858 to 1883, half Russia binding; 2d, 1884 to 1892, red half Morocco binding.

Eight Volumes, Consolidated Indexes, 1882 to 1892, sheep, McMillan binder, red Russia bands and ends.

*Deaths.*

One Volume, covering the period from 1700 to 1800, with Index; black half Morocco binding.

Two Volumes, Miscellaneous Deaths, compiled from Newspapers, Magazines, Genealogical Registers, and various other sources, by Elisha G. Copeland, 1858. 1st, 1700 to 1800; 2d, 1800 to 1810; black half Morocco binding.

Three Volumes, 1810 to 1849. 1st, A to F; 2d, G to O; 3d, P to Z. These books are bound in full Russia.

Sixty-three Volumes, 1849 to 1901. One Volume annually from 1849 to 1893; two Volumes annually from 1894 to 1899; three Volumes, 1900; three Volumes, 1901; black half Morocco binding.

Three Volumes, 1902, typewritten, sheep, McMillan binder, black Morocco bands and ends.

Three Volumes, 1903, typewritten, sheep, McMillan binder, black Morocco bands and ends.

Three Volumes, 1904, typewritten, sheep, McMillan binder, black Morocco bands and ends.

Three Volumes, 1905, typewritten, sheep, McMillan binder, black Morocco bands and ends.

Three Volumes, Indexes (Consolidated), from 1849 to 1869. 1st, A to G; 2d, H to M; 3d, N to Z.

Three Volumes, Indexes (Consolidated), from 1871 to 1881. 1st, A to G; 2d, H to M; 3d, N to Z; black half Morocco binding.

Twenty Volumes, Indexes, from 1882 to 1901 (one Vol. annually); from 1882 to 1892, full black Morocco binding; from 1893 to 1900, black half Morocco binding.

Five Volumes, 1901, 1902, 1903, 1904, and 1905, typewritten, sheep, McMillan binder, black Morocco bands and ends.

Eight Volumes, Consolidated Indexes, 1882 to 1900, typewritten, McMillan binder, black Morocco bands and ends.

Six Volumes, Indexes, from 1849 to 1881. These books were used previous to consolidated indexes, and are bound in black half Morocco.

Two Volumes Still-borns, covering the periods from 1854 to 1896. 1st, 1854 to 1881; 2d, 1882 to 1896; brown half Morocco binding.

Three Volumes, Out of Town Deaths, covering the period from 1850 to 1900. 1st, 1850 to 1853; this Volume also includes Still-borns for the same period; 2d, 1853 to 1898; 3d, 1899 to 1901; black half Morocco binding. One Volume, Index to the above, from 1850 to 1900.

One Volume, Out of Town Deaths and Still-borns, 1902, sheep, McMillan binder, black Morocco bands and ends.

BRIGHTON.

One Volume (Original), containing Births, Marriages and Deaths from 1771 to 1893, with separate index; blue half Morocco binding.

One Volume (Original), Intentions of Marriages from 1858 to 1873; blue half Morocco binding.

CHARLESTOWN.

One Volume, Transcript and Index (marked No. 3) of Births, Marriages and Deaths, covering the period from 1629 to 1873; Russia binding.

One Volume (marked No. 4) of Births, Marriages and Deaths, Transcript and Index, from 1800 to 1843; Russia binding. This Volume also contains Out of Town Marriages prior to 1800.

One Volume, Births (marked No. 5), embracing the period between 1843 and 1849, Original Record; bound in brown Morocco.

- One Volume, Births, from 1849 to 1866 (marked No. 6), Original Record; brown Morocco binding.
- One Volume, Births (marked No. 7), from 1867 to 1873, Original Record; brown Morocco binding.
- One Volume, Marriages, from 1849 to 1862 (marked No. 9), Original Record; brown Morocco binding.
- One Volume, Marriages (marked No. 10), from 1862 to 1873, Original Record; brown Morocco binding.
- One Volume, Deaths (marked No. 13), from 1861 to 1873, Original Record; brown Morocco binding.
- Four Volumes, Indexes, from 1843 to 1873; Births, 1843 to 1873; Marriages, 1843 to 1873; Marriage Intentions, 1843 to 1873; Deaths, 1843 to 1873; Russia binding.

## DORCHESTER.

- One Volume, Births, from 1850 to 1869, Original Record; Russia binding, with sheep cover.
- One Volume of Marriages, covering the period from 1850 to 1869, Original Record; Russia binding.
- One Volume, Marriage Intentions, from 1850 to 1869, Original Record; Russia binding.
- One Volume, Deaths, from 1850 to 1869, Original Record; Russia binding.
- Four Volumes (Indexes), covering the period from 1831 to 1869.
  - 1st, Births, Marriages and Deaths, 1831 to 1849, half Russia binding;
  - 2d, Births, 1850 to 1869, half Russia binding;
  - 3d, Intentions and Marriages, 1850 to 1869, half Russia binding;
  - 4th, Deaths, 1850 to 1869, half Russia binding.

## ROXBURY.

- One Volume, Births, Marriages and Deaths, embracing the period between 1630 and 1785, with index. Transcribed from original; small book, sheep binding.
- One Volume (Original), Births, Marriages and Deaths, from 1842 to 1849; bound in sheep, with Russia bands and ends.
- One Volume (Original), Births, from 1850 to 1863; sheep binding, Russia bands and ends.
- One Volume, Original Record of Births, covering the period from 1864 to 1867 (Annexation); full sheep binding, sheep cover.
- One Volume (Original), Marriages, embracing the period between 1849 and 1865; sheep binding, Russia bands and ends.
- One Volume (Original), Marriages, from 1865 to 1867 (Annexation); full sheep binding, sheep cover.
- One Volume of Deaths (Original), from 1850 to 1867 (Annexation); sheep binding, Russia bands and ends.
- Three Volumes, Indexes of Births, from 1632 to 1867. 1st, 1632 to 1844; 2d, 1843 to 1860; 3d, 1860 to 1867.
- Two Volumes, Indexes of Marriages, from 1632 to 1867. 1st, 1632 to 1860; 2d, 1860 to 1867.
- Two Volumes, Indexes of Deaths, from 1633 to 1867. 1st, 1633 to 1860; 2d, 1860 to 1867; sheep binding, with Russia bands and ends.

## WEST ROXBURY.

- One Volume, Original Record of Births, Marriages and Deaths, covering the period from 1854 to 1873 (Annexation); bound in black half Morocco.
- One Volume, Index to the above; black half Morocco binding.

## LIST OF CHURCH RECORDS.

**FIRST CHURCH, BOSTON. 3 Vols.**

Admissions, Dismissions, and Baptisms, 1630-1847.  
Index.  
Admissions, 1636-1687.

**SECOND CHURCH, BOSTON. 2 Vols.**

Admissions and Baptisms, 1676-1740. (Printed.)  
Admissions and Baptisms, 1741-1816.

**FIRST BAPTIST CHURCH, BOSTON. 1 Vol.**

Admissions, Marriages, and Deaths, 1665-1879.

**OLD SOUTH CHURCH, BOSTON. 3 Vols.**

Baptisms, 1669-1875.  
Admissions and Full Communion, 1669-1833.  
Index to Baptisms, 1669-1875.

**KING'S CHAPEL, BOSTON. 3 Vols.**

Baptisms, 1703-1824.  
Marriages, 1780-1842.  
Burials, 1714-1844.

**BRATTLE STREET CHURCH, BOSTON. 2 Vols.**

Baptisms, 1699-1804.  
Marriages and Admissions, 1700-1803.

**NEW NORTH CHURCH, BOSTON. 3 Vols.**

Genealogical Register of Records of New North Church, compiled by Thomas Bellows Wyman, containing record of Baptisms, Admissions, Marriages and Deaths, 1714-1799.  
Baptisms, 1813-1863; Marriages, 1830-1860, and Burials, 1814-1864.  
Admissions, 1800-1821, and Covenant, 1800-1814.

**NEW BRICK CHURCH, BOSTON. 1 Vol.**

Baptisms, Admissions, and Covenant, 1722-1776.

**NEW SOUTH CHURCH, BOSTON. 2 Vols.**

Baptisms, 1719-1812.  
Baptismal Covenants, Marriages and Full Communion, 1719-1811.

**CHRIST CHURCH, BOSTON. 2 Vols.**

Baptisms, 1723-1851.  
Marriages and deaths, 1723-1851.

**FIRST PRESBYTERIAN CHURCH, BOSTON (FEDERAL STREET).  
3 Vols.**

Baptisms, 1730-1742, and Marriages, 1730-1785.  
Marriages, 1730-1865.  
Baptisms, 1730-1865.

**HOLLIS STREET CHURCH, BOSTON. 2 Vols.**

Baptisms, Marriages, Deaths, and Admissions, 1732-1847.  
Index.

**TRINITY CHURCH, BOSTON. 4 Vols.**

Christenings, 1738-1820.  
Index to Christenings, 1738-1820.  
Marriages, 1737-1820.  
Burials, 1739-1819.

**WEST CHURCH, BOSTON. 2 Vols.**

Baptisms, 1737-1880.  
Marriages, 1747-1788, and Members.

**SECOND BAPTIST CHURCH, BOSTON. 2 Vols.**

Church Records, 1743-1806; Members, 1748; Marriages, 1770-1788.  
List of Members, Baptisms, and Deaths, 1788-1811. (In volume containing records of Pine Street, Hawes Place, and Phillips Churches.)

**PHILLIPS CHURCH, SOUTH BOSTON. 2 Vols.**

Deaths, 1832-1879; Baptisms, 1825-1887, and Marriages, 1843-1846. (In volume containing records of Pine Street, Hawes Place, and Second Baptist Churches.)  
Marriages, 1843-1845; Baptisms, 1825-1887, and Deaths, 1827-1887.

**HAWES PLACE CHURCH, SOUTH BOSTON. 1 Vol.**

Marriages, 1823-1878; Admissions and Dismissions, 1823-1834; Baptisms, 1823-1864. (In volume containing records of Pine Street, Phillips, and Second Baptist Churches.)

**PINE STREET CHURCH, BOSTON. 1 Vol.**

List of Members, 1834-1865. (In volume containing records of Hawes Place, Second Baptist, and Phillips Churches.)

**BALDWIN PLACE BAPTIST CHURCH, BOSTON. 1 Vol.**

Admissions, Dismissions, Deaths, 1769-1881.

**FIRST UNIVERSALIST CHURCH, BOSTON. 2 Vols.**

Original record of Marriages from September, 1813, to April, 1840.  
Index.

**HANOVER STREET METHODIST EPISCOPAL CHURCH, BOSTON. 1 Vol.**

Admissions, Deaths, and Baptisms, 1736-1875.

**FIRST CHRISTIAN CHURCH, BOSTON. 1 Vol.**

Church History, 1803-1829; Baptisms, Marriages and Probations, 1863-1870; Members, 1852-1870.

**BROMFIELD STREET CHURCH, BOSTON. 1 Vol.**

Marriages, Admissions, Baptisms, and Deaths, 1838-1854.

**CHARLES STREET BAPTIST CHURCH, BOSTON. 1 Vol.**

Admissions, Dismissions, Marriages, and Deaths, 1807-1865.

**PARK STREET CHURCH, BOSTON. 1 Vol.**

Baptisms, 1810-1876; Marriages, 1810-1866; Deaths, 1809-1877.

**SECOND UNIVERSALIST CHURCH, BOSTON. 1 Vol.**

Members, 1817-1856; Marriages, 1815-1840; Funerals, 1815-1853.

**NEW JERUSALEM CHURCH, BOSTON. 1 Vol.**

Admissions, 1857-1861; Marriages, 1828-1861; Births, 1780-1876; Baptisms, 1827-1861; Deaths, 1820-1879; Confirmations, 1855-1861; Licenses, 1830-1838; Ordinations, 1840-1875; and List of Members, 1828-1856.

**ST. PAUL'S CHURCH, BOSTON. 1 Vol.**

Marriages, 1820-1859; Baptisms, 1821-1851; and Deaths, 1821-1860.

**TWELFTH CONGREGATIONAL CHURCH, BOSTON. 2 Vols.**

An Original Record containing:

Proceedings of the Society, 1825-1861; Members and Covenant, 1825-1860; Baptisms, 1825-1862; Marriages, 1825-1862; Deaths, 1825-1861.

Index to Baptisms, Marriages and Deaths.

**PURCHASE STREET CHURCH, BOSTON. 1 Vol.**

Marriages, 1826-1859; Baptisms, 1726-1759; Deaths, 1827-1859; and Communicants, 1826-1859.

**PITTS STREET CHAPEL, BOSTON. 1 Vol.**

Members, Covenant, Admissions, Baptisms, Marriages and Funerals, 1835-1845.

**SOUTH CONGREGATIONAL CHURCH, BOSTON. 1 Vol.**

Burials, 1828-1866; Baptisms, 1828-1885; and Marriages, 1828-1885.

**GRACE CHURCH, BOSTON. 1 Vol.**

Marriages, 1831-1865; Baptisms, 1831-1865; Deaths, 1831-1865; Confirmations, 1832-1865; Communion, 1847-1865; and General Record, 1828-1835.

**FIRST CHURCH, CHARLESTOWN. 2 Vols.**

Marriages and Baptisms, 1632-1789. (Printed.)  
Index.

**FIRST CHURCH, DORCHESTER. 2 Vols.**

Baptisms, 1729-1837; Deaths, 1729-1779; Full Communion, 1729-1845; and Covenant, 1729-1836.  
Church Record, 1636-1734. (Printed.)

**FIRST BAPTIST CHURCH, ROXBURY. 1 Vol.**

Members, Admissions, Dismissals and Deaths, 1821-1884; List of Life Members of American Baptist Missionary Union.

**THIRD PARISH, ROXBURY, JAMAICA PLAIN. 1 Vol.**

**Baptisms, Marriages and Deaths, 1771-1860.**

**ST. MATTHEW'S CHURCH, SOUTH BOSTON. 6 Vols.**

**Baptisms, 1817-1884.**

**Index to Baptisms, 1817-1884.**

**Marriages, 1821-1884.**

**Confirmations, 1822-1884.**

**Communicants, 1824-1884.**

**Burials, 1818-1884.**

**FIRST CHURCH, WEST ROXBURY. 1 Vol.**

**Church History, Marriages, Baptisms and Deaths, 1712-1837.**

**MARRIAGES BY F. T. GRAY, 1835-1856.**



## BOSTON RECORD REPORTS.

- 
- Vol. 1. TAX LISTS, etc., — 1674 to 1695.  
“ 2. TOWN RECORDS, — 1634 to 1660, and BOOK OF POSSESSIONS.  
“ 3. CHARLESTOWN LAND RECORDS, — 1638 to 1802.  
“ 4. DORCHESTER TOWN RECORDS, — 1632 to 1655.  
“ 5. “GLEANER” ARTICLES.  
“ 6. ROXBURY LAND AND CHURCH RECORDS, — 1639 to 1674.  
“ 7. TOWN RECORDS, — 1660 to 1701.  
“ 8. TOWN RECORDS, — 1700 to 1728.  
“ 9. BIRTHS, MARRIAGES AND DEATHS, — 1634 to 1700.  
“ 10. “MISCELLANEOUS PAPERS,” — 1653 to 1796, and DIRECTORY,  
— 1789 and 1796.  
“ 11. SELECTMEN’S RECORDS, — 1701 to 1715.  
“ 12. TOWN RECORDS, — 1729 to 1742.  
“ 13. SELECTMEN’S RECORDS, — 1716 to 1736.  
“ 14. TOWN RECORDS, — 1742 to 1757.  
“ 15. SELECTMEN’S RECORDS, — 1736 to 1742.  
“ 16. TOWN RECORDS, — 1758 to 1769.  
“ 17. SELECTMEN’S RECORDS, — 1742-3 to 1753.  
“ 18. TOWN RECORDS, — 1770 to 1777.  
“ 19. SELECTMEN’S RECORDS, — 1754 to 1763.  
“ 20. SELECTMEN’S RECORDS, — 1764 to 1768.  
“ 21. DORCHESTER BIRTHS, MARRIAGES AND DEATHS, — 1634 to 1825.  
“ 22. CENSUS, — 1790, and DIRECT TAX, — 1798.  
“ 23. SELECTMEN’S RECORDS, — 1769 to 1775.  
“ 24. BOSTON BIRTHS, — 1700 to 1800.  
“ 25. SELECTMEN’S RECORDS, — 1776 to 1786.  
“ 26. TOWN RECORDS, — 1778 to 1783.  
“ 27. SELECTMEN’S RECORDS, — 1787 to 1798.  
“ 28. BOSTON MARRIAGES, — 1700 to 1751.  
“ 29. “MISCELLANEOUS PAPERS.”  
“ 30. BOSTON MARRIAGES, — 1752 to 1809.  
“ 31. TOWN RECORDS, — 1784 to 1796.  
“ 32. ASPINWALL NOTARIAL RECORDS.  
“ 33. SELECTMEN’S RECORDS, — 1799 to 1810.  
“ 34. THE TOWN OF ROXBURY.  
“ 35. BOSTON TOWN RECORDS, — 1796 to 1813.  
“ 36. DORCHESTER BIRTHS, MARRIAGES AND DEATHS, — 1826 to 1849.
- 









UNIVERSITY OF MICHIGAN



3 9015 06943 6684

JUL 10 1911

OF MICHIGAN

